

2112 - WEED CONTROL FABRIC

SECTION 2112

WEED CONTROL FABRIC

2112.1 DESCRIPTION

This specification covers the material requirements for weed control fabric.

2112.2 REQUIREMENTS

Weed control fabric can be an opaque woven or non-woven material, manufactured specifically for use as a weed barrier. Use fabric that can maintain its integrity for a minimum of 2 years in direct sunlight and has the following minimum physical properties:

Weight	96 g/sq. yd.
Grab tensile strength	100 lbf.
Puncture strength	60 lbf.
Tear strength	45 lbf.

2112.3 TEST METHODS

Grab tensile strength	ASTM D 4632
Puncture strength	ASTM D 4786
Tear strength	ASTM D 4533

2112.4 PREQUALIFICATION

None Required.

2112.5 BASIS OF ACCEPTANCE

Visual inspection of the label to verify compliance with this Section.