


MOTORCYCLE



PASSENGER CARS



KANSAS

2005

PICKUPS




5 AXLES



# VEHICLE CLASSIFICATION

District 6 Surveys



2 AXLES



$\geq 4$  AXLES



$\leq 4$  AXLES



5 AXLES




$\geq 6$  AXLES



Kansas Department of Transportation  
Bureau of Transportation Planning  
Traffic and Field Operations Unit

6 AXLES




$\geq 7$  AXLES





# District 6 Classification



## District 6

### 2005 Vehicle Classification Summary

County	Route	Cross- Route	LOCATION DESCRIPTION	VEHICLE CLASSIFICATION CATEGORY										Truck Total	ADT Surveys	Start Page					
				FC AF	1	2	3	4	5	6	7	8	9	10	11	12	13				
Clark	US-283	US-160	US-283 N OF US-160, N JCT, 11 MI S OF MINNEOLA	6	6.5	259	188	2	41.5	11.5	10	28	180.5	9	1	0.5	4.5	289	742	VI - 8	
<b>4A0BU1</b>					0.68	0.9%	34.9%	25.3%	0.3%	5.6%	0.9%	1.3%	3.8%	24.3%	1.2%	0.1%	0.6%	38.9%	1		
Clark	US-283	US-160	US-283 S OF US-160, S JCT, W OF ASHLAND	6	4.0	167	171	2	26	9	7	29	199	11	0	0	9	292	634	VI - 10	
<b>4B9945</b>					0.62	0.6%	26.3%	27.0%	0.3%	4.1%	0.6%	1.1%	4.6%	31.4%	1.7%	0.0%	0.0%	46.1%	1		
Clark	K-34	US-160 (US-183)	K-34 N OF US-160, E OF ASHLAND	7	5.0	121	130.5	3.5	31.5	5.5	5.5	12	191	11	1.5	0	3.5	265	522	VI - 12	
Clark	US-183	US-160 (US-183)	US-183 N K-34 S OF US-160, E OF ASHLAND	7	8.5	134.5	136	5	23.5	11.5	10	13	206.5	11	4.5	0	6.5	292	571	VI - 14	
<b>4Z18U5</b>					0.60	1.5%	23.6%	23.8%	0.9%	4.1%	1.5%	1.8%	2.3%	36.2%	1.9%	0.8%	0.0%	1.1%	51.1%	1	
Clark	US-160	US-183 (K-34)	US-160 W OF K-34, E OF ASHLAND	6	7.5	319.5	323	3	46	15.5	5.5	24.5	98.5	9	2	0.5	6.5	211	861	VI - 16	
<b>4Z18U7</b>					0.79	0.9%	37.1%	37.5%	0.3%	5.3%	0.9%	0.6%	2.8%	11.4%	1.0%	0.2%	0.1%	0.8%	24.5%	1	
Finney	US-83	US-50 (US-400)	US-83 N OF US-50/83/400 (N JCT), NW OF GARDEN CITY	2	33.5	1445.5	1195.5	27	263.5	44	18	100.5	876	68	9	1	26.5	1,434	4,108	VI - 18	
<b>2J6YF1</b>					0.71	0.8%	35.2%	29.1%	0.7%	6.4%	0.8%	0.4%	2.4%	21.3%	1.7%	0.2%	0.0%	0.6%	34.9%	1	
Finney	US-83	RS-2126 (PARALLEL RD)	US-83, 8.25 MI S OF US-83 / US-83B JCT	2	50.5	1673	1317.5	30	288	80	15	101.5	814	50.5	8.5	1.5	9.5	1,389	4,440	VI - 20	
<b>2JOT01</b>					0.74	1.1%	37.7%	29.7%	0.7%	6.5%	1.1%	0.3%	2.3%	18.3%	1.1%	0.2%	0.0%	0.2%	31.5%	1	
Finney	US-83	US-83B	US-83 NE OF US-83/83B (S JCT), S OF GARDEN CITY	2	49.0	1627	1188	25	229.5	63.5	21	82	832	63	8.5	3	9.5	1,337	4,201	VI - 22	
<b>2KFWB2</b>					0.73	1.2%	38.7%	28.3%	0.6%	5.5%	1.2%	0.5%	2.0%	19.8%	1.5%	0.2%	0.1%	0.2%	31.8%	1	
Finney	US-83 B	US-83 B	US-83B NW OF US-83 / 83B (S JCT), S OF GARDEN CITY	2	24.0	1138.5	917.5	19	170.5	31	14	22	153.5	16	1	0	5.5	433	2,513	VI - 24	
<b>2KFWB8</b>					0.88	1.0%	45.3%	36.5%	0.8%	6.8%	1.0%	0.6%	0.9%	6.1%	0.6%	0.0%	0.0%	0.2%	17.2%	1	
Finney	K-156	K-23	K-156 W OF K-23 (W JCT), 22 MI NE OF GARDEN CITY	6	13.5	497.5	326.5	4.5	54	15.5	8	31.5	233.5	31.5	8	0.5	5	392	1,230	VI - 26	
<b>3E0ZU7</b>					0.72	1.1%	40.5%	26.6%	0.4%	4.4%	1.1%	0.7%	2.6%	19.0%	2.6%	0.7%	0.0%	0.4%	31.9%	1	
Ford	US-283	US-56	US-283 S OF US-56, SCL DODGE CITY	14	33.5	1369	961	11	143.5	25	30	37	358.5	13.5	2.5	3.5	9.5	634	2,998	VI - 28	
<b>49XP95</b>					0.81	1.1%	45.7%	32.1%	0.4%	4.8%	1.1%	1.0%	1.2%	12.0%	0.5%	0.1%	0.1%	0.3%	21.2%	1	
Ford	US-56	US-283	US-56 W OF US-283, SCL DODGE CITY	16	21.0	688	620	21.5	164	53	19.5	77.5	565	23	7	21	10.5	962	2,291	VI - 30	
<b>49XP97</b>					0.68	0.9%	30.0%	27.1%	0.9%	7.2%	0.9%	0.9%	3.4%	24.7%	1.0%	0.3%	0.3%	0.5%	42.0%	1	
Ford	US-50	US-56 (US-283)	US-50 W OF US-56/283 (W JCT), E OF DODGE CITY	2	21.0	1655	941.5	9.5	90.5	26.5	33	43	268.5	14	4.5	5.5	4.5	500	3,117	VI - 32	
<b>4FIQY7</b>					0.85	0.7%	53.1%	30.2%	0.3%	2.9%	0.7%	1.1%	1.4%	8.6%	0.4%	0.1%	0.2%	0.1%	16.0%	1	
Ford	US-50	US-56 (US-283)	US-50 E OF US-283 (E JCT), E OF DODGE CITY	2	18.5	2111	1056.5	18	140	61.5	14.5	107	713.5	46	13.5	8.5	10.5	1,133	4,319	VI - 34	
<b>4HXQX3</b>					0.76	0.4%	48.9%	24.5%	0.4%	3.2%	0.4%	0.3%	2.5%	16.5%	1.1%	0.3%	0.2%	0.2%	26.2%	1	

District VI - 4

## District 6

### 2005 Vehicle Classification Summary

County	Route	Cross- Route	LOCATION DESCRIPTION	VEHICLE CLASSIFICATION CATEGORY												Truck Total	ADT Surveys	Start Page			
				FC AF	1	2	3	4	5	6	7	8	9	10	11	12	13				
Ford	RS-251	120th	RS-251, 5.25 MI W OF US-400, W OF FORD	7	25	198.5	135	0.5	8	4	3	7	585	5	0	0	1	87	423	VI - 36	
<b>4LLMV7</b>			K-94 S OF US-54, SW OF BUCKLIN	7	0.0	45.5	52.5	0.5	15.5	3.5	0.5	3	2.5	0	0	0	1	20.6%	1		
Ford	K-94	US-54		0.91	0.0%	36.5%	42.2%	0.4%	12.4%	0.0%	0.4%	2.4%	2.0%	0.0%	0.0%	0.8%	21.3%	1			
<b>4SCJ15</b>			US-400 S OF RS-257, 1 MI N OF FORD	2	17.5	1409	845.5	12.5	156.5	26.5	17.5	51	528	22	11.5	9.5	6.5	842	3,114	VI - 40	
<b>4T0NA5</b>			RS-257 (FORD-SPEARVILLE RD)		0.76	0.6%	45.3%	27.2%	0.4%	5.0%	0.6%	1.6%	17.0%	0.7%	0.4%	0.3%	0.2%	27.0%	1		
Ford	US-54		US-54 SW OF K-34 (W JCT), IN BUCKLIN	2	10.0	751	415	13.5	69	19.5	24.5	77	709	64	68	30.5	16.5	1,092	2,268	VI - 42	
<b>519JU6</b>		K-34		0.60	0.4%	33.1%	18.3%	0.6%	3.0%	0.4%	1.1%	3.4%	31.3%	2.8%	3.0%	1.3%	0.7%	48.1%	1		
Grant	US-160		US-160 E OF RS-931, 7 MI W OF CO LINE	6	14.5	786.5	789.5	5	165.5	36.5	19.5	52	280	11	0.5	0	12.5	583	2,173	VI - 44	
<b>1TLL63</b>			RS-931 (MOSCOW-HICKOK RD)		0.79	0.7%	36.2%	36.3%	0.2%	7.6%	0.7%	0.9%	2.4%	12.9%	0.5%	0.0%	0.0%	0.6%	26.8%	1	
Grant	K-190		K-190 S OF US-160, 1 MI W OF E CO LINE	7	2.5	160	182	0.5	39.5	11	8	13.5	53.5	2.5	0	0	3.5	132	477	VI - 46	
<b>21LL35</b>		US-160		0.80	0.5%	33.6%	38.2%	0.1%	8.3%	0.5%	1.7%	2.8%	11.2%	0.5%	0.0%	0.0%	0.7%	27.7%	1		
Gray	US-50		US-50 E OF RS-1451, AT CHARLESTON	2	16.0	1904.5	980	36	163.5	41	7	106	761	24.5	11.5	6	11	1,168	4,068	VI - 48	
<b>36RTX3</b>		RS-1451		0.75	0.4%	46.8%	24.1%	0.9%	4.0%	0.4%	0.2%	2.6%	18.7%	0.6%	0.3%	0.1%	0.3%	28.7%	1		
Gray	K-23		K-23 N OF US-56, 5 MI N E OF MONTEZUMA	6	2.0	260	204.5	0.5	29.5	7	5	6.5	100	10.5	0.5	0	2	162	628	VI - 50	
<b>3LRRMJ1</b>		US-56		0.77	0.3%	41.4%	32.6%	0.1%	4.7%	0.3%	0.8%	1.0%	15.9%	1.7%	0.1%	0.0%	0.3%	25.7%	1		
Gray	K-23		K-23 S OF US-56, 5 MINE OF MONTEZUMA	6	1.5	241	157.5	3.5	29.5	5.5	4	8	84	3	1.5	0	2	141	541	VI - 52	
<b>3LRRMJ5</b>		US-56		0.78	0.3%	44.5%	29.1%	0.6%	5.5%	0.3%	0.7%	1.5%	15.5%	0.6%	0.3%	0.0%	0.4%	26.1%	1		
Gray	K-23		K-23 NW OF RS-253, N OF CIMARRON	6	4.0	265	237.5	1.5	15.5	6	2	12	94	10	0.5	0	1	143	649	VI - 54	
<b>3LUOS8</b>		RS-253		0.78	0.6%	40.8%	36.6%	0.2%	2.4%	0.6%	0.3%	1.8%	14.5%	1.5%	0.1%	0.0%	0.2%	22.0%	1		
Haskell	K-144		K-144 E OF US-83, NW OF SUBLINTE	6	4.0	233	230	6	60	15	18	19	333	7	1	8	1	468	935	VI - 56	
<b>2IXKW3</b>		US-83		0.62	0.4%	24.9%	24.6%	0.6%	6.4%	0.4%	1.9%	2.0%	35.6%	0.7%	0.1%	0.9%	0.1%	50.1%	1		
Haskell	US-83		US-83 SOE US-160(K-144) JCT, NW OF SUBLINTE	2	58.5	1376.5	990.5	21.5	183.5	44.5	29.5	108.5	771.5	30	5.5	1.5	14	1,210	3,636	VI - 58	
<b>2IXKW5</b>		US-160 (K-144)		0.72	1.6%	37.9%	27.2%	0.6%	5.0%	1.6%	0.8%	3.0%	21.2%	0.8%	0.2%	0.0%	0.4%	33.3%	1		
Hodgeman	K-156		K-156 E OF RS-283, W OF JETMORE	6	4.0	356	267	1.5	64.5	5.5	30.5	206.5	34	9.5	0	4	362	989	VI - 60		
<b>48D003</b>		RS-283 (RS-255)		0.69	0.4%	36.0%	27.0%	0.2%	6.5%	0.4%	0.6%	3.1%	20.9%	3.4%	1.0%	0.0%	0.4%	36.6%	1		
Hodgeman	US-283		US-283 N OF RS-949, 9 MILES OF K-156	6	4.5	628	356.5	5	41	11.5	6	36.5	161	9.5	0.5	3.5	2.5	277	1,266	VI - 62	
<b>4IRWE1</b>		RS-949		0.80	0.4%	49.6%	28.2%	0.4%	3.2%	0.4%	0.5%	2.9%	12.7%	0.8%	0.0%	0.3%	0.2%	21.9%	1		

## District 6

### 2005 Vehicle Classification Summary

County	Route	Cross- Route	LOCATION DESCRIPTION	VEHICLE CLASSIFICATION CATEGORY												Truck Total	ADT Surveys	Start Page		
				FC AF	1	2	3	4	5	6	7	8	9	10	11	12	13			
Hodgeman	K-156		K-156 NE OF RS-950, NE OF HANSTON	6	20	428	2605	4	40.5	12	4.5	31	177.5	22.5	13	5	4	314	1,005	VI - 64
<b>4XS1O2</b>	RS-950			0.72	0.2%	42.6%	25.9%	0.4%	4.0%	0.2%	0.4%	3.1%	17.7%	2.2%	1.3%	0.5%	0.4%	31.3%	1	
Kearny	US-50	RS-1522	US-50 W OF RS-1522, 6 MI W OF (K-25 IN LAKIN)	2	39.5	799	494.5	11	111	22	9.5	84	559.5	23.5	2	0	11.5	834	2,167	VI - 66
<b>1J6X17</b>	K-25			0.68	1.8%	36.9%	22.8%	0.5%	5.1%	1.8%	0.4%	3.9%	25.8%	1.1%	0.1%	0.0%	0.5%	38.5%	1	
Kearny	US-50 (US-400)		K-25 NW OF US-50, IN LAKIN	6	2.5	356.5	451.5	3.5	123.5	17.5	12.5	7.5	156.5	2.5	3	0	2.5	329	1,140	VI - 68
<b>1RRWY8</b>	US-50			0.80	0.2%	31.3%	39.6%	0.3%	10.8%	0.2%	1.1%	0.7%	13.7%	0.2%	0.3%	0.0%	0.2%	28.9%	1	
Kearny	US-50	CEMETARY RD	US-50 E OF CEMETARY RD, E OF LAKIN	2	52.5	1892.5	1228.5	11.5	205	52	20.5	69.5	681	44	2.5	0	8.5	1,095	4,268	VI - 70
<b>1SIX42</b>	RS-250			0.77	1.2%	44.3%	28.8%	0.3%	4.8%	1.2%	0.5%	1.6%	16.0%	1.0%	0.1%	0.0%	0.2%	25.6%	1	
Lane	K-96		K-96 E OF RS-250, 8 MI W OF K-23	6	29.5	393.5	324.5	9	64.5	45.5	4	25	154.5	9	0.5	0	8	320	1,068	VI - 72
<b>347CX3</b>	RS-250			0.77	2.8%	36.9%	30.4%	0.8%	6.0%	2.8%	0.4%	2.3%	14.5%	0.8%	0.0%	0.0%	0.7%	30.0%	1	
Lane	K-23	RS-1543	K-23 N OF RS-1543, 9 MI S OF (K-96 IN DIGHTON)	6	5.5	198.5	196	2.5	31.5	6	0	19.5	135.5	17.5	0.5	0	4.5	218	618	VI - 74
<b>3EJ8T1</b>	K-23		K-23 S OF K-4 (E JCT), 1 MI W OF SHIELDS	6	22.5	265.5	237.5	4.5	42	29	3	16.5	127	62.5	2	0	6	293	818	VI - 76
Lane	K-4			0.69	2.8%	32.5%	29.0%	0.6%	5.1%	2.8%	0.4%	2.0%	15.5%	7.6%	0.2%	0.0%	0.7%	35.8%	1	
Meade	K-23		K-23 N OF RS-452, 8 MI S OF MEADE	7	1.5	165.5	178	1.5	42.5	17.5	5.5	12.5	88	1	3.5	0.5	2.5	175	520	VI - 78
<b>3KL8I1</b>	RS-452			0.75	0.3%	31.8%	34.2%	0.3%	8.2%	0.3%	1.1%	2.4%	16.9%	0.2%	0.7%	0.1%	0.5%	33.7%	1	
Morton	K-27	K-51	K-27 S OF K-51 (S JCT), 9 MIN OF ELKHART	6	1.0	103	191	1	52	15.5	0.5	15	60.5	3	0.5	0	2	150	445	VI - 80
<b>0E38W5</b>	K-51			0.78	0.2%	23.1%	42.9%	0.2%	11.7%	0.2%	0.1%	3.4%	13.6%	0.7%	0.1%	0.0%	0.4%	33.7%	1	
Morton	K-51	K-27	K-51 W OF K-27 (S JCT), 9 MIN OF ELKHART	6	0.0	33.5	72	0	19	6	0	1	3	0.5	0.5	0	0	30	136	VI - 82
<b>0E38W7</b>	K-27			0.93	0.0%	24.7%	53.1%	0.0%	14.0%	0.0%	0.0%	0.7%	2.2%	0.4%	0.4%	0.0%	0.0%	22.1%	1	
Morton	K-27		K-27 E OF RS-478, 5 MI W OF RICHFIELD	6	0.5	67	85	0.5	24	7	0	4.5	48	3	0	0	0.5	88	240	VI - 84
<b>0EFFC3</b>	K-27 (RS-478)			0.73	0.2%	27.9%	35.4%	0.2%	10.0%	0.2%	0.0%	1.9%	20.0%	1.3%	0.0%	0.0%	0.2%	36.5%	1	
Morton	US-56		US-56 NE OF RS-1488, 8 MI SW OF ROLLA	6	0.5	373	322	3.5	58.5	24.5	0	20.5	109.5	3.5	0	0	0	220	916	VI - 86
<b>0N66P2</b>	RS-1488 (MILBURTON RD)			0.82	0.1%	40.7%	35.2%	0.4%	6.4%	0.1%	0.0%	2.2%	12.0%	0.4%	0.0%	0.0%	0.0%	24.0%	1	
Morton	K-27	RS-1532	K-27 S OF RS-1532, N OF RICHFIELD	6	3.0	61	96	3.5	19.5	5	1	21.5	78.5	4	1	0.5	2	137	297	VI - 88
<b>000EL5</b>	K-51		K-51 W OF RS-480, E OF RICHFIELD	7	2.5	60	69	1.5	6.5	4	0.5	4	69.5	0.5	0	0	0.5	87	219	VI - 90
<b>0X3C87</b>	RS-480			0.66	1.1%	27.5%	31.6%	0.7%	3.0%	1.1%	0.2%	1.8%	31.8%	0.2%	0.0%	0.0%	0.2%	39.8%	1	

## District 6

### 2005 Vehicle Classification Summary

County	Route	Cross- Route	LOCATION DESCRIPTION	VEHICLE CLASSIFICATION CATEGORY												Truck Total	ADT Surveys	Start Page			
				FC AF	1	2	3	4	5	6	7	8	9	10	11	12	13				
Ness	K-96		K-96 E OF RS-370, 4 MI W OF NESS CITY	6	80	312.5	366	3.5	73.5	40	3.5	28.5	133.5	5	2.5	0.5	11	302	988	VI - 92	
<b>4D4BK3</b>	RS-370				0.77	0.8%	31.6%	37.0%	0.4%	7.4%	0.8%	0.4%	2.9%	13.5%	0.5%	0.3%	0.1%	1.1%	30.5%	1	
Ness	K-4		K4 W OF US-283, E OF RANSOM	7	3.0	251.5	209.5	1	19.5	16	6	6.5	45.5	2	1	0	1.5	99	563	VI - 94	
<b>4JYH77</b>	US-283				0.85	0.5%	44.7%	37.2%	0.2%	3.5%	0.5%	1.1%	1.2%	8.1%	0.4%	0.2%	0.0%	0.3%	17.6%	1	
Scott	US-83		US-83 N OF RS-1679, AT FICO LINE	2	71.0	1095.5	717	17.5	177	51.5	23.5	83	739	43	7	2	14.5	1,158	3,042	VI - 96	
<b>2JD6H1</b>	RS-1679				0.69	2.3%	36.0%	23.6%	0.6%	5.8%	2.3%	0.8%	2.7%	24.3%	1.4%	0.2%	0.1%	0.5%	38.1%	1	
Seward	US-54		US-54 AT STATE LINE, SW OF LIBERAL	2	40.5	2515.5	1737.5	38	323.5	53.5	32	96	1146.5	18	66	23.5	13.5	1,811	6,104	VI - 98	
<b>2803O2</b>	STATE LINE				0.74	0.7%	41.2%	28.5%	0.6%	5.3%	0.7%	0.5%	1.6%	18.8%	0.3%	1.1%	0.4%	0.2%	29.7%	1	
Seward	US-83		US-83 S OF K-51, NO LIBERAL	2	54.5	2155	1506.5	34.5	355.5	68.5	35.5	113.5	1063	45.5	8.5	2	12.5	1,739	5,455	VI - 100	
<b>2E08X5</b>	K-51				0.74	1.0%	39.5%	27.6%	0.6%	6.5%	1.0%	0.7%	2.1%	19.5%	0.8%	0.2%	0.0%	0.2%	31.9%	1	
Seward	US-83		US-83 N OF RS-2258, S OF LIBERAL	12	59.5	1551.5	1246.5	18.5	281.5	65.5	37.5	85.5	893.5	36	11	0.5	16.5	1,446	4,304	VI - 102	
<b>2EX3Y1</b>	RS-2258 (OLD US-83)				0.73	1.4%	36.1%	29.0%	0.4%	6.5%	1.4%	0.9%	2.0%	20.8%	0.8%	0.3%	0.0%	0.4%	33.6%	1	
Seward	US-160		US-160 E OF US-83, 15 MINE OF LIBERAL	6	11.5	136.5	232.5	5	43	17	10	14	106.5	10	1.5	0	2	209	590	VI - 104	
<b>2IBZ3</b>	US-83				0.73	2.0%	23.2%	39.4%	0.8%	7.3%	2.0%	1.7%	2.4%	18.1%	1.7%	0.3%	0.0%	0.3%	35.5%	1	
Seward	K-190		K-190 W OF US-83, 1 MI S OF HS COLI	7	1.5	44	75	1.5	19.5	9.5	2	15	20	0.5	1	0.5	0.5	57	177	VI - 106	
<b>2IF47</b>	US-83				0.80	0.8%	24.9%	42.4%	0.8%	11.0%	0.8%	1.1%	0.8%	11.3%	0.3%	0.6%	0.3%	0.3%	31.9%	1	
Stevens	K-25		K-25 S OF RS-480, 9 MI N OF HUGOTON	6	21.0	858	925	12.5	194.5	53.5	16.5	87	773	10	1	1	15.5	1,165	2,969	VI - 108	
<b>1JUDP5</b>	RS-480				0.69	0.7%	28.9%	31.2%	0.4%	6.6%	0.7%	0.6%	2.9%	26.0%	0.3%	0.0%	0.0%	0.5%	39.2%	2	

# 24 Hour Site Summary

## CLASSIFICATION


<b>4A0BU1</b>	<b>Regular</b>
<b>FC 6</b>	<b>Dist 6</b>
	<b>Clark County</b>
<b>Rte: US-283</b>	<b>North Leg</b>
<b>XRte: US-160</b>	
<b>US-283 N OF US-160, N JCT, 11 MI S OF MINNEOLA</b>	

## CLASSIFICATION



<b>Peak Hour Traffic</b>
<b>Volume: 55 at 2pm</b>
<b>Private: 36 at 2pm</b>
<b>Trucks: 21 at 8am</b>

**May 2005 (48 Hr Survey)**




Hr	Volume	1	2	3	4	5	6	7	8	9	10	11	12	13
0	7	0	2	0.5	0	0	0	0	0	4.5	0	0	0	0
1	7.5	0	1	0.5	0	0.5	0	0	0.5	5	0	0	0	0
2	3.5	0	1	1	0	0	0	0	0	1	0.5	0	0	0
3	3.5	0	0.5	0.5	0	0.5	0	0	0	2	0	0	0	0
4	8	0	1	0.5	0	1	0	0	0	5	0	0	0.5	0
5	13.5	0	3	2	0.5	2	0	0	1.5	4	0.5	0	0	0
6	20.5	0.5	7	6	0	0.5	0.5	0.5	0.5	5	0	0	0	0
7	29	0.5	9.5	9	0.5	0	0.5	0	1.5	7	0.5	0	0	0
8	44.5	0.5	9.5	13.5	0	3.5	1	0	1.5	14	0	0.5	0	0.5
9	46	0	18.5	11.5	0	3.5	1	0.5	1.5	7.5	2	0	0	0
10	47	0	18.5	12.5	0	1.5	1	1	1.5	10	0	0	0	1
11	42	1.5	10	12.5	0.5	2	0.5	0.5	2	11.5	0.5	0	0	0.5
12	54	0	22	13	0	3.5	0	1	3	11.5	0	0	0	0
13	48	0	19.5	12	0	4.5	2.5	0	2	7	0.5	0	0	0
14	55	0	21	15	0.5	1.5	1.5	1	3	9.5	1.5	0	0	0.5
15	49.5	0.5	21	11.5	0	2.5	0	1	0	11	1	0	0	1
16	49	0.5	22	13	0	3.5	0.5	1	0	7.5	0.5	0.5	0	0
17	53	1	20	15	0	3	1	1.5	1.5	9.5	0.5	0	0	0
18	42.5	0.5	15.5	13.5	0	2	0.5	0.5	2	7.5	0	0	0	0.5
19	35.5	0	14	7.5	0	2	0.5	0	2	9	0	0	0	0.5
20	23	1	5.5	7	0	1.5	0	0	0	7.5	0.5	0	0	0
21	23	0	7.5	4.5	0	0.5	0.5	1	1.5	7.5	0	0	0	0
22	18.5	0	4.5	4.5	0	0.5	0	0.5	0.5	7.5	0.5	0	0	0
23	19	0	5	1.5	0	1.5	0	0	2	9	0	0	0	0
AF 0.68	742	6.5 0.9%	259 34.9%	188 25.3%	2 0.3%	41.5 5.6%	11.5 1.5%	10 1.3%	28 3.8%	180.5 24.3%	9 1.2%	1 0.1%	0.5 0.1%	4.5 0.6%

<b>SITE RECAP</b>	<b>453.5 Private</b>	<b>65 Single Unit 8.8%</b>	<b>223.5 Combination Unit 30.1%</b>
	<b>61.1% Unit</b>		<b>288.5 Commercial Unit 38.9%</b>

4A0BU1

## Classification Summary


May 2005



## Site Summary

Volume	Pk-Hr	Pk-Hr-Vol
742	2pm	55
454	Private	36
289	Commercial	19
K-Factor	NB	SB
0.07	24	31


Volume	1	2	3	4	5	6	7	8	9	10	11	12	13
742	7	259	188	2	42	12	10	28	181	9	1	1	5
Axle Factor	0.9%	34.9%	25.3%	0.3%	5.6%	1.5%	1.3%	3.8%	24.3%	1.2%	0.1%	0.1%	0.6%
0.68	454	Private-Unit	65	Single-Unit	8.8%			224	Combination-Unit	30.1%			



## NB Traffic

Volume	Pk-Hr	Pk-Hr-Vol
364	Noon	30
227	Private	19
137	Commercial	11
K-Factor		
0.68	0.08	

Volume	1	2	3	4	5	6	7	8	9	10	11	12	13
364	3	131	94	1	14	7	5	11	94	5	0	1	1
Axle Factor	0.8%	35.9%	25.7%	0.3%	3.9%	1.9%	1.4%	2.9%	25.7%	1.2%	0.0%	0.1%	0.1%
0.68	227	Private-Unit	27	Single-Unit	7.4%			110	Combination-Unit	30.1%			



## SB Traffic

Volume	Pk-Hr	Pk-Hr-Vol
379	2pm	31
227	Private	20
152	Commercial	11
K-Factor		
0.68	0.08	

Volume	1	2	3	4	5	6	7	8	9	10	11	12	13
379	4	129	95	1	28	5	5	18	87	5	1	0	4
Axle Factor	0.9%	33.9%	25.0%	0.3%	7.3%	1.2%	1.3%	4.6%	23.0%	1.2%	0.3%	0.0%	1.1%
0.68	227	Private-Unit	38	Single-Unit	10.0%			114	Combination-Unit	30.1%			

## SITE INFORMATION

4A0BU1	Survey 4924	District 6	Clark County
North Leg	Route: US-283		
	X-Route: US-160		

US-283 N OF US-160, N JCT, 11 MI S OF MINNEOLA

Current Site: Regular, Class(C)

This Survey: Regular

Also: 8/6/96

## 2 Lanes

Ln	Hrs	Begin	End
11	48	05/23/05 16:00	05/25/05 16:00
51	48	05/23/05 16:00	05/25/05 16:00

# 24 Hour Site Summary

## CLASSIFICATION


4B9945	Regular
FC 6	Dist 6
Rte: US-283	Clark County
XRte: US-160	South Leg
US-283 S OF US-160, S JCT, W OF ASHLAND	

## CLASSIFICATION



**Peak Hour Traffic**  
 Volume: 53 at Noon  
 Private: 33 at 2pm  
 Trucks: 26 at Noon

May 2005 (24 Hr Survey)




Hr	Volume	1	2	3	4	5	6	7	8	9	10	11	12	13
0	3	0	0	0	0	0	0	0	0	3	0	0	0	0
1	5	0	1	0	0	0	0	0	1	3	0	0	0	0
2	7	0	1	0	0	0	0	0	1	4	1	0	0	0
3	3	0	0	1	0	0	0	0	0	2	0	0	0	0
4	7	0	1	1	0	1	0	0	0	4	0	0	0	0
5	10	0	2	2	1	1	1	0	1	2	0	0	0	0
6	21	0	5	10	0	0	0	0	0	6	0	0	0	0
7	34	0	3	16	0	1	0	0	2	11	1	0	0	0
8	39	0	8	11	0	3	0	0	1	16	0	0	0	0
9	37	0	10	10	0	2	0	1	4	6	2	0	0	2
10	32	0	10	7	0	0	1	1	2	9	0	0	0	2
11	40	0	11	11	0	2	0	1	0	10	3	0	0	2
12	53	1	14	12	0	4	1	1	2	16	2	0	0	0
13	40	0	12	16	0	1	0	0	0	8	2	0	0	1
14	49	0	21	12	0	0	0	0	6	9	0	0	0	1
15	43	1	16	11	0	1	1	1	2	10	0	0	0	0
16	38	1	14	11	0	3	1	0	1	7	0	0	0	0
17	38	0	7	6	1	0	1	2	2	18	0	0	0	1
18	35	0	8	13	0	1	1	0	0	12	0	0	0	0
19	24	0	6	6	0	0	1	0	0	11	0	0	0	0
20	24	1	6	6	0	4	0	0	0	7	0	0	0	0
21	18	0	5	3	0	2	0	0	2	6	0	0	0	0
22	13	0	4	3	0	0	0	0	1	5	0	0	0	0
23	21	0	2	3	0	0	1	0	1	14	0	0	0	0
AF	634	4	167	171	2	26	9	7	29	199	11	0	0	9
		0.6%	26.3%	27.0%	0.3%	4.1%	1.4%	1.1%	4.6%	31.4%	1.7%	0.0%	0.0%	1.4%

SITE RECAP	342 Private 53.9% Unit	44 Single Unit 6.9%	248 Combination Unit 39.1%	
		292 Commercial Unit 46.1%		

4B9945

## Classification Summary


May 2005



## Site Summary

Volume	Pk-Hr	Pk-Hr-Vol
634	Noon	53
342	Private	27
292	Commercial	26
K-Factor	NB	SB
0.08	31	22


Volume	1	2	3	4	5	6	7	8	9	10	11	12	13
634	4	167	171	2	26	9	7	29	199	11	0	0	9
Axle Factor	0.6%	26.3%	27.0%	0.3%	4.1%	1.4%	1.1%	4.6%	31.4%	1.7%	0.0%	0.0%	1.4%
0.62	342	Private-Unit		44	Single-Unit	6.9%		248	Combination-Unit	39.1%			
		51.0%						292	Commercial-Unit	46.1%			



## NB Traffic

Volume	Pk-Hr	Pk-Hr-Vol
294	Noon	31
150	Private	14
144	Commercial	17
K-Factor		
0.11		

Volume	1	2	3	4	5	6	7	8	9	10	11	12	13
294	3	68	79	2	17	6	5	15	89	8	0	0	2
Axle Factor	1.0%	23.1%	26.9%	0.7%	5.8%	2.0%	1.7%	5.1%	30.3%	2.7%	0.0%	0.0%	0.7%
0.62	150	Private-Unit		30	Single-Unit	10.2%		114	Combination-Unit	38.8%			
		51.0%						144	Commercial-Unit	49.0%			



## SB Traffic

Volume	Pk-Hr	Pk-Hr-Vol
340	2pm	29
192	Private	19
148	Commercial	10
K-Factor		
0.09		

Volume	1	2	3	4	5	6	7	8	9	10	11	12	13
340	1	99	92	0	9	3	2	14	110	3	0	0	7
Axle Factor	0.3%	29.1%	27.1%	0.0%	2.6%	0.9%	0.6%	4.1%	32.4%	0.9%	0.0%	0.0%	2.1%
0.62	192	Private-Unit		14	Single-Unit	4.1%		134	Combination-Unit	39.4%			
		56.5%						148	Commercial-Unit	43.5%			

## SITE INFORMATION

4B9945	Survey 4925	District 6	Clark County			
South Leg	Route: US-283					
	X-Route: US-160					
US-283 S OF US-160, S JCT, W OF ASHLAND						
Current Site: Regular, Class(C)						
This Survey: Regular						
No Other Class Surveys on Record						

## 2 Lanes


Ln	Hrs	Begin	End
11	24	05/24/05 12:00	05/25/05 12:00
51	24	05/24/05 12:00	05/25/05 12:00

# 24 Hour Site Summary

## CLASSIFICATION


4ZI8U1	Regular
FC 7	Dist 6
Rte: K-34	Clark County
XRte: US-160, US-183	North Leg
K-34 N OF US-160, E OF ASHLAND	

## CLASSIFICATION



**Peak Hour Traffic**  
**Volume:** 46 at 4pm  
**Private:** 26 at 5pm  
**Trucks:** 22 at 3pm

May 2005 (48 Hr Survey)




Hr	Volume	1	2	3	4	5	6	7	8	9	10	11	12	13
0	3	0	0.5	0.5	0	0	0.5	0	0	1	0	0	0	0.5
1	2.5	0	0	0	0	0	0	0	0	2.5	0	0	0	0
2	2.5	0	0	0	0	0.5	0	0	0	2	0	0	0	0
3	4	0	0	0	0	0	0.5	0	0	3.5	0	0	0	0
4	2.5	0	0	0.5	0	0	0	0	0	2	0	0	0	0
5	3	0	0	0.5	0	0	0.5	0	0	2	0	0	0	0
6	19	0	3.5	7	0.5	1	0	0	0.5	6	0.5	0	0	0
7	29.5	0.5	7	12.5	0.5	4	0	0	0.5	4	0.5	0	0	0
8	26.5	0	5.5	10.5	0	0.5	0	0	0	9.5	0.5	0	0	0
9	37.5	0	11	10	0	3	0	0	1.5	11	1	0	0	0
10	37.5	0.5	7	9.5	0	2	1	0.5	2	14	0	0.5	0	0.5
11	22	0	4	5.5	0	3	0	0	0	8.5	1	0	0	0
12	27	0.5	3	5	0.5	1	1	0.5	1.5	14	0	0	0	0
13	34	0.5	6	9	0	0.5	1	0	1	15	0	0.5	0	0.5
14	36	0.5	8.5	6	1	2	0.5	0.5	0	16	0.5	0	0	0.5
15	45.5	0	15	8.5	0	2	0	1.5	1	17	0.5	0	0	0
16	45.5	0	14	11	0	3	0	1.5	1.5	13.5	1	0	0	0
17	40	0	15	10.5	0	2.5	0	0.5	0	10	1.5	0	0	0
18	24.5	0	7	8	0	2	0.5	0	1.5	5	0.5	0	0	0
19	24.5	1	5.5	6.5	0.5	1.5	0	0	0.5	8.5	0	0	0	0.5
20	14	1	4	2	0	0.5	0	0	0.5	5.5	0.5	0	0	0
21	17	0	1	4	0	1.5	0	0.5	0	7	2	0.5	0	0.5
22	10	0	2	1.5	0	0	0	0	0	6.5	0	0	0	0
23	14	0.5	1.5	2	0.5	1	0	0	0	7	1	0	0	0.5
AF 0.60	521.5	5	121	130.5	3.5	31.5	5.5	5.5	12	191	11	1.5	0	3.5
		1.0%	23.2%	25.0%	0.7%	6.0%	1.1%	1.1%	2.3%	36.6%	2.1%	0.3%	0.0%	0.7%

SITE RECAP	256.5 Private 49.2% Unit	46 Single Unit 8.8%	219 Combination Unit 42.0%
		265 Commercial Unit 50.8%	

4ZI8U1

## Classification Summary


May 2005



## Site Summary

Volume	Pk-Hr	Pk-Hr-Vol
1,043	3pm	46
513	Private	24
530	Commercial	22
K-Factor	NB	SB
0.04	24	22


Volume	1	2	3	4	5	6	7	8	9	10	11	12	13
1,043	10	242	261	7	63	11	11	24	382	22	3	0	7
Axle Factor	1.0%	23.2%	25.0%	0.7%	6.0%	1.1%	1.1%	2.3%	36.6%	2.1%	0.3%	0.0%	0.7%
0.60	513	Private-Unit	92	Single-Unit	8.8%			438	Combination-Unit	42.0%			



## NB Traffic

Volume	Pk-Hr	Pk-Hr-Vol
510	4pm	27
263	Private	17
247	Commercial	10
K-Factor		
0.05		

Volume	1	2	3	4	5	6	7	8	9	10	11	12	13
510	4	123	136	2	28	7	5	9	184	6	2	0	4
Axle Factor	0.8%	24.1%	26.7%	0.4%	5.5%	1.4%	1.0%	1.8%	36.1%	1.2%	0.4%	0.0%	0.8%
0.62	263	Private-Unit	42	Single-Unit	8.2%			205	Combination-Unit	40.2%			



## SB Traffic

Volume	Pk-Hr	Pk-Hr-Vol
533	10am	27
250	Private	12
283	Commercial	15
K-Factor		
0.05		

Volume	1	2	3	4	5	6	7	8	9	10	11	12	13
533	6	119	125	5	35	4	6	15	198	16	1	0	3
Axle Factor	1.1%	22.3%	23.5%	0.9%	6.6%	0.8%	1.1%	2.8%	37.1%	3.0%	0.2%	0.0%	0.6%
0.60	250	Private-Unit	50	Single-Unit	9.4%			233	Combination-Unit	43.7%			

## SITE INFORMATION

4ZI8U1	Survey 4926	District 6	Clark County
North Leg	Route: K-34		
	X-Route: US-160, US-183		

K-34 N OF US-160, E OF ASHLAND

Current Site: Regular, Class(E)

This Survey: Regular

No Other Class Surveys on Record

## 2 Lanes

Ln	Hrs	Begin	End
11	48	05/23/05 14:00	05/25/05 14:00
51	48	05/23/05 14:00	05/25/05 14:00

# 24 Hour Site Summary

## CLASSIFICATION

**4ZI8U5**

Regular

FC 7

Dist 6

Clark County

Rte: US-183, K-34

South Leg

XRte: US-160, US-183

US-183 / K-34 S OF US-160, E OF ASHLAND


## Peak Hour Traffic

Volume: 44 at 3pm


Private: 25 at 4pm

Trucks: 23 at 10am

## CLASSIFICATION



May 2005 (48 Hr Survey)




Hr	Volume	1	2	3	4	5	6	7	8	9	10	11	12	13
0	4.5	0	0.5	1.5	0	0.5	0	0	0	2	0	0	0	0
1	3.5	0	0	0	0	0	0	0	0	3.5	0	0	0	0
2	3.5	0.5	0	0	0.5	0.5	0	0	0	2	0	0	0	0
3	7	0	0	0	0	0	0	0	0	7	0	0	0	0
4	3.5	0	0	0	0	0	0	0	0	3.5	0	0	0	0
5	8	0	2.5	0.5	0	0	0	0	0.5	4	0	0	0	0.5
6	12	0	4.5	2.5	0	0	0	0	0.5	4.5	0	0	0	0
7	23	0	9	8	0	2	0	0	1	3	0	0	0	0
8	36.5	0.5	4.5	14	0.5	2	0.5	0.5	0	12	1	0	0	1
9	36	0.5	12.5	5.5	0.5	2	0.5	0.5	1	10.5	1	0.5	0	1
10	38.5	1	8	6.5	1	2	2	0	2	14	0	1.5	0	0.5
11	34	0	7	9.5	0	2	0.5	2	1	11	1	0	0	0
12	35	1	10	6	0	1	3	1	1.5	11.5	0	0	0	0
13	38	0.5	7	9.5	0.5	2	0.5	0	1	16	0	0.5	0	0.5
14	40.5	1	9.5	7.5	0.5	1	2	1	0.5	15.5	1	0	0	1
15	44.5	1.5	11	12.5	0.5	0.5	1	1	0.5	14.5	0.5	0.5	0	0.5
16	43.5	1	12.5	11.5	0	1	1	2	1.5	11	1	1	0	0
17	41.5	0	9.5	13.5	0	2	0	1	0	13	2	0	0	0.5
18	30	0.5	10	10.5	0.5	1.5	0	0	1.5	5	0.5	0	0	0
19	24.5	0	7.5	6.5	0	0.5	0	1	0	9	0	0	0	0
20	17	0.5	3	3	0.5	1	0.5	0	0.5	7.5	0.5	0	0	0
21	18.5	0	3.5	3	0	1.5	0	0	0	7.5	1.5	0.5	0	1
22	14	0	1	2	0	0.5	0	0	0	10.5	0	0	0	0
23	13.5	0	1.5	2.5	0	0	0	0	0	8.5	1	0	0	0
AF	570.5	8.5 1.5%	134.5 23.6%	136 23.8%	5 0.9%	23.5 4.1%	11.5 2.0%	10 1.8%	13 2.3%	206.5 36.2%	11 1.9%	4.5 0.8%	0 0.0%	6.5 1.1%

SITE RECAP	279 Private 48.9% Unit	50 Single Unit 8.8%	241.5 Combination Unit 42.3%
		291.5 Commercial Unit	51.1%

4ZI8U5

## Classification Summary


May 2005



## Site Summary

Volume	Pk-Hr	Pk-Hr-Vol
866	3pm	44
425	Private	25
441	Commercial	20
K-Factor	NB	SB
0.05	28	17


Volume	1	2	3	4	5	6	7	8	9	10	11	12	13
866	9	208	208	6	36	13	16	22	311	19	7	0	12
Axle Factor	1.0%	24.0%	24.0%	0.7%	4.2%	1.5%	1.8%	2.5%	35.9%	2.1%	0.8%	0.0%	1.3%
0.60	425	Private-Unit	71	Single-Unit	8.2%	370	Combination-Unit	42.7%	441	Commercial-Unit	51.0%		



## NB Traffic

Volume	Pk-Hr	Pk-Hr-Vol
276	3pm	28
134	Private	16
142	Commercial	12
K-Factor	0.10	

Volume	1	2	3	4	5	6	7	8	9	10	11	12	13
276	8	61	65	4	11	10	4	4	102	4	2	0	2
Axle Factor	2.9%	22.1%	23.4%	1.5%	4.0%	3.6%	1.5%	1.5%	37.0%	1.3%	0.7%	0.0%	0.5%
0.60	134	Private-Unit	29	Single-Unit	10.5%	113	Combination-Unit	41.0%	142	Commercial-Unit	51.5%		



## SB Traffic

Volume	Pk-Hr	Pk-Hr-Vol
590	5pm	23
291	Private	14
299	Commercial	9
K-Factor	0.04	

Volume	1	2	3	4	5	6	7	8	9	10	11	12	13
590	1	147	143	2	25	3	12	18	209	15	5	0	10
Axle Factor	0.2%	24.9%	24.2%	0.3%	4.2%	0.5%	2.0%	3.1%	35.4%	2.5%	0.8%	0.0%	1.7%
0.59	291	Private-Unit	42	Single-Unit	7.1%	257	Combination-Unit	43.6%	299	Commercial-Unit	50.7%		

## SITE INFORMATION

4ZI8U5	Survey 4927	District 6	Clark County
South Leg	Route: US-183, K-34		
	X-Route: US-160, US-183		

US-183 / K-34 S OF US-160, E OF ASHLAND

Current Site: Regular, Class(E)

This Survey: Regular

No Other Class Surveys on Record

## 2 Lanes


Ln	Hrs	Begin	End
11	48	05/23/05 14:00	05/25/05 14:00
51	48	05/23/05 14:00	05/25/05 14:00

# 24 Hour Site Summary


## CLASSIFICATION

4ZI8U7	Regular
FC 6	Dist 6
Rte: US-160	Clark County
XRte: US-183, K-34	West Leg
US-160 W OF K-34, E OF ASHLAND	

**Peak Hour Traffic**  
 Volume: 76 at 5pm  
 Private: 66 at 5pm  
 Trucks: 26 at 11am



May 2005 (48 Hr Survey)




Hr	Volume	1	2	3	4	5	6	7	8	9	10	11	12	13
0	3.5	0	1	1.5	0	0.5	0	0	0	0.5	0	0	0	0
1	1	0	1	0	0	0	0	0	0	0	0	0	0	0
2	2.5	0	0.5	1	0	0.5	0	0	0	0.5	0	0	0	0
3	1.5	0	0	0.5	0	0	0	0	0	1	0	0	0	0
4	3.5	0	0.5	1	0	0	0	0	0	2	0	0	0	0
5	7	0.5	2	1	0	0.5	1	0	0.5	1.5	0	0	0	0
6	31	0	14.5	12	0.5	2	0.5	0	0	1.5	0	0	0	0
7	57	0	24	24.5	0	4	1	0	0.5	3	0	0	0	0
8	56.5	0	13.5	27	0	4	0.5	0	1	10	0	0	0	0.5
9	61	0.5	18.5	24.5	0.5	6	1	0.5	3.5	6	0	0	0	0
10	52	0	14.5	23	0	2	1.5	0.5	1.5	6	1	1	0.5	0.5
11	60	0	13	20.5	0.5	4.5	1	1	5	11	1.5	0	0	2
12	54.5	0	21.5	19	0.5	2.5	1.5	0	2	6.5	0.5	0	0	0.5
13	61	1.5	21.5	18.5	0.5	4.5	2.5	0.5	1.5	8.5	1	0	0	0.5
14	52.5	0	22	16	0	2	0.5	0	3	7.5	1	0	0	0.5
15	70.5	0	27.5	27	0	2.5	2	2	0.5	7.5	1	0	0	0.5
16	66.5	0.5	31	25	0.5	2.5	1	0	1	4.5	0	0.5	0	0
17	76.5	1	37	28.5	0	3.5	0.5	0.5	1	3	1	0	0	0.5
18	44.5	0	21	16.5	0	1	0.5	0	2	3	0.5	0	0	0
19	33.5	2.5	10	13	0	2	0	0.5	1	4	0	0	0	0.5
20	22	1	8.5	8.5	0	0.5	0	0	0	3	0	0.5	0	0
21	17.5	0	6	8	0	0	0	0	0.5	1	1.5	0	0	0.5
22	14.5	0	7.5	3.5	0	0	0	0	0	3.5	0	0	0	0
23	11	0	3	3	0	1	0.5	0	0	3.5	0	0	0	0
AF	861	7.5	319.5	323	3	46	15.5	5.5	24.5	98.5	9	2	0.5	6.5
0.79		0.9%	37.1%	37.5%	0.3%	5.3%	1.8%	0.6%	2.8%	11.4%	1.0%	0.2%	0.1%	0.8%
SITE RECAP		650 Private 75.5% Unit		70 Single Unit 8.1%						141 Combination Unit 16.4%				
										211 Commercial Unit 24.5%				

4ZI8U7

## Classification Summary


May 2005



## Site Summary

Volume	Pk-Hr	Pk-Hr-Vol
861	5pm	76
650	Private	67
211	Commercial	10
K-Factor	EB	WB
0.09	44	33


Volume	1	2	3	4	5	6	7	8	9	10	11	12	13
861	8	320	323	3	46	16	6	25	99	9	2	1	7
Axle Factor	0.9%	37.1%	37.5%	0.3%	5.3%	1.8%	0.6%	2.8%	11.4%	1.0%	0.2%	0.1%	0.8%
0.79	650	Private-Unit	70	Single-Unit	8.1%			141	Combination-Unit	16.4%			



## EB Traffic

Volume	Pk-Hr	Pk-Hr-Vol
434	5pm	44
325	Private	39
109	Commercial	5
K-Factor		
0.10		

Volume	1	2	3	4	5	6	7	8	9	10	11	12	13
434	2	163	160	1	23	6	2	15	52	5	2	0	5
Axle Factor	0.5%	37.6%	36.9%	0.2%	5.3%	1.4%	0.5%	3.3%	11.9%	1.0%	0.3%	0.0%	1.0%
0.78	325	Private-Unit	32	Single-Unit	7.4%			77	Combination-Unit	17.6%			



## WB Traffic

Volume	Pk-Hr	Pk-Hr-Vol
428	3pm	44
325	Private	33
103	Commercial	11
K-Factor		
0.10		

Volume	1	2	3	4	5	6	7	8	9	10	11	12	13
428	6	157	163	2	23	10	4	10	47	5	1	1	2
Axle Factor	1.3%	36.6%	38.1%	0.5%	5.4%	2.2%	0.8%	2.3%	11.0%	1.1%	0.1%	0.1%	0.5%
0.80	325	Private-Unit	38	Single-Unit	8.9%			65	Combination-Unit	15.1%			

## SITE INFORMATION

4ZI8U7	Survey 4928	District 6	Clark County
West Leg	Route: US-160		
	X-Route: US-183, K-34		

US-160 W OF K-34, E OF ASHLAND

Current Site: Regular, Class(D)

This Survey: Regular

Also: 2/21/00

## 2 Lanes

Ln	Hrs	Begin	End
31	48	05/23/05 14:00	05/25/05 14:00
71	48	05/23/05 14:00	05/25/05 14:00

# 24 Hour Site Summary


## CLASSIFICATION

2J6YF1	Regular
FC 2	Dist 6
Rte: US-83	Finney County
XRte: US-50, US-400	North Leg
US-83 N OF US-50/83/400 (N JCT), NW OF GARDEN CITY	

**Peak Hour Traffic**  
 Volume: 326 at 5pm  
 Private: 243 at 5pm  
 Trucks: 98 at 1pm



June 2005 (48 Hr Survey)




Hr	Volume	1	2	3	4	5	6	7	8	9	10	11	12	13
0	24.5	0	8	3	0	3	0	0	0	9.5	0.5	0.5	0	0
1	24.5	0	9	4	0	1	0	0.5	1	8.5	0	0.5	0	0
2	22	1	1.5	4	0.5	1.5	0.5	0	1	11.5	0.5	0	0	0
3	28	1	4.5	1	0.5	1	0	0	2	15.5	1.5	0.5	0	0.5
4	42	0.5	7.5	4.5	0	3	0.5	0	3.5	17.5	4	1	0	0
5	71	1	14.5	14.5	2	9	0	0.5	1	27	1.5	0	0	0
6	161.5	2.5	37.5	55	2	17	2	1.5	4	36.5	1.5	1	0	1
7	273	1.5	116.5	66.5	1	15	4	0	8	53	5	1	0	1.5
8	254	2.5	85.5	71.5	3	16.5	1.5	1	3.5	64.5	2	0	0	2.5
9	257.5	1	89	77.5	1.5	16	4.5	1.5	5.5	57.5	2.5	0	0	1
10	238.5	2	79	69.5	1.5	15.5	3	1.5	7.5	52.5	5	0	0	1.5
11	236	1.5	84.5	66	2.5	16	1.5	0	6.5	50	4.5	1	0	2
12	251	2.5	82	73.5	0.5	12.5	4	1.5	5	58	8.5	1	0	2
13	249	2.5	72	76	1.5	17	2.5	1.5	9.5	56	7.5	0	0	3
14	253.5	0.5	96	76.5	1	11.5	5	3	8.5	47	2.5	0	0	2
15	243	2.5	87	75.5	3.5	15	3	0.5	5.5	45.5	4	0.5	0	0.5
16	313.5	3.5	126	97.5	2	23	4	0.5	4.5	48	3	0.5	0	1
17	326.5	2.5	131	109.5	1	22.5	2.5	2	5.5	42	4	1	0	3
18	240.5	1	94	69.5	2	19.5	2	0.5	5.5	41.5	4	0.5	0	0.5
19	190	2	67	66	0.5	12	2	0	3	35.5	1	0	0	1
20	147	1.5	54	40	0.5	5.5	0.5	1	3.5	36.5	3	0	0.5	0.5
21	121.5	0.5	48	36	0	4.5	1	0	4	24	1.5	0	0	2
22	87.5	0	36.5	26.5	0	2.5	0	0.5	0	20.5	0	0	0	1
23	52.5	0	15	12	0	3.5	0	0.5	2.5	18	0.5	0	0.5	0
AF	4,108	33.5	1,445.5	1,195.5	27	263.5	44	18	100.5	876	68	9	1	26.5
0.71		0.8%	35.2%	29.1%	0.7%	6.4%	1.1%	0.4%	2.4%	21.3%	1.7%	0.2%	0.0%	0.6%

SITE RECAP	2,674.5 Private Unit	352.5 Single Unit 8.6%	1,081 Combination Unit 26.3%
	65.1% Unit		

2J6YF1

## Classification Summary


June 2005



## Site Summary

Volume	Pk-Hr	Pk-Hr-Vol
4,108	5pm	326
2,675	Private	243
1,434	Commercial	84
K-Factor	NB	SB
0.08	163	164


Volume	1	2	3	4	5	6	7	8	9	10	11	12	13
4,108	34	1,446	1,196	27	264	44	18	101	876	68	9	1	27
Axle Factor	0.8%	35.2%	29.1%	0.7%	6.4%	1.1%	0.4%	2.4%	21.3%	1.7%	0.2%	0.0%	0.6%
0.71	2,675	Private-Unit		353	Single-Unit	8.6%		1,081	Combination-Unit	26.3%			



## NB Traffic

Volume	Pk-Hr	Pk-Hr-Vol
2,024	5pm	163
1,315	Private	125
710	Commercial	38
K-Factor	0.08	

Volume	1	2	3	4	5	6	7	8	9	10	11	12	13
2,024	12	697	606	14	139	18	11	43	432	34	3	0	17
Axle Factor	0.6%	34.4%	29.9%	0.7%	6.9%	0.9%	0.5%	2.1%	21.3%	1.7%	0.1%	0.0%	0.8%
0.71	1,315	Private-Unit		182	Single-Unit	9.0%		528	Combination-Unit	26.1%			



## SB Traffic

Volume	Pk-Hr	Pk-Hr-Vol
2,084	5pm	164
1,360	Private	118
724	Commercial	46
K-Factor	0.08	

Volume	1	2	3	4	5	6	7	8	9	10	11	12	13
2,084	22	749	590	13	125	26	7	58	445	35	6	1	10
Axle Factor	1.0%	35.9%	28.3%	0.6%	6.0%	1.2%	0.3%	2.8%	21.3%	1.7%	0.3%	0.0%	0.5%
0.71	1,360	Private-Unit		171	Single-Unit	8.2%		554	Combination-Unit	26.6%			

## SITE INFORMATION

2J6YF1	Survey 4947	District 6	Finney County
--------	-------------	------------	---------------

North Leg	Route: US-83
-----------	--------------

X-Route: US-50, US-400
------------------------

US-83 N OF US-50/83/400 (N JCT), NW OF GARDEN CITY

Current Site: Regular, Class(B), NHS

This Survey: Regular

Also: 10/21/02; 6/20/95

## 2 Lanes


Ln	Hrs	Begin	End
11	48	06/13/05 18:00	06/15/05 18:00
51	48	06/13/05 18:00	06/15/05 18:00

# 24 Hour Site Summary

## CLASSIFICATION

2JOT01	Regular
FC 2	Dist 6
Rte: US-83	Finney County
XRte: RS-2126, PARALLEL RD	North Leg
US-83, 8.25 MI S OF US-83 / US-83B JCT	

## CLASSIFICATION




### Peak Hour Traffic

Volume: 346 at 5pm

Private: 278 at 5pm

Trucks: 103 at 8am

June 2005 (48 Hr Survey)




Hr	Volume	1	2	3	4	5	6	7	8	9	10	11	12	13
0	44.5	0.5	17.5	5.5	0.5	2.5	0	0	1.5	15.5	0	1	0	0
1	31	1.5	8	6	0	0	0.5	0	2	11.5	1	0.5	0	0
2	23	0.5	4.5	1	0	0.5	1	0	2.5	13	0	0	0	0
3	28	2.5	3.5	1.5	1	0.5	1	0	2.5	14	0.5	0	1	0
4	37	2	5.5	6.5	1.5	4.5	0	0	3.5	13.5	0	0	0	0
5	100.5	5	35	20.5	3	6	2	0	5	23.5	0.5	0	0	0
6	165.5	6	51	47.5	5	10	4	0.5	5	35.5	1	0	0	0
7	268.5	3	97	93	2.5	23	4.5	0.5	5	36.5	2.5	0.5	0.5	0
8	306	3	123.5	76.5	1	20	12	1	3.5	63.5	1.5	0.5	0	0
9	276.5	2.5	97	78	1.5	28	8	1	3.5	54	2	0	0	1
10	266.5	1	88.5	81	1	23.5	5.5	0.5	3.5	55.5	2	2	0	2.5
11	248.5	0	85.5	84.5	0.5	19	2	1.5	7	42.5	4.5	0	0	1.5
12	281	1.5	101.5	86	2.5	14.5	2.5	0.5	9	56	6.5	0.5	0	0
13	306.5	4	107.5	97	1	19.5	6.5	1.5	6.5	54.5	7	0	0	1.5
14	275.5	1	103	82.5	1	19.5	4.5	1	7	51	4.5	0.5	0	0
15	278.5	1.5	104	89	1	17.5	4.5	1	7.5	47.5	4	0.5	0	0.5
16	307.5	3	133	106.5	0.5	17.5	6	0.5	4	33	3	0	0	0.5
17	345.5	1.5	172	104.5	1.5	21.5	2	2	3	33	3.5	1	0	0
18	258	3.5	112	81.5	1.5	14.5	3.5	1.5	3	33.5	2	1.5	0	0
19	189	2.5	66	60.5	2	10.5	4.5	1.5	5.5	34	1.5	0	0	0.5
20	141.5	2.5	51.5	39.5	0.5	4	3	0	3.5	33.5	2.5	0	0	1
21	127	0	51.5	34.5	0.5	7	1	0.5	5	27	0	0	0	0
22	90	2	34.5	27	0.5	2.5	0.5	0	2.5	20	0.5	0	0	0
23	44	0	20	7.5	0	2	1	0	0.5	12.5	0	0	0	0.5
AF 0.74	4,439.5	50.5 1.1%	1,673 37.7%	1,317.5 29.7%	30 0.7%	288 6.5%	80 1.8%	15 0.3%	101.5 2.3%	814 18.3%	50.5 1.1%	8.5 0.2%	1.5 0.2%	9.5 0.2%

SITE RECAP	3,041 Private 68.5% Unit	413 Single Unit 9.3%	985.5 Combination Unit 22.2%	
		1,398.5 Commercial Unit 31.5%		

2JOT01

## Classification Summary


June 2005



## Site Summary

Volume	Pk-Hr	Pk-Hr-Vol
4,440	5pm	346
3,041	Private	278
1,399	Commercial	68
K-Factor	NB	SB
0.08	191	154


Volume	1	2	3	4	5	6	7	8	9	10	11	12	13
4,440	51	1,673	1,318	30	288	80	15	102	814	51	9	2	10
Axle Factor	1.1%	37.7%	29.7%	0.7%	6.5%	1.8%	0.3%	2.3%	18.3%	1.1%	0.2%	0.0%	0.2%
0.74	3,041	Private-Unit		413	Single-Unit	9.3%		986	Combination-Unit	22.2%			



## NB Traffic

Volume	Pk-Hr	Pk-Hr-Vol
2,212	5pm	191
1,521	Private	151
691	Commercial	41
K-Factor		
0.09		

Volume	1	2	3	4	5	6	7	8	9	10	11	12	13
2,212	29	853	640	19	136	42	4	52	402	29	3	1	6
Axle Factor	1.3%	38.5%	28.9%	0.8%	6.1%	1.9%	0.2%	2.4%	18.2%	1.3%	0.1%	0.0%	0.2%
0.74	1,521	Private-Unit		200	Single-Unit	9.0%		491	Combination-Unit	22.2%			



## SB Traffic

Volume	Pk-Hr	Pk-Hr-Vol
2,228	8am	162
1,520	Private	94
708	Commercial	69
K-Factor		
0.07		

Volume	1	2	3	4	5	6	7	8	9	10	11	12	13
2,228	22	821	678	12	153	39	11	50	412	22	6	1	4
Axle Factor	1.0%	36.8%	30.4%	0.5%	6.8%	1.7%	0.5%	2.2%	18.5%	1.0%	0.3%	0.0%	0.2%
0.74	1,520	Private-Unit		214	Single-Unit	9.6%		495	Combination-Unit	22.2%			

## SITE INFORMATION

2JOT01	Survey 4948	District 6	Finney County
North Leg	Route: US-83		
	X-Route: RS-2126, PARALLEL RD		

US-83, 8.25 MI S OF US-83 / US-83B JCT

Current Site: Regular, ATR, Class(B), NHS

This Survey: Regular

Also: 4/23/02; 5/24/99

## 2 Lanes


Ln	Hrs	Begin	End
11	48	06/13/05 15:00	06/15/05 15:00
51	48	06/13/05 15:00	06/15/05 15:00

# 24 Hour Site Summary

## CLASSIFICATION

<b>2KFWB2</b>	<b>Regular</b>
<b>FC 2</b>	<b>Dist 6</b>
<b>Rte: US-83</b>	<b>North-East Leg</b>
<b>XRte: US-83B</b>	
<b>US-83 NE OF US-83 / 83B (S JCT), S OF GARDEN CITY</b>	

## CLASSIFICATION




### Peak Hour Traffic

**Volume:** 318 at 5pm

**Private:** 256 at 5pm

**Trucks:** 96 at 8am

**June 2005 (48 Hr Survey)**




Hr	Volume	1	2	3	4	5	6	7	8	9	10	11	12	13
0	41.5	0	14.5	7	1	2	0	0	1.5	13.5	1.5	0.5	0	0
1	29.5	0	8	5.5	0	0	0	0	0	15.5	0	0.5	0	0
2	18.5	0	2.5	2.5	0.5	0.5	0	0	0.5	11.5	0.5	0	0	0
3	23.5	1.5	1	2.5	0.5	1	0.5	0	2	13	0.5	0	1	0
4	35	0.5	8.5	5.5	1	3	0.5	0.5	3	12	0.5	0	0	0
5	82.5	2	27	17	1	6	1.5	0	2.5	25.5	0	0	0	0
6	151.5	2.5	47	46.5	2.5	7	3	0	3.5	37	1.5	0.5	0.5	0
7	270.5	3.5	111.5	79.5	0.5	15.5	4	0	3.5	48.5	3.5	0	0.5	0
8	261	5	101.5	59	0.5	17	7	2	4	60.5	3.5	1	0	0
9	228	3	76	60.5	1.5	15	4.5	1	8.5	54	4	0	0	0
10	224	1	74.5	69.5	0.5	13.5	4.5	1.5	5	49.5	2.5	0.5	0	1.5
11	254.5	0	90.5	77.5	1.5	15.5	6	3	7	47	4.5	0	0	2
12	305.5	1.5	130.5	85.5	1	10.5	3.5	1.5	4.5	58	6.5	1.5	0.5	0.5
13	298.5	3.5	108.5	94	2.5	13.5	4.5	1	3.5	54	9.5	1	0	3
14	259.5	2.5	92.5	72.5	1	18.5	5	2	3	57.5	3.5	1	0.5	0
15	248.5	0.5	103	60	2.5	14	5	1	6	51.5	5	0	0	0
16	289	2	118.5	102	0.5	15	4	1	5	36	5	0	0	0
17	318	4	163	88.5	1.5	18	3	2.5	2.5	30.5	4	0.5	0	0
18	235.5	4	97.5	79	2	12	2	1.5	1	33	2.5	1	0	0
19	185.5	1	70.5	60	0.5	12	2	2.5	5	30	1.5	0	0	0.5
20	159.5	4.5	66	44.5	1	5	1.5	0	2	32.5	1	0	0	1.5
21	154	1.5	63	41	0.5	9	1.5	0	4	32	1	0	0	0.5
22	79	2	32	21.5	0.5	3.5	0	0	2.5	16.5	0.5	0	0	0
23	48.5	3	19.5	7	0.5	2.5	0	0	2	13	0.5	0.5	0	0
AF 0.73	4,201	49	1,627	1,188	25	229.5	63.5	21	82	832	63	8.5	3	9.5
		1.2%	38.7%	28.3%	0.6%	5.5%	1.5%	0.5%	2.0%	19.8%	1.5%	0.2%	0.1%	0.2%

SITE RECAP	2,864 Private 68.2% Unit	339 Single Unit 8.1%	998 Combination Unit 23.8%
		1,337 Commercial Unit	31.8%

2KFWB2

## Classification Summary


June 2005



## Site Summary

Volume	Pk-Hr	Pk-Hr-Vol
4,201	5pm	318
2,864	Private	256
1,337	Commercial	63
K-Factor	NEB	SWB
0.08	166	152


Volume	1	2	3	4	5	6	7	8	9	10	11	12	13
4,201	49	1,627	1,188	25	230	64	21	82	832	63	9	3	10
Axle Factor	1.2%	38.7%	28.3%	0.6%	5.5%	1.5%	0.5%	2.0%	19.8%	1.5%	0.2%	0.1%	0.2%
	2,864	Private-Unit		339	Single-Unit	8.1%		998	Combination-Unit	23.8%			
0.73		67.5%						1,337	Commercial-Unit	31.8%			



## NEB Traffic

Volume	Pk-Hr	Pk-Hr-Vol
1,972	Noon	167
1,331	Private	121
641	Commercial	47
K-Factor	0.08	

Volume	1	2	3	4	5	6	7	8	9	10	11	12	13
1,972	26	756	550	13	105	32	11	32	410	32	2	1	5
Axle Factor	1.3%	38.3%	27.9%	0.6%	5.3%	1.6%	0.6%	1.6%	20.8%	1.6%	0.1%	0.1%	0.3%
0.72	1,331	Private-Unit		160	Single-Unit	8.1%		481	Combination-Unit	24.4%			
	67.5%							641	Commercial-Unit	32.5%			



## SWB Traffic

Volume	Pk-Hr	Pk-Hr-Vol
2,229	7am	183
1,533	Private	129
696	Commercial	54
K-Factor	0.08	

Volume	1	2	3	4	5	6	7	8	9	10	11	12	13
2,229	24	871	639	13	125	32	10	51	422	32	7	2	5
Axle Factor	1.1%	39.1%	28.6%	0.6%	5.6%	1.4%	0.4%	2.3%	18.9%	1.4%	0.3%	0.1%	0.2%
0.74	1,533	Private-Unit		179	Single-Unit	8.0%		517	Combination-Unit	23.2%			
	68.8%							696	Commercial-Unit	31.2%			

## SITE INFORMATION

2KFWB2 Survey 4949 District 6 Finney County

North-East Leg Route: US-83  
X-Route: US-83B

US-83 NE OF US-83 / 83B (S JCT), S OF GARDEN CITY

Current Site: Regular, Class(B), NHS

This Survey: Regular

Also: 8/29/00

## 2 Lanes

Ln	Hrs	Begin	End
21	48	06/13/05 16:00	06/15/05 16:00
61	48	06/13/05 16:00	06/15/05 16:00


# 24 Hour Site Summary

## CLASSIFICATION

<b>2KFWB8</b>	Regular
FC 2	Dist 6
Rte: US-83 B	Finney County
XRte: US-83	North-West Leg


US-83B NW OF US-83 / 83B (S JCT), S OF GARDEN CITY

## CLASSIFICATION



**Peak Hour Traffic**  
 Volume: 214 at 5pm  
 Private: 188 at 5pm  
 Trucks: 39 at 8am

August 2005 (48 Hr Survey)




Hr	Volume	1	2	3	4	5	6	7	8	9	10	11	12	13
0	7.5	0	5	1.5	0	0	0	0	0	1	0	0	0	0
1	7.5	0	5	2	0	0.5	0	0	0	0	0	0	0	0
2	5.5	0	3	0.5	0	0.5	0	0.5	0	1	0	0	0	0
3	8.5	0	4	1	0	1	0	0	0	2.5	0	0	0	0
4	13	0	6	4	0.5	0.5	0	0	0	2	0	0	0	0
5	53.5	1	24.5	16	0	4	0	0	0.5	7.5	0	0	0	0
6	91.5	0.5	45	35	1	3.5	0.5	0	0.5	5	0.5	0	0	0
7	192.5	0.5	84	69.5	3	13.5	3.5	1	1	12	4	0	0	0.5
8	169.5	0.5	71	59	1	15.5	1.5	2	2.5	12.5	3.5	0	0	0.5
9	137	1	54.5	49.5	0.5	14	1	0.5	1	13.5	1	0	0	0.5
10	150.5	1	58.5	62	1.5	11	2.5	1.5	1	11	0	0	0	0.5
11	165.5	1.5	69	61	3	10	3	0.5	2	14.5	1	0	0	0
12	169.5	1.5	75.5	61.5	1	11	3.5	1	2	12	0.5	0	0	0
13	182	1.5	83	71	1.5	9	2	1.5	1	11.5	0	0	0	0
14	177	1.5	72	67.5	2	12.5	4.5	0.5	2	13	0	0	0	1.5
15	152	1	69	58	0.5	10	1.5	0	2.5	8.5	0.5	0	0	0.5
16	187	2.5	84	73	0	12.5	3.5	1.5	2	5.5	1	1	0	0.5
17	214.5	1	103	84.5	0.5	15	2	0.5	2	5.5	0	0	0	0.5
18	145.5	2.5	76.5	46	0	12.5	1	1.5	0.5	4	1	0	0	0
19	92	2.5	42	36	3	5	1	0	0.5	2	0	0	0	0
20	79	1.5	41	24	0	5	0	1	1	4	1	0	0	0.5
21	58	1	30	19	0	4	0	0.5	0	2	1.5	0	0	0
22	36.5	1.5	20.5	11.5	0	0	0	0	0	2.5	0.5	0	0	0
23	17.5	0	12.5	4.5	0	0	0	0	0	0.5	0	0	0	0
AF	2,512.5	24	1,138.5	917.5	19	170.5	31	14	22	153.5	16	1	0	5.5
0.88		1.0%	45.3%	36.5%	0.8%	6.8%	1.2%	0.6%	0.9%	6.1%	0.6%	0.0%	0.0%	0.2%

SITE RECAP	2,080 Private Unit	234.5 Single Unit 9.3%	198 Combination Unit 7.9%
		432.5 Commercial Unit 17.2%	

2KFWB8

## Classification Summary


August 2005



## Site Summary

Volume	Pk-Hr	Pk-Hr-Vol
2,513	5pm	214
2,080	Private	189
433	Commercial	26
K-Factor	SEB	NWB
0.09	117	98


Volume	1	2	3	4	5	6	7	8	9	10	11	12	13
2,513	24	1,139	918	19	171	31	14	22	154	16	1	0	6
Axle Factor	1.0%	45.3%	36.5%	0.8%	6.8%	1.2%	0.6%	0.9%	6.1%	0.6%	0.0%	0.0%	0.2%
0.88	2,080	Private-Unit	235	Single-Unit	9.3%				198	Combination-Unit	7.9%		



## SEB Traffic

Volume	Pk-Hr	Pk-Hr-Vol
1,228	5pm	117
1,018	Private	107
210	Commercial	10
K-Factor		
0.10		

Volume	1	2	3	4	5	6	7	8	9	10	11	12	13
1,228	12	556	450	9	88	14	6	10	75	6	1	0	3
Axle Factor	0.9%	45.3%	36.7%	0.7%	7.1%	1.1%	0.5%	0.8%	6.1%	0.5%	0.0%	0.0%	0.2%
0.89	1,018	Private-Unit	116	Single-Unit	9.5%				94	Combination-Unit	7.7%		



## NWB Traffic

Volume	Pk-Hr	Pk-Hr-Vol
1,285	7am	122
1,063	Private	105
223	Commercial	17
K-Factor		
0.09		

Volume	1	2	3	4	5	6	7	8	9	10	11	12	13
1,285	13	583	468	11	83	17	8	12	79	10	1	0	3
Axle Factor	1.0%	45.3%	36.4%	0.8%	6.5%	1.3%	0.6%	0.9%	6.1%	0.8%	0.0%	0.0%	0.2%
0.88	1,063	Private-Unit	119	Single-Unit	9.2%				104	Combination-Unit	8.1%		

## SITE INFORMATION

2KFWB8 Survey 5022 District 6 Finney County

North-West Leg Route: US-83 B  
X-Route: US-83

US-83B NW OF US-83 / 83B (S JCT), S OF GARDEN CITY

Current Site: Regular, Class(E)

This Survey: Regular

Also: 8/29/00

## 2 Lanes


Ln	Hrs	Begin	End
41	48	08/15/05 15:00	08/17/05 15:00
81	48	08/15/05 15:00	08/17/05 15:00

# 24 Hour Site Summary

## CLASSIFICATION

3E0ZU7	Regular
FC 6	Dist 6
Rte: K-156	Finney County
XRte: K-23	West Leg
K-156 W OF K-23 (W JCT), 22 MI NE OF GARDEN CITY	

## CLASSIFICATION




### Peak Hour Traffic

Volume: 94 at 5pm

Private: 74 at 5pm

Trucks: 34 at 8am

June 2005 (48 Hr Survey)




Hr	Volume	1	2	3	4	5	6	7	8	9	10	11	12	13
0	12.5	0	3	5	0	0	0	0	0	4	0	0	0	0.5
1	8	0	4	0.5	0	0	0	0	0.5	3	0	0	0	0
2	5	0	1.5	1.5	0	0	0	0	0	1.5	0.5	0	0	0
3	5	0	1.5	1	0	0	0	0	0	2	0.5	0	0	0
4	15.5	0	2.5	1	0	1	0	0	2.5	6.5	1	1	0	0
5	22	0	6.5	3.5	0	0	0	0	2	8	1.5	0.5	0	0
6	46.5	0	13	13	0	2.5	0	0	1.5	11	3.5	2	0	0
7	72.5	1	32	20	0.5	3.5	0	0	2.5	11	1.5	0.5	0	0
8	85	0.5	27.5	23	0	4	1	0	2.5	22.5	3	1	0	0
9	85	1	33	20.5	0	6	0.5	1	2.5	17.5	3	0	0	0
10	88	0	34.5	23	0.5	5	2	0.5	2	17	3	0.5	0	0
11	70	0	25	20.5	0.5	3	1.5	0	0.5	18	0.5	0	0.5	0
12	74	0	32	19	0.5	1.5	2.5	1	3	11.5	1.5	0.5	0	1
13	74	0.5	25	23	0.5	5	2	0.5	1.5	14	1.5	0	0	0.5
14	69	1	28.5	17.5	0	3	1.5	2	1.5	13	1	0	0	0
15	93.5	1.5	38.5	31.5	1	3.5	1.5	0.5	1	12	1.5	0	0	1
16	89	1	37	22.5	0.5	5	1.5	0	3.5	14	4	0	0	0
17	94	2	46	26.5	0	5	0	1	1.5	8.5	2.5	0.5	0	0.5
18	72	3	31.5	20	0.5	1.5	0.5	0.5	1	12	0.5	0	0	1
19	46.5	0.5	26	12	0	0	0.5	0.5	0	6	0	1	0	0
20	38	1.5	16.5	10.5	0	1	0	0	1	6.5	0	0.5	0	0.5
21	20.5	0	12	4	0	0.5	0.5	0	1	2.5	0	0	0	0
22	25	0	10.5	4	0	2	0	0.5	0	7	1	0	0	0
23	19	0	10	3.5	0	1	0	0	0	4.5	0	0	0	0
AF 0.72	1,229.5	13.5 1.1%	497.5 40.5%	326.5 26.6%	4.5 0.4%	54 4.4%	15.5 1.3%	8 0.7%	31.5 2.6%	233.5 19.0%	31.5 2.6%	8 0.7%	0.5 0.0%	5 0.4%

SITE RECAP	837.5 Private 68.1% Unit	82 Single Unit 6.7%	310 Combination Unit 25.2%
		392 Commercial Unit 31.9%	

3E0ZU7

## Classification Summary


June 2005



## Site Summary

Volume	Pk-Hr	Pk-Hr-Vol
1,230	5pm	94
838	Private	75
392	Commercial	20
K-Factor	EB	WB
0.08	49	45


Volume	1	2	3	4	5	6	7	8	9	10	11	12	13
1,230	14	498	327	5	54	16	8	32	234	32	8	1	5
Axle Factor	1.1%	40.5%	26.6%	0.4%	4.4%	1.3%	0.7%	2.6%	19.0%	2.6%	0.7%	0.0%	0.4%
0.72	838	Private-Unit	82	Single-Unit	6.7%			310	Combination-Unit	25.2%			



## EB Traffic

Volume	Pk-Hr	Pk-Hr-Vol
637	10am	52
409	Private	31
229	Commercial	21
K-Factor		
0.08		

Volume	1	2	3	4	5	6	7	8	9	10	11	12	13
637	6	236	167	2	29	9	3	18	145	17	4	0	4
Axle Factor	0.9%	37.0%	26.1%	0.2%	4.6%	1.3%	0.5%	2.7%	22.7%	2.7%	0.6%	0.0%	0.5%
0.69	409	Private-Unit	42	Single-Unit	6.6%			187	Combination-Unit	29.3%			



## WB Traffic

Volume	Pk-Hr	Pk-Hr-Vol
593	5pm	45
429	Private	37
164	Commercial	8
K-Factor		
0.08		

Volume	1	2	3	4	5	6	7	8	9	10	11	12	13
593	8	262	160	3	25	7	5	14	89	15	4	1	2
Axle Factor	1.3%	44.1%	27.0%	0.5%	4.2%	1.2%	0.8%	2.4%	15.0%	2.4%	0.7%	0.1%	0.3%
0.75	429	Private-Unit	40	Single-Unit	6.8%			124	Combination-Unit	20.8%			

## SITE INFORMATION

3E0ZU7	Survey 4950	District 6	Finney County
West Leg	Route: K-156		
	X-Route: K-23		

K-156 W OF K-23 (W JCT), 22 MI NE OF GARDEN CITY

Current Site: Regular, Class(D)

This Survey: Regular

Also: 4/23/02; 9/23/96

## 2 Lanes

Ln	Hrs	Begin	End
31	48	06/13/05 13:00	06/15/05 13:00
71	48	06/13/05 13:00	06/15/05 13:00


# 24 Hour Site Summary

## CLASSIFICATION

49XP95	Regular
FC 14	Dist 6
Rte: US-283	Ford County
XRte: US-56	South Leg

US-283 S OF US-56, SCL DODGE CITY

## CLASSIFICATION




### Peak Hour Traffic

Volume: 248 at 5pm

Private: 212 at 5pm

Trucks: 46 at 4pm

August 2005 (48 Hr Survey)




Hr	Volume	1	2	3	4	5	6	7	8	9	10	11	12	13
0	31.5	0	12	5.5	0.5	0.5	0.5	0	0	12.5	0	0	0	0
1	23.5	0.5	8	3	0	1	0.5	0	0.5	8.5	1	0.5	0	0
2	24	0	7.5	4	0	0.5	0	0.5	0	10	1	0.5	0	0
3	13	0.5	5	1.5	0.5	0	0	0	0	5	0.5	0	0	0
4	27.5	0	6.5	10	0	0.5	0	0.5	1	8	0.5	0.5	0	0
5	49	0	26.5	12	0	1	0	0	0.5	8.5	0.5	0	0	0
6	125.5	3	53	41	0.5	10	0.5	0.5	1.5	12.5	0	0.5	2	0.5
7	188.5	3	89	69	0.5	5	5	0.5	2.5	14	0	0	0	0
8	187.5	3	79.5	71	0	13	0.5	1.5	3.5	13.5	1	0	1	0
9	166	3	71	60	2	7	0.5	1	2.5	17.5	0.5	0	0	1
10	160	0.5	78	51	1.5	9.5	1.5	1.5	1	14.5	0.5	0	0	0.5
11	177	0	83.5	55	1.5	6.5	0.5	3.5	3.5	20.5	2	0.5	0	0
12	162.5	2	77	52	0.5	8	4	1	1	15.5	1	0	0	0.5
13	204.5	2	88	79.5	0.5	11	1	0.5	2	18.5	0.5	0	0	1
14	198	0.5	86	67	0.5	14.5	4.5	1.5	0	22	1	0	0	0.5
15	187	2	79	69	1	8.5	0.5	3.5	1.5	19.5	1	0	0	1.5
16	204.5	1.5	94.5	63	0	15	1	3	5	21	0	0	0.5	0
17	247.5	5	127	80.5	0	8.5	1	1.5	4	18.5	0.5	0	0	1
18	177.5	2.5	87.5	53	0	9.5	1.5	2.5	1.5	18	0.5	0	0	1
19	134	3	60	34	1	6.5	0.5	0.5	2.5	26	0	0	0	0
20	96	0	46.5	26	0	3	0.5	2	0.5	15	1.5	0	0	1
21	104	0	55	27.5	0	1	0.5	3	1.5	15	0	0	0	0.5
22	65	0.5	30.5	16.5	0.5	2	0	1.5	0	13.5	0	0	0	0
23	44	1	18.5	10	0	1.5	0.5	0	1	11	0	0	0	0.5
AF	2,997.5	33.5	1,369	961	11	143.5	25	30	37	358.5	13.5	2.5	3.5	9.5
0.81		1.1%	45.7%	32.1%	0.4%	4.8%	0.8%	1.0%	1.2%	12.0%	0.5%	0.1%	0.1%	0.3%

SITE RECAP	2,363.5 Private 78.8% Unit	209.5 Single Unit 7.0%	424.5 Combination Unit 14.2%
		634 Commercial Unit	21.2%

49XP95

## Classification Summary


August 2005



## Site Summary

Volume	Pk-Hr	Pk-Hr-Vol
2,998	5pm	248
2,364	Private	213
634	Commercial	35
K-Factor	NB	SB
0.08	82	165


Volume	1	2	3	4	5	6	7	8	9	10	11	12	13
2,998	34	1,369	961	11	144	25	30	37	359	14	3	4	10
Axle Factor	1.1%	45.7%	32.1%	0.4%	4.8%	0.8%	1.0%	1.2%	12.0%	0.5%	0.1%	0.1%	0.3%
0.81	2,364	Private-Unit		210	Single-Unit	7.0%			425	Combination-Unit	14.2%		
	79.9%								634	Commercial-Unit	21.2%		



## NB Traffic

Volume	Pk-Hr	Pk-Hr-Vol
1,488	7am	127
1,190	Private	118
299	Commercial	9
K-Factor		
0.09		

Volume	1	2	3	4	5	6	7	8	9	10	11	12	13
1,488	19	685	486	6	76	14	11	16	166	5	1	1	5
Axle Factor	1.3%	46.0%	32.6%	0.4%	5.1%	0.9%	0.7%	1.1%	11.2%	0.3%	0.1%	0.0%	0.3%
0.83	1,190	Private-Unit		106	Single-Unit	7.1%			193	Combination-Unit	13.0%		
	79.9%								299	Commercial-Unit	20.1%		



## SB Traffic

Volume	Pk-Hr	Pk-Hr-Vol
1,510	5pm	165
1,174	Private	146
336	Commercial	19
K-Factor		
0.11		

Volume	1	2	3	4	5	6	7	8	9	10	11	12	13
1,510	15	684	476	6	68	12	20	21	193	9	2	3	5
Axle Factor	1.0%	45.3%	31.5%	0.4%	4.5%	0.8%	1.3%	1.4%	12.8%	0.6%	0.1%	0.2%	0.3%
0.80	1,174	Private-Unit		104	Single-Unit	6.9%			232	Combination-Unit	15.3%		
	77.8%								336	Commercial-Unit	22.2%		

## SITE INFORMATION

49XP95	Survey 4996	District 6	Ford County
South Leg	Route: US-283		
	X-Route: US-56		

US-283 S OF US-56, SCL DODGE CITY

Current Site: Regular, Class(B), NHS

This Survey: Regular

Also: 8/26/97

Survey during Dodge City Days Festival

## 2 Lanes

Ln	Hrs	Begin	End
11	48	08/01/05 14:00	08/03/05 14:00
51	48	08/01/05 14:00	08/03/05 14:00

# 24 Hour Site Summary

## CLASSIFICATION

49XP97	Supplemental
FC 16	Dist 6
Rte: US-56	West Leg
XRte: US-283	
US-56 W OF US-283, SCL DODGE CITY	

## CLASSIFICATION




### Peak Hour Traffic

Volume: 183 at 5pm

Private: 124 at 5pm

Trucks: 74 at 8am

October 2005 (48 Hr Survey)




Hr	Volume	1	2	3	4	5	6	7	8	9	10	11	12	13
0	28.5	0	14.5	4.5	0	0	1	0	2	5.5	0.5	0	0.5	0
1	18	1	5	2	0.5	0.5	1	0	2.5	4.5	0	0.5	0.5	0
2	13	0	4.5	2	0	0.5	1	0	1.5	2	0.5	0	0.5	0.5
3	15.5	0	2	2.5	0.5	0	0.5	0	1	9	0	0	0	0
4	27.5	0	4.5	7.5	0.5	0	0	0.5	2	12	0.5	0	0	0
5	53.5	1	18.5	13.5	0.5	3	1.5	0	3	12.5	0	0	0	0
6	76.5	2	26.5	21	2	6.5	1	0	4	10.5	2	0.5	0	0.5
7	130	3	55.5	39.5	1	8	2.5	1.5	2.5	14.5	0.5	1	0.5	0
8	150	4.5	31.5	39.5	2	23	5.5	2.5	3	30.5	2	0.5	3.5	2
9	146	1.5	33.5	45	1	11.5	5	2	5.5	38	0.5	0	2.5	0
10	130.5	0	35.5	35	3	15	1.5	3	2.5	32	2	0	0.5	0.5
11	133	0	38	37	1	7	4	1.5	2	39.5	2	0	0.5	0.5
12	130.5	0	32.5	36.5	1	8	2	1	2.5	44	0.5	0	2	0.5
13	157.5	1	38.5	48	2	11	2	1	4.5	44.5	0.5	0	3.5	1
14	158	0.5	53	36	1.5	13	4	1	4	40	3	0.5	1.5	0
15	172.5	1	52.5	46.5	0.5	8	3	1	4.5	49.5	1.5	0.5	3.5	0.5
16	169	1	49.5	51.5	1.5	13	5.5	1.5	5	36	2	0.5	1.5	0.5
17	183	1	73.5	49	0	12.5	4.5	1	3	37	0.5	0	0	1
18	132.5	1	39	38	0.5	12.5	3	0.5	5	31.5	1	0.5	0	0
19	90	0.5	27	27.5	1	5	1.5	1	7	18	0.5	0.5	0	0.5
20	68.5	1.5	16.5	20	1	4	1	0.5	2.5	18.5	2	0.5	0	0.5
21	51	0	19.5	8	0.5	1	1	0	4	15	0.5	0.5	0	1
22	26.5	0.5	6.5	4.5	0	1	0.5	0	1.5	11	0	1	0	0
23	30	0	10.5	5.5	0	0	0.5	0	2.5	9.5	0.5	0	0	1
AF	2,291	21	688	620	21.5	164	53	19.5	77.5	565	23	7	21	10.5
0.68		0.9%	30.0%	27.1%	0.9%	7.2%	2.3%	0.9%	3.4%	24.7%	1.0%	0.3%	0.9%	0.5%

SITE RECAP	1,329 Private 58.0% Unit	258 Single Unit 11.3%	704 Combination Unit 30.7%
		962 Commercial Unit 42.0%	

49XP97

## Classification Summary


October 2005



## Site Summary

Volume	Pk-Hr	Pk-Hr-Vol
2,291	5pm	183
1,329	Private	124
962	Commercial	60
K-Factor	EB	WB
0.08	98	86


Volume	1	2	3	4	5	6	7	8	9	10	11	12	13
2,291	21	688	620	22	164	53	20	78	565	23	7	21	11
Axle Factor	0.9%	30.0%	27.1%	0.9%	7.2%	2.3%	0.9%	3.4%	24.7%	1.0%	0.3%	0.9%	0.5%
	1,329	Private-Unit		258	Single-Unit	11.3%		704	Combination-Unit	30.7%			
0.68		59.6%						962	Commercial-Unit	42.0%			



## EB Traffic

Volume	Pk-Hr	Pk-Hr-Vol
1,228	5pm	98
732	Private	65
496	Commercial	33
K-Factor		
0.68		

Volume	1	2	3	4	5	6	7	8	9	10	11	12	13
1,228	17	387	328	13	83	30	9	50	276	17	5	9	9
Axle Factor	1.4%	31.5%	26.7%	1.0%	6.7%	2.4%	0.7%	4.0%	22.4%	1.3%	0.4%	0.7%	0.7%
	732	Private-Unit		133	Single-Unit	10.8%		363	Combination-Unit	29.6%			
0.68		59.6%						496	Commercial-Unit	40.4%			



## WB Traffic

Volume	Pk-Hr	Pk-Hr-Vol
1,064	5pm	86
598	Private	59
466	Commercial	27
K-Factor		
0.67		

Volume	1	2	3	4	5	6	7	8	9	10	11	12	13
1,064	4	301	293	9	82	24	11	28	290	7	3	13	2
Axle Factor	0.4%	28.3%	27.5%	0.8%	7.7%	2.2%	1.0%	2.6%	27.2%	0.6%	0.2%	1.2%	0.2%
	598	Private-Unit		125	Single-Unit	11.8%		341	Combination-Unit	32.1%			
0.67		56.2%						466	Commercial-Unit	43.8%			

## SITE INFORMATION

49XP97	Survey 5872	District 6	Ford County
West Leg	Route: US-56		
	X-Route: US-283		

US-56 W OF US-283, SCL DODGE CITY

Current Site: Class(C)

This Survey: Supplemental

Also: 8/26/97

## 2 Lanes

Ln	Hrs	Begin	End
31	48	10/24/05 13:00	10/26/05 13:00
71	48	10/24/05 13:00	10/26/05 13:00

# 24 Hour Site Summary

## CLASSIFICATION

4FIQY7	Regular
FC 2	Dist 6
Rte: US-50	West Leg
XRte: US-56, US-283	
US-50 W OF US-56/283 (W JCT), E OF DODGE CITY	

## CLASSIFICATION




## Peak Hour Traffic

Volume: 286 at 5pm

Private: 264 at 5pm

Trucks: 42 at 1pm

August 2005 (48 Hr Survey)




Hr	Volume	1	2	3	4	5	6	7	8	9	10	11	12	13
0	25.5	0.5	12	5	0	0	0	2.5	0	5	0	0	0	0.5
1	16	0	8	4	0	0	0	0	1	3	0	0	0	0
2	11.5	0	4	2	0	0	0	0	0	3.5	1.5	0.5	0	0
3	12.5	0	3	4.5	0.5	0.5	0	0	1	3	0	0	0	0
4	17	0	5.5	3	0	0	0	0	0.5	7.5	0.5	0	0	0
5	38.5	0	18	11	0	0	0	0.5	1	6	1.5	0	0.5	0
6	108.5	3	53	34	0.5	3	0.5	0	3	9	1	0	1.5	0
7	228	0.5	132.5	67	0.5	7.5	3	0	2.5	13.5	0.5	0	0	0.5
8	183.5	1	94	61	1	4	1	1.5	4	14.5	0.5	0	0.5	0.5
9	162.5	0.5	87	43	1	9	2	0.5	2.5	15.5	0	1	0	0.5
10	177.5	1	94	52	1	5.5	1.5	1	4	16	1.5	0	0	0
11	174	1	83	54.5	0	7.5	2.5	3	2	17	1.5	0.5	0.5	1
12	184	1	89.5	58	0	6	2.5	0.5	2.5	22	0.5	0	1.5	0
13	216.5	2.5	106	65.5	0.5	5	2	1	5	27.5	1	0	0	0.5
14	196	0.5	98.5	58.5	0.5	7	2.5	7	3	18	0.5	0	0	0
15	199	1	105.5	57	1.5	5	3	6.5	2	16.5	0.5	0	0.5	0
16	230.5	2	129.5	73	0	6	2.5	3.5	1.5	11.5	0.5	0	0	0.5
17	285.5	0.5	162	101	1	6.5	1	1.5	2	9	0	1	0	0
18	202.5	0.5	114	64.5	1	6.5	1.5	0	1.5	11	0	1	0.5	0.5
19	122	1.5	68	34	0	3.5	1	1.5	0.5	11.5	0.5	0	0	0
20	123	2.5	72	32.5	0	3	0	1	2	9.5	0.5	0	0	0
21	94	1.5	56	26	0	1	0	1.5	1.5	5	1	0.5	0	0
22	69	0	41	18	0	2.5	0	0	0	7.5	0	0	0	0
23	40	0	19	12.5	0.5	1.5	0	0	0	6	0.5	0	0	0
AF 0.85	3,117	21 0.7%	1,655 53.1%	941.5 30.2%	9.5 0.3%	90.5 2.9%	26.5 0.9%	33 1.1%	43 1.4%	268.5 8.6%	14 0.4%	4.5 0.1%	5.5 0.2%	4.5 0.1%

SITE RECAP	2,617.5 Private 84.0% Unit	159.5 Single Unit 5.1%	340 Combination Unit 10.9%
		499.5 Commercial Unit	16.0%

4FIQY7

## Classification Summary


August 2005



## Site Summary

Volume	Pk-Hr	Pk-Hr-Vol
3,117	5pm	286
2,618	Private	264
500	Commercial	22
K-Factor	EB	WB
0.09	168	118


Volume	1	2	3	4	5	6	7	8	9	10	11	12	13	
3,117	21	1,655	942	10	91	27	33	43	269	14	5	6	5	
Axle Factor	0.7%	53.1%	30.2%	0.3%	2.9%	0.9%	1.1%	1.4%	8.6%	0.4%	0.1%	0.2%	0.1%	
0.85	2,618	Private-Unit	160	Single-Unit	5.1%	160	Single-Unit	5.1%	340	Combination-Unit	10.9%	500	Commercial-Unit	16.0%



## EB Traffic

Volume	Pk-Hr	Pk-Hr-Vol
1,451	5pm	168
1,228	Private	159
223	Commercial	10
K-Factor	0.12	

Volume	1	2	3	4	5	6	7	8	9	10	11	12	13
1,451	9	777	442	5	45	13	7	25	115	8	3	3	2
Axle Factor	0.6%	53.6%	30.5%	0.3%	3.1%	0.9%	0.4%	1.7%	7.9%	0.5%	0.2%	0.2%	0.1%
0.86	1,228	Private-Unit	69	Single-Unit	4.7%	154	Combination-Unit	10.6%	223	Commercial-Unit	15.3%		



## WB Traffic

Volume	Pk-Hr	Pk-Hr-Vol
1,667	7am	156
1,390	Private	141
277	Commercial	16
K-Factor	0.09	

Volume	1	2	3	4	5	6	7	8	9	10	11	12	13
1,667	12	878	500	5	46	14	27	19	154	7	2	3	3
Axle Factor	0.7%	52.7%	30.0%	0.3%	2.8%	0.8%	1.6%	1.1%	9.2%	0.4%	0.1%	0.2%	0.2%
0.84	1,390	Private-Unit	91	Single-Unit	5.5%	186	Combination-Unit	11.2%	277	Commercial-Unit	16.6%		

## SITE INFORMATION

4FIQY7	Survey 4997	District 6	Ford County
West Leg	Route: US-50		
	X-Route: US-56, US-283		

US-50 W OF US-56/283 (W JCT), E OF DODGE CITY

Current Site: Regular, Class(B), NHS

This Survey: Regular

Also: 7/17/97

Survey during Dodge City Days Festival

## 2 Lanes

Ln	Hrs	Begin	End
31	48	08/01/05 14:00	08/03/05 14:00
71	48	08/01/05 14:00	08/03/05 14:00

# 24 Hour Site Summary

## CLASSIFICATION

4HXQX3	Regular
FC 2	Dist 6
Rte: US-50, US-56	Ford County
XRte: US-283	East Leg

US-50 E OF US-283 (E JCT), E OF DODGE CITY

## CLASSIFICATION




## Peak Hour Traffic

Volume: 376 at 7am

Private: 338 at 7am

Trucks: 90 at Noon

October 2005 (48 Hr Survey)




Hr	Volume	1	2	3	4	5	6	7	8	9	10	11	12	13
0	40	0	17	5.5	0.5	1	0	0	3	10.5	2.5	0	0	0
1	33.5	0.5	19.5	2	0.5	0.5	0.5	0	3.5	5.5	0.5	0	0	0.5
2	38.5	1	14.5	4.5	0	2.5	1	0	2.5	12	0	0.5	0	0
3	25	0.5	9	4	0	1	1.5	0	3.5	5.5	0	0	0	0
4	46.5	0.5	22	7	1	0	0	0.5	5	9	0.5	1	0	0
5	79.5	0	39.5	18	1	2	1.5	0	3	12.5	0	1	1	0
6	162.5	0	90	44	0.5	5.5	1	0	6	14	0.5	0	1	0
7	376	2.5	231	104	0	7	3.5	1.5	4	19.5	2	1	0	0
8	253	1.5	126	65	0.5	12.5	4	1.5	5	31.5	2	1.5	1	1
9	254.5	2.5	104	66.5	2.5	14	4	1.5	5	52	0.5	1	0.5	0.5
10	241.5	0.5	99	69.5	1	12.5	1.5	1.5	6	46	3	0	0	1
11	231.5	1	105.5	47.5	1.5	7.5	2.5	1	3.5	56	4.5	0.5	0.5	0
12	236	0.5	90.5	55	1	9	4.5	0	7	61	5	1	0.5	1
13	240.5	0	97.5	64	1.5	12.5	3	1.5	7	49.5	3	0.5	0	0.5
14	241.5	0.5	116.5	57	0.5	5	5.5	2	3.5	44.5	3.5	0.5	0.5	2
15	324.5	0.5	170.5	86	1	8	8.5	1	4.5	39.5	2	0.5	0.5	2
16	316.5	1.5	159	83.5	1	9	4	1.5	3.5	49.5	3.5	0.5	0	0
17	324.5	0	170.5	87	1	10	5	0	6	41	2.5	0	0.5	1
18	286	1	153	75	0	7	3	0.5	5	34.5	3	2.5	0.5	1
19	175	0	78.5	45.5	0	3	3	0	6	35	3	1	0	0
20	134	1.5	67.5	27	2	3.5	1.5	0.5	3.5	25	0.5	0.5	1	0
21	102	0.5	55	16.5	0.5	3	0.5	0	2.5	20.5	2.5	0.5	0	0
22	95.5	1.5	45.5	16.5	0	3	0.5	0	5	23	0.5	0	0	0
23	61	0.5	30	6	0.5	1	1.5	0	3.5	16.5	1	0	0.5	0
AF 0.76	4,319	18.5 0.4%	2,111 48.9%	1,056.5 24.5%	18 0.4%	140 3.2%	61.5 1.4%	14.5 0.3%	107 2.5%	713.5 16.5%	46 1.1%	13.5 0.3%	8.5 0.2%	10.5 0.2%

SITE RECAP	3,186 Private 73.8% Unit	234 Single Unit 5.4%	899 Combination Unit 20.8%
		1,133 Commercial Unit	26.2%

4HXQX3

## Classification Summary


October 2005



## Site Summary

Volume	Pk-Hr	Pk-Hr-Vol
4,319	7am	376
3,186	Private	338
1,133	Commercial	39
K-Factor	EB	WB
0.09	120	256


Volume	1	2	3	4	5	6	7	8	9	10	11	12	13
4,319	19	2,111	1,057	18	140	62	15	107	714	46	14	9	11
Axle Factor	0.4%	48.9%	24.5%	0.4%	3.2%	1.4%	0.3%	2.5%	16.5%	1.1%	0.3%	0.2%	0.2%
0.76	3,186	Private-Unit	74.9%	234	Single-Unit	5.4%	899	Combination-Unit	20.8%	1,133	Commercial-Unit	26.2%	



## EB Traffic

Volume	Pk-Hr	Pk-Hr-Vol
2,179	5pm	208
1,631	Private	176
548	Commercial	32
K-Factor	0.10	

Volume	1	2	3	4	5	6	7	8	9	10	11	12	13
2,179	16	1,122	494	9	79	36	5	70	320	13	8	5	4
Axle Factor	0.7%	51.5%	22.7%	0.4%	3.6%	1.7%	0.2%	3.2%	14.7%	0.6%	0.4%	0.2%	0.2%
0.78	1,631	Private-Unit	74.9%	129	Single-Unit	5.9%	419	Combination-Unit	19.2%	548	Commercial-Unit	25.1%	



## WB Traffic

Volume	Pk-Hr	Pk-Hr-Vol
2,141	7am	256
1,555	Private	235
586	Commercial	21
K-Factor	0.12	

Volume	1	2	3	4	5	6	7	8	9	10	11	12	13
2,141	3	990	563	9	61	26	10	37	394	34	6	4	7
Axle Factor	0.1%	46.2%	26.3%	0.4%	2.8%	1.2%	0.5%	1.7%	18.4%	1.6%	0.3%	0.2%	0.3%
0.74	1,555	Private-Unit	72.6%	106	Single-Unit	4.9%	480	Combination-Unit	22.4%	586	Commercial-Unit	27.4%	

## SITE INFORMATION

4HXQX3	Survey 5877	District 6	Ford County
East Leg	Route: US-50, US-56		
	X-Route: US-283		

US-50 E OF US-283 (E JCT), E OF DODGE CITY

Current Site: Regular, Class(B), NHS

This Survey: Regular

Also: 8/29/00

## 2 Lanes


Ln	Hrs	Begin	End
31	48	10/24/05 13:00	10/26/05 13:00
71	48	10/24/05 13:00	10/26/05 13:00

# 24 Hour Site Summary

## CLASSIFICATION

4LLMV7	Regular
FC 7	Dist 6
Rte: RS-251	Ford County
XRte: 120th	West Leg
RS-251, 5.25 MI W OF US-400, W OF FORD	

## CLASSIFICATION




### Peak Hour Traffic

Volume: 45 at 4pm

Private: 32 at 4pm

Trucks: 14 at 5pm

### August 2005 (48 Hr Survey)




Hr	Volume	1	2	3	4	5	6	7	8	9	10	11	12	13
0	1	0	1	0	0	0	0	0	0	0	0	0	0	0
1	0.5	0	0.5	0	0	0	0	0	0	0	0	0	0	0
2	1.5	0	0	1	0	0	0	0	0	0.5	0	0	0	0
3	1	0	0.5	0	0	0	0	0	0	0.5	0	0	0	0
4	1	0	1	0	0	0	0	0	0	0	0	0	0	0
5	5	0	2	3	0	0	0	0	0	0	0	0	0	0
6	9	0	3.5	3.5	0	0.5	0	0	0	1	0.5	0	0	0
7	21	0	9	8.5	0	1	0	0	1	1	0	0	0	0.5
8	25	0	15.5	7	0	1	0	0	0.5	1	0	0	0	0
9	32	0	17	10.5	0	1	0	0.5	1	2	0	0	0	0
10	26.5	0	12.5	9	0	0	1.5	0.5	1	2	0	0	0	0
11	17	0	6	8.5	0	0.5	0	0.5	0.5	1	0	0	0	0
12	22.5	0	12.5	7.5	0	0	0	0.5	0.5	1.5	0	0	0	0
13	20.5	0	10	6.5	0	1	0	0	0	3	0	0	0	0
14	27	2	6.5	12	0	0	1	0.5	0.5	3.5	1	0	0	0
15	36	0.5	13	11.5	0.5	0.5	1	0	0.5	7	1	0	0	0.5
16	45	0	21.5	10	0	0.5	0.5	0	1	10	1.5	0	0	0
17	43.5	0	18	11	0	0.5	0	0.5	0.5	12	1	0	0	0
18	39	0	18.5	10.5	0	1	0	0	0	9	0	0	0	0
19	16	0	6	6.5	0	0.5	0	0	0	3	0	0	0	0
20	16	0	12	3.5	0	0	0	0	0	0.5	0	0	0	0
21	9	0	6.5	2.5	0	0	0	0	0	0	0	0	0	0
22	6.5	0	4.5	2	0	0	0	0	0	0	0	0	0	0
23	1.5	0	1	0.5	0	0	0	0	0	0	0	0	0	0
AF 0.79	423	2.5 0.6%	198.5 46.9%	135 31.9%	0.5 0.1%	8 1.9%	4 0.9%	3 0.7%	7 1.7%	58.5 13.8%	5 1.2%	0 0.0%	0 0.0%	1 0.2%

SITE RECAP	336 Private 79.4% Unit	15.5 Single Unit 3.7%	71.5 Combination Unit 16.9%
		87 Commercial Unit	20.6%

4LLMV7

## Classification Summary


August 2005



## Site Summary

Volume	Pk-Hr	Pk-Hr-Vol
636	4pm	45
508	Private	32
129	Commercial	14
K-Factor	EB	WB
0.07	23	22


Volume	1	2	3	4	5	6	7	8	9	10	11	12	13
636	3	309	196	1	11	6	5	10	88	7	0	0	2
Axle Factor	0.5%	48.5%	30.8%	0.2%	1.7%	0.9%	0.7%	1.6%	13.8%	1.1%	0.0%	0.0%	0.3%
0.79	508	Private-Unit	22 Single-Unit	3.4%					107 Combination-Unit	16.8%			



## EB Traffic

Volume	Pk-Hr	Pk-Hr-Vol
426	4pm	23
343	Private	16
83	Commercial	7
K-Factor		
0.05		

Volume	1	2	3	4	5	6	7	8	9	10	11	12	13
426	1	220	122	1	5	3	3	6	59	4	0	0	2
Axle Factor	0.2%	51.6%	28.6%	0.2%	1.2%	0.7%	0.7%	1.4%	13.8%	0.9%	0.0%	0.0%	0.5%
0.79	343	Private-Unit	12 Single-Unit	2.8%					71 Combination-Unit	16.7%			



## WB Traffic

Volume	Pk-Hr	Pk-Hr-Vol
210	4pm	22
165	Private	16
46	Commercial	7
K-Factor		
0.10		

Volume	1	2	3	4	5	6	7	8	9	10	11	12	13
210	2	89	74	0	6	3	2	4	29	3	0	0	0
Axle Factor	1.0%	42.1%	35.2%	0.0%	2.6%	1.2%	0.7%	1.9%	13.8%	1.4%	0.0%	0.0%	0.0%
0.79	165	Private-Unit	10 Single-Unit	4.5%					36 Combination-Unit	17.1%			

## SITE INFORMATION

4LLMV7	Survey 5242	District 6	Ford County
West Leg	Route: RS-251		
	X-Route: 120th		

RS-251, 5.25 MI W OF US-400, W OF FORD

Current Site: Regular, ATR

This Survey: Regular

Also: 5/21/02; 6/28/99

## 2 Lanes


Ln	Hrs	Begin	End
31	48	08/29/05 19:00	08/31/05 19:00
71	48	08/29/05 19:00	08/31/05 19:00

# 24 Hour Site Summary

## CLASSIFICATION

4SCJ15	Regular
FC 7	Dist 6
Rte: K-94	Ford County
XRte: US-54	South Leg
K-94 S OF US-54, SW OF BUCKLIN	

## CLASSIFICATION




## Peak Hour Traffic

Volume: 11 at 11am

Private: 10 at 8am

Trucks: 4 at 11am

August 2005 (48 Hr Survey)




Hr	Volume	1	2	3	4	5	6	7	8	9	10	11	12	13
0	2	0	1	0.5	0	0	0	0	0.5	0	0	0	0	0
1	1	0	0	1	0	0	0	0	0	0	0	0	0	0
2	1	0	1	0	0	0	0	0	0	0	0	0	0	0
3	0.5	0	0	0.5	0	0	0	0	0	0	0	0	0	0
4	1	0	1	0	0	0	0	0	0	0	0	0	0	0
5	2.5	0	1	1	0	0.5	0	0	0	0	0	0	0	0
6	2	0	0	1	0	1	0	0	0	0	0	0	0	0
7	5	0	2.5	2	0	0.5	0	0	0	0	0	0	0	0
8	10.5	0	3	7	0	0.5	0	0	0	0	0	0	0	0
9	9.5	0	2	4	0.5	1.5	0.5	0	0.5	0.5	0	0	0	0
10	5.5	0	2	3	0	0	0	0	0	0.5	0	0	0	0
11	11	0	2	5	0	1.5	0.5	0.5	0	1	0	0	0	0.5
12	4.5	0	2.5	1	0	1	0	0	0	0	0	0	0	0
13	4.5	0	1	1.5	0	1	1	0	0	0	0	0	0	0
14	8	0	3	2.5	0	1.5	1	0	0	0	0	0	0	0
15	7.5	0	3	1.5	0	2	0.5	0	0	0	0	0	0	0.5
16	6	0	1.5	2.5	0	2	0	0	0	0	0	0	0	0
17	8	0	2	4.5	0	1	0	0	0.5	0	0	0	0	0
18	8.5	0	2	5	0	1	0	0	0.5	0	0	0	0	0
19	8	0	5.5	2	0	0	0	0	0.5	0	0	0	0	0
20	3.5	0	2	1.5	0	0	0	0	0	0	0	0	0	0
21	10.5	0	4.5	4.5	0	0.5	0	0	0.5	0.5	0	0	0	0
22	2	0	1.5	0.5	0	0	0	0	0	0	0	0	0	0
23	2	0	1.5	0.5	0	0	0	0	0	0	0	0	0	0
AF 0.91	124.5	0	45.5	52.5	0.5	15.5	3.5	0.5	3	2.5	0	0	0	1
		0.0%	36.5%	42.2%	0.4%	12.4%	2.8%	0.4%	2.4%	2.0%	0.0%	0.0%	0.0%	0.8%

SITE RECAP	98 Private 78.7% Unit	20 Single Unit 16.1%	6.5 Combination Unit 5.2%
		26.5 Commercial Unit 21.3%	

4SCJ15

## Classification Summary


August 2005



## Site Summary

Volume	Pk-Hr	Pk-Hr-Vol
125	11am	11
98	Private	7
27	Commercial	4
K-Factor 0.09	NB 6	SB 6


Volume	1	2	3	4	5	6	7	8	9	10	11	12	13
125	0	46	53	1	16	4	1	3	3	0	0	0	1
Axle Factor 0.91	0.0%	36.5%	42.2%	0.4%	12.4%	2.8%	0.4%	2.4%	2.0%	0.0%	0.0%	0.0%	0.8%
	98 Private-Unit 79.1%	20 Single-Unit 16.1%	7 Combination-Unit 5.2%		27 Commercial-Unit 21.3%								



## NB Traffic

Volume	Pk-Hr	Pk-Hr-Vol
65	9am	6
51	Private	5
14	Commercial	2
K-Factor 0.09		

Volume	1	2	3	4	5	6	7	8	9	10	11	12	13
65	0	25	27	1	8	2	1	2	1	0	0	0	1
Axle Factor 0.92	0.0%	38.0%	41.1%	0.8%	11.6%	3.1%	0.8%	2.3%	1.6%	0.0%	0.0%	0.0%	0.8%
	51 Private-Unit 79.1%	11 Single-Unit 16.3%	3 Combination-Unit 4.7%		14 Commercial-Unit 20.9%								



## SB Traffic

Volume	Pk-Hr	Pk-Hr-Vol
60	8am	7
47	Private	7
13	Commercial	1
K-Factor 0.12		

Volume	1	2	3	4	5	6	7	8	9	10	11	12	13
60	0	21	26	0	8	2	0	2	2	0	0	0	1
Axle Factor 0.91	0.0%	35.0%	43.3%	0.0%	13.3%	2.5%	0.0%	2.5%	2.5%	0.0%	0.0%	0.0%	0.8%
	47 Private-Unit 78.3%	10 Single-Unit 15.8%	4 Combination-Unit 5.8%		13 Commercial-Unit 21.7%								

## SITE INFORMATION

4SCJ15	Survey 4998	District 6	Ford County
South Leg	Route: K-94		
	X-Route: US-54		

K-94 S OF US-54, SW OF BUCKLIN

Current Site: Regular, Class(E)

This Survey: Regular

No Other Class Surveys on Record

## 2 Lanes

Ln	Hrs	Begin	End
11	48	08/01/05 12:00	08/03/05 12:00
51	48	08/01/05 12:00	08/03/05 12:00


# 24 Hour Site Summary

## CLASSIFICATION


4T0NA5	Regular, WIM
FC 2	Dist 6
Rte: US-400	Ford County
XRte: RS-257, FORD-SPEARVILLE RD	South Leg
US-400 S OF RS-257, 1 MI N OF FORD	

**Peak Hour Traffic**  
 Volume: 258 at 4pm  
 Private: 193 at 4pm  
 Trucks: 66 at 3pm

## CLASSIFICATION



June 2005 (48 Hr Survey)




Hr	Volume	1	2	3	4	5	6	7	8	9	10	11	12	13
0	33.5	0	13	7	0	2.5	0	0	0.5	10	0.5	0	0	0
1	19	0	4	6	0.5	2	0	0.5	0.5	5.5	0	0	0	0
2	13	0	2.5	3	0	0	0.5	0	0	6.5	0	0.5	0	0
3	15	0	5	3.5	0	0	0	0	1	5.5	0	0	0	0
4	23.5	0.5	11	5	0	0.5	0	0	0.5	5.5	0.5	0	0	0
5	47	0.5	20	10	1	2.5	0	0	1	10.5	0.5	1	0	0
6	127	0.5	55	31	0	8.5	1.5	0.5	4.5	22.5	0.5	2	0.5	0
7	193.5	1.5	102.5	50	0.5	4	2.5	2	2.5	24.5	1	0.5	1	1
8	169	0	81	45	0	11	2	1	1	27.5	0.5	0	0	0
9	184	1.5	69	49.5	1.5	12.5	1	2.5	2	40.5	2.5	1	0.5	0
10	172	0.5	74.5	48	0	7	3	0	1.5	33.5	1	1	2	0
11	172.5	1	71.5	54	1	8	2.5	0	2	29.5	1	0.5	1	0.5
12	193	4	81	56	2.5	9.5	2.5	1.5	4.5	27	3.5	0	0.5	0.5
13	197.5	1	83.5	59.5	0.5	9.5	2	2	4	34.5	1	0	0	0
14	198.5	1.5	87	55.5	1	7.5	0.5	0.5	2.5	37.5	1.5	0.5	1	2
15	220	0	97	57	1.5	13.5	1.5	1	4.5	39	2.5	0.5	1.5	0.5
16	258.5	1	121.5	70.5	0.5	21.5	3.5	0	3.5	33.5	1.5	0	0.5	1
17	243	1	120.5	69	0	13.5	1.5	1	3.5	30.5	1	0.5	1	0
18	190	1	92	51	1	8.5	1.5	0	3	30	1.5	0.5	0	0
19	129.5	0.5	59.5	35.5	0	3.5	0	1	3	25	1	0.5	0	0
20	102	0.5	49.5	24.5	0	5.5	0	2	2.5	16.5	0	0.5	0	0.5
21	82.5	0	42.5	23.5	0.5	3	0	1	0	11.5	0	0.5	0	0
22	81	1	41	19.5	0.5	2.5	0.5	0	2.5	12	0.5	1	0	0
23	49	0	25	12	0	0	0	1	0.5	9.5	0	0.5	0	0.5
AF 0.76	3,113.5	17.5 0.6%	1,409 45.3%	845.5 27.2%	12.5 0.4%	156.5 5.0%	26.5 0.9%	17.5 0.6%	51 1.6%	528 17.0%	22 0.7%	11.5 0.4%	9.5 0.3%	6.5 0.2%

SITE RECAP	2,272 Private Unit	213 Single Unit 6.8%	628.5 Combination Unit 20.2%
	73.0% Unit		841.5 Commercial Unit 27.0%

4T0NA5

## Classification Summary


June 2005



## Site Summary

Volume	Pk-Hr	Pk-Hr-Vol
3,114	4pm	258
2,272	Private	193
842	Commercial	66
K-Factor	NB	SB
0.08	128	130


Volume	1	2	3	4	5	6	7	8	9	10	11	12	13
3,114	18	1,409	846	13	157	27	18	51	528	22	12	10	7
Axle Factor	0.6%	45.3%	27.2%	0.4%	5.0%	0.9%	0.6%	1.6%	17.0%	0.7%	0.4%	0.3%	0.2%
0.76	2,272	Private-Unit	75.0%	213	Single-Unit	6.8%	629	Combination-Unit	20.2%	842	Commercial-Unit	27.0%	



## NB Traffic

Volume	Pk-Hr	Pk-Hr-Vol
1,621	4pm	129
1,216	Private	95
406	Commercial	34
K-Factor	0.08	

Volume	1	2	3	4	5	6	7	8	9	10	11	12	13
1,621	5	774	437	5	78	14	1	27	259	10	5	9	1
Axle Factor	0.3%	47.7%	26.9%	0.3%	4.8%	0.9%	0.1%	1.6%	15.9%	0.6%	0.3%	0.5%	0.0%
0.78	1,216	Private-Unit	75.0%	98	Single-Unit	6.0%	308	Combination-Unit	19.0%	406	Commercial-Unit	25.0%	



## SB Traffic

Volume	Pk-Hr	Pk-Hr-Vol
1,493	5pm	146
1,057	Private	117
436	Commercial	29
K-Factor	0.10	

Volume	1	2	3	4	5	6	7	8	9	10	11	12	13
1,493	13	635	409	8	79	13	17	25	270	13	7	1	6
Axle Factor	0.8%	42.5%	27.4%	0.5%	5.3%	0.8%	1.1%	1.6%	18.1%	0.8%	0.5%	0.1%	0.4%
0.75	1,057	Private-Unit	70.8%	116	Single-Unit	7.7%	321	Combination-Unit	21.5%	436	Commercial-Unit	29.2%	

## SITE INFORMATION

4T0NA5	Survey 5918	District 6	Ford County
South Leg	Route: US-400		
	X-Route: RS-257, FORD-SPEARVILLE RD		

US-400 S OF RS-257, 1 MI N OF FORD

Current Site: Regular, ATR, WIM, Class(B), NHS

This Survey: Regular

Also: 7/16/02; 6/15/99; 11/12/96

## 2 Lanes


Ln	Hrs	Begin	End
11	48	06/06/05 14:00	06/08/05 14:00
51	48	06/06/05 14:00	06/08/05 14:00

# 24 Hour Site Summary

## CLASSIFICATION

519JU6	Supplemental
FC 2	Dist 6
Rte: US-54	Ford County
XRte: K-34	South-West Leg
US-54 SW OF K-34 (W JCT), IN BUCKLIN	


## CLASSIFICATION



## Peak Hour Traffic

Volume: 164 at 10am  
Private: 96 at 9am  
Trucks: 76 at 11am

October 2005 (48 Hr Survey)




Hr	Volume	1	2	3	4	5	6	7	8	9	10	11	12	13
0	32	0	4	0	0.5	0	0	0	2	16.5	3.5	3.5	1	1
1	30	0	9	2.5	0.5	0	0	0	1	9.5	2.5	3	1.5	0.5
2	31.5	0.5	9.5	2	0	0.5	0	0	2.5	9	1.5	4	2	0
3	18.5	0	1	0.5	0	0	0	0	3	11	1	1	0.5	0.5
4	27.5	0	4	1	0	0.5	0	0	3	12	2.5	1.5	0.5	2.5
5	41	0	8	8	0.5	1.5	0	0	3.5	10	2.5	3.5	1.5	2
6	51.5	0	11	6.5	1.5	2	1	0.5	2	15.5	5.5	3	2.5	0.5
7	99.5	0	39	22.5	0.5	3.5	0	1.5	3	16.5	5.5	3.5	2	2
8	117.5	1	37	25.5	0	3.5	1	1	4	34.5	6	2.5	1.5	0
9	156.5	2	58.5	35.5	1	5.5	2	1	5	38	3	3	1	1
10	163.5	0	51.5	38.5	0	7	1	2.5	6	49.5	4	2	1.5	0
11	147	1	43	27	2	7.5	3	0.5	3.5	51.5	1.5	4.5	1.5	0.5
12	142	0	50.5	29.5	1	8	3.5	1.5	4	39.5	1	2.5	0.5	0.5
13	158	1.5	59	35	1.5	3.5	1	2	3.5	46.5	1	1.5	1	1
14	149	0.5	57	30.5	1	4	1	2.5	1.5	45	1.5	2.5	2	0
15	147.5	1	57.5	35	0.5	6.5	1	0.5	2.5	38.5	1.5	1.5	0.5	1
16	142	0.5	60	27.5	1	5	2.5	2	4.5	32.5	0	5	1	0.5
17	141.5	1.5	53	22.5	0	4.5	1	1	1.5	49.5	2.5	3	1	0.5
18	122	0	42	17.5	0.5	3	0.5	2.5	5.5	47	0	2.5	1	0
19	90.5	0	28	17	1.5	1	0	1.5	2.5	36	1	2	0	0
20	93.5	0.5	27.5	15	0	1	0.5	2	5	32	5	3	1	1
21	65.5	0	17	8	0	0.5	0	0	2	28	4	4	2	0
22	55.5	0	14.5	4	0	0	0.5	1	3.5	25	2.5	3	1.5	0
23	44.5	0	9.5	4	0	0.5	0	1	2.5	16	5	2.5	2	1.5
AF 0.60	2,267.5	10 0.4%	751 33.1%	415 18.3%	13.5 0.6%	69 3.0%	19.5 0.9%	24.5 1.1%	77 3.4%	709 31.3%	64 2.8%	68 3.0%	30.5 1.3%	16.5 0.7%

SITE RECAP	1,176 Private 51.9% Unit	126.5 Single Unit 5.6%	965 Combination Unit 42.6%
			1,091.5 Commercial Unit 48.1%

519JU6

## Classification Summary


October 2005



## Site Summary

Volume	Pk-Hr	Pk-Hr-Vol
2,268	10am	164
1,176	Private	90
1,092	Commercial	74
K-Factor	NEB	SWB
0.07	72	92


Volume	1	2	3	4	5	6	7	8	9	10	11	12	13
2,268	10	751	415	14	69	20	25	77	709	64	68	31	17
Axle Factor	0.4%	33.1%	18.3%	0.6%	3.0%	0.9%	1.1%	3.4%	31.3%	2.8%	3.0%	1.3%	0.7%
	1,176	Private-Unit		127	Single-Unit	5.6%			965	Combination-Unit	42.6%		
0.60		51.8%							1,092	Commercial-Unit	48.1%		



## NEB Traffic

Volume	Pk-Hr	Pk-Hr-Vol
900	10am	72
466	Private	40
434	Commercial	32
K-Factor		
0.08		

Volume	1	2	3	4	5	6	7	8	9	10	11	12	13
900	5	275	187	6	32	10	8	20	312	8	28	9	2
Axle Factor	0.5%	30.5%	20.8%	0.7%	3.6%	1.1%	0.9%	2.2%	34.7%	0.9%	3.1%	0.9%	0.2%
	466	Private-Unit		56	Single-Unit	6.2%			378	Combination-Unit	42.0%		
0.61		51.8%							434	Commercial-Unit	48.2%		



## SWB Traffic

Volume	Pk-Hr	Pk-Hr-Vol
1,368	1pm	102
710	Private	61
658	Commercial	41
K-Factor		
0.07		

Volume	1	2	3	4	5	6	7	8	9	10	11	12	13
1,368	6	477	228	8	37	10	17	58	397	56	40	22	15
Axle Factor	0.4%	34.8%	16.7%	0.5%	2.7%	0.7%	1.2%	4.2%	29.0%	4.1%	2.9%	1.6%	1.1%
	710	Private-Unit		71	Single-Unit	5.2%			587	Combination-Unit	42.9%		
0.60		51.9%							658	Commercial-Unit	48.1%		

## SITE INFORMATION

519JU6	Survey 5886	District 6	Ford County
South-West Leg	Route: US-54		
	X-Route: K-34		

US-54 SW OF K-34 (W JCT), IN BUCKLIN

Current Site: Class(B), NHS

This Survey: Supplemental

Also: 8/9/99

## 2 Lanes


Ln	Hrs	Begin	End
21	48	10/24/05 12:00	10/26/05 12:00
61	48	10/24/05 12:00	10/26/05 12:00

# 24 Hour Site Summary

## CLASSIFICATION


1TLL63	Regular
FC 6	Dist 6
Rte: US-160	Grant County
XRte: RS-931, MOSCOW-HICKOK RD	East Leg
US-160 E OF RS-931, 7 MI W OF CO LINE	

## CLASSIFICATION



**Peak Hour Traffic**  
 Volume: 167 at 5pm  
 Private: 134 at 5pm  
 Trucks: 46 at 10am

July 2005 (48 Hr Survey)




Hr	Volume	1	2	3	4	5	6	7	8	9	10	11	12	13
0	10	0	4.5	2.5	0	0	0	0	0	3	0	0	0	0
1	7	0	3.5	1	0	0.5	0	0	0	1.5	0	0	0	0.5
2	6	0	1	1.5	0	0.5	0	0	0	3	0	0	0	0
3	10	0	1	1	0.5	1.5	0	1.5	1	3.5	0	0	0	0
4	10.5	0	3	1.5	0	0.5	0	0	0	5.5	0	0	0	0
5	39.5	0	17.5	12	0	0.5	0	0	0.5	9	0	0	0	0
6	137	2	53.5	52.5	0	9	0	0	2.5	17	0	0	0	0.5
7	138	1.5	44	54.5	1	9.5	4	3	3.5	16	1	0	0	0
8	139	1	37	59	0.5	12	2	5	2.5	18.5	0.5	0.5	0	0.5
9	147	0.5	41	61	0.5	18.5	2	1	4.5	15	2	0	0	1
10	143	0	44	53	0.5	12.5	1.5	1	4.5	23.5	1.5	0	0	1
11	142	0	46	51.5	0.5	11	5	2	3	22	0.5	0	0	0.5
12	136	0.5	47	50.5	0	12.5	2.5	1	3	15	2.5	0	0	1.5
13	126.5	0.5	43.5	45.5	0	12.5	3	1	3	15.5	1.5	0	0	0.5
14	140.5	3.5	45	50.5	0	11.5	5.5	0.5	4	19	0	0	0	1
15	149.5	0.5	58.5	52.5	0	10	4	0	5	18.5	0.5	0	0	0
16	154	0.5	61	52.5	0	11	3.5	1	6	17	0.5	0	0	1
17	167	0	65.5	68	0.5	14.5	2	0.5	2.5	12.5	0	0	0	1
18	118.5	1	50.5	39.5	0	8.5	1	2	4	9.5	0.5	0	0	2
19	82	2	41.5	23.5	0.5	3	0.5	0	0	10.5	0	0	0	0.5
20	51.5	0.5	22	18	0.5	2	0	0	1	6.5	0	0	0	1
21	55	0.5	22.5	16	0	3	0	0	0.5	12.5	0	0	0	0
22	45.5	0	25	16	0	0.5	0	0	0.5	3.5	0	0	0	0
23	18	0	8.5	6	0	0.5	0	0	0.5	2.5	0	0	0	0
AF	2,173	14.5	786.5	789.5	5	165.5	36.5	19.5	52	280	11	0.5	0	12.5
0.79	0.7%	36.2%	36.3%	0.2%	7.6%	1.7%	0.9%	2.4%	12.9%	0.5%	0.0%	0.0%	0.0%	0.6%

SITE RECAP	1,590.5 Private 73.2% Unit	226.5 Single Unit 10.4%	356 Combination Unit 16.4%
		582.5 Commercial Unit 26.8%	

1TLL63

## Classification Summary


July 2005



## Site Summary

Volume	Pk-Hr	Pk-Hr-Vol
2,173	5pm	167
1,591	Private	134
583	Commercial	34
K-Factor	EB	WB
0.08	67	100


Volume	1	2	3	4	5	6	7	8	9	10	11	12	13
2,173	15	787	790	5	166	37	20	52	280	11	1	0	13
Axle Factor	0.7%	36.2%	36.3%	0.2%	7.6%	1.7%	0.9%	2.4%	12.9%	0.5%	0.0%	0.0%	0.6%
0.79	1,591	Private-Unit	72.3%	227	Single-Unit	10.4%	356	Combination-Unit	16.4%	301	Commercial-Unit	26.8%	



## EB Traffic

Volume	Pk-Hr	Pk-Hr-Vol
1,084	6am	91
784	Private	76
301	Commercial	15
K-Factor		
0.08		

Volume	1	2	3	4	5	6	7	8	9	10	11	12	13
1,084	10	382	392	2	92	17	14	21	143	9	0	0	3
Axle Factor	0.9%	35.2%	36.2%	0.2%	8.5%	1.6%	1.3%	1.9%	13.2%	0.8%	0.0%	0.0%	0.3%
0.79	784	Private-Unit	72.3%	125	Single-Unit	11.5%	176	Combination-Unit	16.2%	301	Commercial-Unit	27.7%	



## WB Traffic

Volume	Pk-Hr	Pk-Hr-Vol
1,089	5pm	100
807	Private	82
282	Commercial	19
K-Factor		
0.09		

Volume	1	2	3	4	5	6	7	8	9	10	11	12	13
1,089	5	405	398	3	74	20	6	31	137	3	1	0	10
Axle Factor	0.5%	37.1%	36.5%	0.3%	6.7%	1.8%	0.5%	2.8%	12.6%	0.2%	0.0%	0.0%	0.9%
0.79	807	Private-Unit	74.1%	102	Single-Unit	9.3%	181	Combination-Unit	16.6%	282	Commercial-Unit	25.9%	

## SITE INFORMATION

1TLL63	Survey 4981	District 6	Grant County
East Leg	Route: US-160		
	X-Route: RS-931, MOSCOW-HICKOK RD		

US-160 E OF RS-931, 7 MI W OF CO LINE

Current Site: Regular, Class(D)

This Survey: Regular

Also: 5/6/02; 5/24/99

## 2 Lanes

Ln	Hrs	Begin	End
31	48	07/18/05 16:00	07/20/05 16:00
71	48	07/18/05 16:00	07/20/05 16:00


# 24 Hour Site Summary

## CLASSIFICATION


21LL35	Regular
FC 7	Dist 6
Rte: K-190	Grant County
XRte: US-160	South Leg
K-190 S OF US-160, 1 MI W OF E CO LINE	

**Peak Hour Traffic**  
 Volume: 39 at 5pm  
 Private: 32 at 5pm  
 Trucks: 14 at 2pm

## CLASSIFICATION



July 2005 (48 Hr Survey)




Hr	Volume	1	2	3	4	5	6	7	8	9	10	11	12	13		
0	1	0	1	0	0	0	0	0	0	0	0	0	0	0		
1	0.5	0	0	0.5	0	0	0	0	0	0	0	0	0	0		
2	0.5	0	0.5	0	0	0	0	0	0	0	0	0	0	0		
3	1	0	0	0	0	1	0	0	0	0	0	0	0	0		
4	2	0	1	0	0	0	0	0	0	1	0	0	0	0		
5	7.5	0	2	2.5	0	0.5	0	0	0	2.5	0	0	0	0		
6	36.5	0.5	12	18	0	3.5	0	0.5	0.5	1.5	0	0	0	0		
7	30	0	10.5	14.5	0.5	1.5	0.5	0	0	2.5	0	0	0	0		
8	31.5	0	10	11.5	0	2	1	2	1.5	3	0.5	0	0	0		
9	34	0	7	16	0	2.5	0	0.5	2	4	1	0	0	1		
10	30.5	0	7	11	0	1	0	0.5	2.5	7.5	0	0	0	1		
11	23	0	8.5	8	0	3.5	0.5	0.5	0.5	1.5	0	0	0	0		
12	26.5	0	7	10	0	3	1	0.5	0	4	0.5	0	0	0.5		
13	30	1	10.5	9.5	0	2.5	1	0	1.5	4	0	0	0	0		
14	38	0	12.5	11	0	5	2	0.5	1	5	0.5	0	0	0.5		
15	29	0	8.5	9.5	0	5	1	0	1.5	3.5	0	0	0	0		
16	34.5	0.5	11.5	15	0	3	0.5	0.5	1.5	2	0	0	0	0		
17	39	0	14.5	17	0	3	1	0.5	0.5	2.5	0	0	0	0		
18	32.5	0	11.5	13	0	1.5	0.5	2	0	3.5	0	0	0	0.5		
19	17.5	0.5	8	3.5	0	0.5	2	0	0	3	0	0	0	0		
20	12.5	0	5.5	5.5	0	0	0	0	0	1.5	0	0	0	0		
21	9.5	0	5	3.5	0	0	0	0	0	1	0	0	0	0		
22	5	0	3.5	0.5	0	0.5	0	0	0.5	0	0	0	0	0		
23	4.5	0	2.5	2	0	0	0	0	0	0	0	0	0	0		
AF 0.80	476.5	2.5 0.5%	160 33.6%	182 38.2%	0.5 0.1%	39.5 8.3%	11 2.3%	8 1.7%	13.5 2.8%	53.5 11.2%	2.5 0.5%	0 0.0%	0 0.0%	3.5 0.7%		
SITE RECAP	344.5 Private 72.3% Unit				59 Single Unit 12.4%				73 Combination Unit 15.3%				132 Commercial Unit 27.7%			

21LL35

## Classification Summary


July 2005



## Site Summary

Volume	Pk-Hr	Pk-Hr-Vol
477	5pm	39
345	Private	32
132	Commercial	8
K-Factor	NB	SB
0.08	20	18


Volume	1	2	3	4	5	6	7	8	9	10	11	12	13
477	3	160	182	1	40	11	8	14	54	3	0	0	4
Axle Factor	0.5%	33.6%	38.2%	0.1%	8.3%	2.3%	1.7%	2.8%	11.2%	0.5%	0.0%	0.0%	0.7%
0.80	345	Private-Unit	59	Single-Unit	12.4%				73	Combination-Unit	15.3%		



## NB Traffic

Volume	Pk-Hr	Pk-Hr-Vol
254	2pm	22
187	Private	14
67	Commercial	8
K-Factor		
0.81		

Volume	1	2	3	4	5	6	7	8	9	10	11	12	13
254	1	86	100	0	20	7	4	8	28	0	0	0	2
Axle Factor	0.4%	33.9%	39.4%	0.0%	7.7%	2.6%	1.6%	3.0%	10.8%	0.0%	0.0%	0.0%	0.6%
0.81	187	Private-Unit	30	Single-Unit	11.8%				37	Combination-Unit	14.4%		



## SB Traffic

Volume	Pk-Hr	Pk-Hr-Vol
223	4pm	19
158	Private	16
66	Commercial	3
K-Factor		
0.78		

Volume	1	2	3	4	5	6	7	8	9	10	11	12	13
223	2	74	82	1	20	5	4	6	26	3	0	0	2
Axle Factor	0.7%	33.2%	36.8%	0.2%	9.0%	2.0%	1.8%	2.7%	11.7%	1.1%	0.0%	0.0%	0.9%
0.78	158	Private-Unit	29	Single-Unit	13.0%				37	Combination-Unit	16.4%		

## SITE INFORMATION

21LL35	Survey 4982	District 6	Grant County
South Leg	Route: K-190		
	X-Route: US-160		

K-190 S OF US-160, 1 MI W OF E CO LINE

Current Site: Regular, Class(E)


This Survey: Regular

No Other Class Surveys on Record

## 2 Lanes

Ln	Hrs	Begin	End
11	48	07/18/05 17:00	07/20/05 17:00
51	48	07/18/05 17:00	07/20/05 17:00


# 24 Hour Site Summary



36RTX3

## Classification Summary


March 2005



## Site Summary

Volume	Pk-Hr	Pk-Hr-Vol
4,068	5pm	309
2,901	Private	256
1,168	Commercial	53
K-Factor	EB	WB
0.08	169	140


Volume	1	2	3	4	5	6	7	8	9	10	11	12	13
4,068	16	1,905	980	36	164	41	7	106	761	25	12	6	11
Axle Factor	0.4%	46.8%	24.1%	0.9%	4.0%	1.0%	0.2%	2.6%	18.7%	0.6%	0.3%	0.1%	0.3%
	2,901	Private-Unit		248	Single-Unit	6.1%			920	Combination-Unit	22.6%		
0.75		68.9%						1,168	Commercial-Unit	28.7%			



## EB Traffic

Volume	Pk-Hr	Pk-Hr-Vol
2,090	5pm	169
1,440	Private	135
650	Commercial	34
K-Factor		
0.08		

Volume	1	2	3	4	5	6	7	8	9	10	11	12	13
2,090	14	931	496	21	94	24	1	61	420	12	8	4	8
Axle Factor	0.6%	44.6%	23.7%	1.0%	4.5%	1.1%	0.0%	2.9%	20.1%	0.6%	0.4%	0.2%	0.4%
	1,440	Private-Unit		140	Single-Unit	6.7%			510	Combination-Unit	24.4%		
0.73		68.9%						650	Commercial-Unit	31.1%			



## WB Traffic

Volume	Pk-Hr	Pk-Hr-Vol
1,979	3pm	155
1,461	Private	122
518	Commercial	33
K-Factor		
0.08		

Volume	1	2	3	4	5	6	7	8	9	10	11	12	13
1,979	3	974	485	16	70	17	6	46	342	13	4	3	4
Axle Factor	0.1%	49.2%	24.5%	0.8%	3.5%	0.9%	0.3%	2.3%	17.3%	0.7%	0.2%	0.1%	0.2%
	1,461	Private-Unit		108	Single-Unit	5.5%			410	Combination-Unit	20.7%		
0.76		73.8%						518	Commercial-Unit	26.2%			

## SITE INFORMATION

36RTX3	Survey 4864	District 6	Gray County
East Leg	Route: US-50, US-400		
	X-Route: RS-1451		

US-50 E OF RS-1451, AT CHARLESTON

Current Site: Regular, Class(B), NHS


This Survey: Regular

Also: 5/21/02

## 2 Lanes

Ln	Hrs	Begin	End
31	48	03/21/05 11:00	03/24/05 11:00
71	48	03/21/05 11:00	03/24/05 11:00


# 24 Hour Site Summary



3LRMJ1

## Classification Summary


March 2005



## Site Summary

Volume	Pk-Hr	Pk-Hr-Vol
628	2pm	54
467	Private	40
162	Commercial	15
K-Factor	NB	SB
0.09	29	26


Volume	1	2	3	4	5	6	7	8	9	10	11	12	13
628	2	260	205	1	30	7	5	7	100	11	1	0	2
Axle Factor	0.3%	41.4%	32.6%	0.1%	4.7%	1.1%	0.8%	1.0%	15.9%	1.7%	0.1%	0.0%	0.3%
0.77	467	Private-Unit	42	Single-Unit	6.7%				120	Combination-Unit	19.0%		



## NB Traffic

Volume	Pk-Hr	Pk-Hr-Vol
308	2pm	29
231	Private	22
77	Commercial	7
K-Factor		
0.09		

Volume	1	2	3	4	5	6	7	8	9	10	11	12	13
308	0	129	102	0	13	4	3	2	53	4	0	0	0
Axle Factor	0.0%	42.0%	33.0%	0.0%	4.1%	1.1%	0.8%	0.7%	17.1%	1.3%	0.0%	0.0%	0.0%
0.77	231	Private-Unit	19	Single-Unit	6.0%				59	Combination-Unit	19.0%		



## SB Traffic

Volume	Pk-Hr	Pk-Hr-Vol
321	5pm	28
236	Private	24
85	Commercial	4
K-Factor		
0.09		

Volume	1	2	3	4	5	6	7	8	9	10	11	12	13
321	2	131	103	1	17	4	3	5	48	7	1	0	2
Axle Factor	0.6%	40.9%	32.1%	0.2%	5.3%	1.1%	0.8%	1.4%	14.8%	2.0%	0.2%	0.0%	0.6%
0.76	236	Private-Unit	24	Single-Unit	7.3%				61	Combination-Unit	19.0%		

## SITE INFORMATION

3LRMJ1	Survey 4842	District 6	Gray County
North Leg	Route: K-23		
	X-Route: US-56		

K-23 N OF US-56, 5 MI NE OF MONTEZUMA

Current Site: Regular, Class(D)

This Survey: Regular

Also: 4/29/97

## 2 Lanes

Ln	Hrs	Begin	End
11	48	03/21/05 14:00	03/23/05 14:00
51	48	03/21/05 14:00	03/23/05 14:00

# 24 Hour Site Summary

## CLASSIFICATION

3LRMJ5	Regular
FC 6	Dist 6
Rte: K-23	South Leg
XRte: US-56	
K-23 S OF US-56, 5 MI NE OF MONTEZUMA	

## CLASSIFICATION




## Peak Hour Traffic

Volume: 46 at 4pm

Private: 34 at 2pm

Trucks: 14 at 11am

## March 2005 (48 Hr Survey)




Hr	Volume	1	2	3	4	5	6	7	8	9	10	11	12	13
0	4	0	2.5	1	0	0	0	0	0	0.5	0	0	0	0
1	1	0	0.5	0	0.5	0	0	0	0	0	0	0	0	0
2	4	0	0.5	0.5	0	0	0	0	0	3	0	0	0	0
3	3	0	1.5	0.5	0	1	0	0	0	0	0	0	0	0
4	1	0	0	1	0	0	0	0	0	0	0	0	0	0
5	2.5	0	1.5	0.5	0	0	0	0	0	0	0	0	0	0.5
6	18	0	9.5	5	0	1.5	0	0	0	2	0	0	0	0
7	30	0	14.5	8	0.5	0	0	0.5	0.5	6	0	0	0	0
8	41	0	17	11	0.5	4	1.5	0.5	0.5	6	0	0	0	0
9	25.5	0	11.5	7.5	0.5	2.5	0	0	0	3	0.5	0	0	0
10	36	1	14	11	0	4	0	1	0	4.5	0	0.5	0	0
11	35	0	11.5	9.5	0	2.5	0	0.5	1	10	0	0	0	0
12	43.5	0	17.5	14.5	0.5	2	0.5	0	3	4	1.5	0	0	0
13	32	0	14	7.5	0	2.5	0.5	0	0	6.5	1	0	0	0
14	40.5	0	21.5	12.5	0	1	0	0	1.5	3.5	0	0	0	0.5
15	36.5	0	15	12.5	0	1	1	0.5	0.5	6	0	0	0	0
16	46	0.5	22	10.5	0	2	1.5	0	0.5	8.5	0	0.5	0	0
17	38.5	0	19.5	11.5	0.5	2	0.5	0	0.5	4	0	0	0	0
18	35.5	0	17.5	9	0	1.5	0	0.5	0	7	0	0	0	0
19	22	0	11	6	0	1.5	0	0	0	3.5	0	0	0	0
20	16.5	0	6	6	0	0	0	0.5	0	3	0	0.5	0	0.5
21	15	0	7.5	6	0	0.5	0	0	0	1	0	0	0	0
22	9	0	2	4.5	0	0	0	0	0	2	0	0	0	0.5
23	5	0	3	1.5	0.5	0	0	0	0	0	0	0	0	0
AF 0.78	541	1.5 0.3%	241 44.5%	157.5 29.1%	3.5 0.6%	29.5 5.5%	5.5 1.0%	4 0.7%	8 1.5%	84 15.5%	3 0.6%	1.5 0.3%	0 0.0%	2 0.4%

SITE RECAP	400 Private 73.9% Unit	42.5 Single Unit 7.9%	98.5 Combination Unit 18.2%
		141 Commercial Unit 26.1%	

3LRMJ5

## Classification Summary


March 2005



## Site Summary

Volume	Pk-Hr	Pk-Hr-Vol
541	4pm	46
400	Private	33
141	Commercial	13
K-Factor	NB	SB
0.09	20	26


Volume	1	2	3	4	5	6	7	8	9	10	11	12	13
541	2	241	158	4	30	6	4	8	84	3	2	0	2
Axle Factor	0.3%	44.5%	29.1%	0.6%	5.5%	1.0%	0.7%	1.5%	15.5%	0.6%	0.3%	0.0%	0.4%
0.78	400	Private-Unit	43	Single-Unit	7.9%			99	Combination-Unit	18.2%			



## NB Traffic

Volume	Pk-Hr	Pk-Hr-Vol
283	8am	28
206	Private	20
77	Commercial	8
K-Factor		
0.77	0.10	

Volume	1	2	3	4	5	6	7	8	9	10	11	12	13
283	0	126	80	2	16	3	3	7	44	3	0	0	1
Axle Factor	0.0%	44.4%	28.3%	0.7%	5.7%	1.1%	0.9%	2.3%	15.6%	0.9%	0.0%	0.0%	0.2%
0.77	206	Private-Unit	24	Single-Unit	8.3%			54	Combination-Unit	18.9%			



## SB Traffic

Volume	Pk-Hr	Pk-Hr-Vol
259	4pm	27
195	Private	21
64	Commercial	6
K-Factor		
0.78	0.10	

Volume	1	2	3	4	5	6	7	8	9	10	11	12	13
259	2	116	78	2	14	3	2	2	40	1	2	0	2
Axle Factor	0.6%	44.7%	30.0%	0.6%	5.2%	1.0%	0.6%	0.6%	15.5%	0.2%	0.6%	0.0%	0.6%
0.78	195	Private-Unit	19	Single-Unit	7.4%			45	Combination-Unit	17.4%			

## SITE INFORMATION

3LRMJ5	Survey 4843	District 6	Gray County
South Leg	Route: K-23		
	X-Route: US-56		

K-23 S OF US-56, 5 MI NE OF MONTEZUMA

Current Site: Regular, Class(D)

This Survey: Regular

Also: 4/29/97

## 2 Lanes

Ln	Hrs	Begin	End
11	48	03/21/05 14:00	03/23/05 14:00
51	48	03/21/05 14:00	03/23/05 14:00

# 24 Hour Site Summary

## CLASSIFICATION

3LUSO8	Regular
FC 6	Dist 6
Rte: K-23	Gray County
XRte: RS-253	North-West Leg
K-23 NW OF RS-253, N OF CIMARRON	

## CLASSIFICATION




## Peak Hour Traffic

Volume: 52 at 3pm

Private: 44 at 5pm

Trucks: 15 at 2pm

## March 2005 (48 Hr Survey)




Hr	Volume	1	2	3	4	5	6	7	8	9	10	11	12	13
0	4.5	0	2.5	0	0	0	0	0	0.5	1.5	0	0	0	0
1	5.5	0	1.5	1	0	0	0	0	0	3	0	0	0	0
2	3.5	0	1	0.5	0	0	0	0	0	1	1	0	0	0
3	4	0	0	2	0	0	0	0	0	0	2	0	0	0
4	8.5	0	4.5	3	0	0	0.5	0	0	0	0.5	0	0	0
5	12.5	0	5.5	5	0	0	0	0	0.5	1.5	0	0	0	0
6	24	0	10.5	9	0	1.5	0	0.5	0.5	2	0	0	0	0
7	31	0	14	13.5	0	0.5	0	0	0	2.5	0.5	0	0	0
8	36	0	11.5	15.5	0	0	0.5	0.5	0	7.5	0.5	0	0	0
9	42.5	1	14	17	0	0.5	1.5	0	1.5	6	1	0	0	0
10	36	0	18.5	10	0	0.5	0	0	2	4	0.5	0	0	0.5
11	36	0	12	15	0	0.5	0	0	0.5	8	0	0	0	0
12	49.5	0	18.5	16.5	0.5	1	0	0	1.5	10	1.5	0	0	0
13	46.5	1	14	20	0.5	1	0.5	0.5	0	8	0.5	0.5	0	0
14	46	1	16	14	0.5	3	1	0	0.5	9	0.5	0	0	0.5
15	51.5	0.5	19	18	0	2.5	1	0	1	9.5	0	0	0	0
16	45.5	0	17.5	20.5	0	1	0.5	0	1	5	0	0	0	0
17	51	0	24.5	19.5	0	2	0	0.5	0.5	3.5	0.5	0	0	0
18	44	0	23	15.5	0	1	0	0	0.5	4	0	0	0	0
19	25	0	11	9	0	0	0	0	0.5	3.5	1	0	0	0
20	20	0.5	8.5	9	0	0	0.5	0	0	1.5	0	0	0	0
21	13	0	9.5	2.5	0	0.5	0	0	0.5	0	0	0	0	0
22	8.5	0	5.5	0.5	0	0	0	0	0	2.5	0	0	0	0
23	4.5	0	2.5	1	0	0	0	0	0.5	0.5	0	0	0	0
AF 0.78	649	4 0.6%	265 40.8%	237.5 36.6%	1.5 0.2%	15.5 2.4%	6 0.9%	2 0.3%	12 1.8%	94 14.5%	10 1.5%	0.5 0.1%	0 0.0%	1 0.2%

SITE RECAP	506.5 Private 78.0% Unit	25 Single Unit 3.9%	117.5 Combination Unit 18.1%
		142.5 Commercial Unit 22.0%	

3LUSO8

## Classification Summary


March 2005



## Site Summary

Volume	Pk-Hr	Pk-Hr-Vol
649	3pm	52
507	Private	38
143	Commercial	14
K-Factor	SEB	NWB
0.08	23	28


Volume	1	2	3	4	5	6	7	8	9	10	11	12	13
649	4	265	238	2	16	6	2	12	94	10	1	0	1
Axle Factor	0.6%	40.8%	36.6%	0.2%	2.4%	0.9%	0.3%	1.8%	14.5%	1.5%	0.1%	0.0%	0.2%
0.78	507	Private-Unit	25	Single-Unit	3.9%			118	Combination-Unit	18.1%			



## SEB Traffic

Volume	Pk-Hr	Pk-Hr-Vol
333	5pm	28
259	Private	25
74	Commercial	4
K-Factor		
0.77	0.08	

Volume	1	2	3	4	5	6	7	8	9	10	11	12	13
333	3	131	125	1	8	4	1	1	53	7	0	0	1
Axle Factor	0.8%	39.4%	37.6%	0.3%	2.3%	1.2%	0.3%	0.3%	15.8%	2.0%	0.0%	0.0%	0.2%
0.77	259	Private-Unit	14	Single-Unit	4.1%			61	Combination-Unit	18.2%			



## NWB Traffic

Volume	Pk-Hr	Pk-Hr-Vol
317	3pm	29
248	Private	24
69	Commercial	5
K-Factor		
0.79	0.09	

Volume	1	2	3	4	5	6	7	8	9	10	11	12	13
317	2	134	113	1	8	2	1	11	42	4	1	0	1
Axle Factor	0.5%	42.3%	35.5%	0.2%	2.5%	0.6%	0.3%	3.5%	13.1%	1.1%	0.2%	0.0%	0.2%
0.79	248	Private-Unit	12	Single-Unit	3.6%			57	Combination-Unit	18.0%			

## SITE INFORMATION

3LUSO8	Survey 4844	District 6	Gray County
North-West Leg	Route: K-23		
	X-Route: RS-253		

K-23 NW OF RS-253, N OF CIMARRON

Current Site: Regular, Class(D)

This Survey: Regular

No Other Class Surveys on Record

## 2 Lanes


Ln	Hrs	Begin	End
41	48	03/22/05 11:00	03/24/05 11:00
81	48	03/22/05 11:00	03/24/05 11:00

# 24 Hour Site Summary

## CLASSIFICATION

2IXKW3	Regular
FC 6	Dist 6
Rte: K-144	East Leg
XRte: US-83	
K-144 E OF US-83, NW OF SUBLINTE	

## CLASSIFICATION




## Peak Hour Traffic

Volume: 80 at 1pm

Private: 38 at 9am

Trucks: 48 at 1pm

August 2005 (24 Hr Survey)




Hr	Volume	1	2	3	4	5	6	7	8	9	10	11	12	13
0	7	0	2	1	0	0	0	0	0	4	0	0	0	0
1	2	0	0	0	0	0	0	0	0	2	0	0	0	0
2	2	0	1	0	0	0	0	0	0	1	0	0	0	0
3	7	0	1	1	0	0	0	0	0	5	0	0	0	0
4	5	0	0	2	0	0	0	0	0	3	0	0	0	0
5	19	0	6	2	0	0	0	0	1	10	0	0	0	0
6	35	0	12	7	1	1	2	0	0	12	0	0	0	0
7	59	0	23	14	1	8	0	2	0	9	1	0	0	1
8	66	0	12	17	0	5	1	2	1	26	2	0	0	0
9	78	0	19	19	1	9	3	1	1	23	1	0	1	0
10	65	1	9	13	0	4	2	3	1	30	0	1	1	0
11	50	0	6	7	0	3	2	0	2	28	0	0	2	0
12	65	1	15	14	1	4	0	1	1	24	1	0	3	0
13	80	0	14	18	0	4	2	1	3	37	0	0	1	0
14	70	1	17	17	0	1	0	1	0	32	1	0	0	0
15	67	0	16	17	0	4	0	1	4	25	0	0	0	0
16	62	0	19	16	1	2	0	1	3	20	0	0	0	0
17	57	1	21	16	1	5	0	1	1	11	0	0	0	0
18	48	0	15	15	0	3	2	3	1	9	0	0	0	0
19	23	0	6	7	0	2	0	0	0	7	1	0	0	0
20	24	0	7	8	0	3	0	1	0	5	0	0	0	0
21	22	0	7	7	0	2	0	0	0	6	0	0	0	0
22	15	0	3	8	0	0	1	0	0	3	0	0	0	0
23	7	0	2	4	0	0	0	0	0	1	0	0	0	0
AF 0.62	935	4 0.4%	233 24.9%	230 24.6%	6 0.6%	60 6.4%	15 1.6%	18 1.9%	19 2.0%	333 35.6%	7 0.7%	1 0.1%	8 0.9%	1 0.1%

SITE RECAP	467 Private 49.9% Unit	99 Single Unit 10.6%	369 Combination Unit 39.5%
		468 Commercial Unit 50.1%	

2IXKW3

## Classification Summary


August 2005



## Site Summary

Volume	Pk-Hr	Pk-Hr-Vol
1,396	1pm	80
685	Private	32
711	Commercial	48
K-Factor	EB	WB
0.06	41	39


Volume	1	2	3	4	5	6	7	8	9	10	11	12	13
1,396	6	340	339	10	87	22	25	29	513	11	1	12	1
Axle Factor	0.4%	24.4%	24.3%	0.7%	6.2%	1.6%	1.8%	2.1%	36.7%	0.8%	0.1%	0.9%	0.1%
	685	Private-Unit		144	Single-Unit	10.3%		567	Combination-Unit	40.6%			
0.61								711	Commercial-Unit	50.9%			



## EB Traffic

Volume	Pk-Hr	Pk-Hr-Vol
474	8am	43
249	Private	20
225	Commercial	23
K-Factor		
0.09		

Volume	1	2	3	4	5	6	7	8	9	10	11	12	13
474	2	126	121	2	33	8	11	9	153	3	1	4	1
Axle Factor	0.4%	26.6%	25.5%	0.4%	7.0%	1.7%	2.3%	1.9%	32.3%	0.6%	0.2%	0.8%	0.2%
	249	Private-Unit		54	Single-Unit	11.4%		171	Combination-Unit	36.1%			
0.64								225	Commercial-Unit	47.5%			



## WB Traffic

Volume	Pk-Hr	Pk-Hr-Vol
922	1pm	39
436	Private	13
486	Commercial	26
K-Factor		
0.04		

Volume	1	2	3	4	5	6	7	8	9	10	11	12	13
922	4	214	218	8	54	14	14	20	360	8	0	8	0
Axle Factor	0.4%	23.2%	23.6%	0.9%	5.9%	1.5%	1.5%	2.2%	39.0%	0.9%	0.0%	0.9%	0.0%
	436	Private-Unit		90	Single-Unit	9.8%		396	Combination-Unit	43.0%			
0.60								486	Commercial-Unit	52.7%			

## SITE INFORMATION

2IXKW3	Survey 5011	District 6	Haskell County
East Leg	Route: K-144		
	X-Route: US-83		

K-144 E OF US-83, NW OF SUBLINTE

Current Site: Regular, Class(D)

This Survey: Regular

Also: 9/9/97

24 Hr Survey

## 2 Lanes

Ln	Hrs	Begin	End
31	24	08/09/05 12:00	08/10/05 12:00
71	24	08/09/05 12:00	08/10/05 12:00


# 24 Hour Site Summary

## CLASSIFICATION


2IXKW5	Regular
FC 2	Dist 6
Rte: US-83, US-160	Haskell County
XRte: US-160, K-144	South Leg
US-83 S OF US-160/K-144 JCT, NW OF SUBLINTE	

Peak Hour Traffic
Volume: 282 at 4pm
Private: 200 at 4pm
Trucks: 94 at 2pm

## CLASSIFICATION



August 2005 (48 Hr Survey)




Hr	Volume	1	2	3	4	5	6	7	8	9	10	11	12	13
0	38.5	1	10.5	6	1	2	0.5	0	0.5	15.5	1	0	0.5	0
1	34	0	12	6.5	0	1	0.5	0	2	12	0	0	0	0
2	19.5	0	4	4	0	0.5	0	0	2	8	0	0	0.5	0.5
3	34	0	5	9	0	0.5	0	0	1.5	17	0.5	0.5	0	0
4	24	1	3.5	6.5	1	0.5	1	0.5	0	9	0.5	0	0	0.5
5	64	0	25	11	2.5	3.5	0.5	0.5	1	20	0	0	0	0
6	143	3.5	60	41	1	7.5	0.5	1	2.5	24.5	0.5	0	0	1
7	184.5	2	69	54.5	1.5	12.5	2.5	1	7	31.5	2	0	0	1
8	208	4	68.5	58	1	10.5	4.5	1.5	9	48	2	0	0	1
9	236	2	88	68.5	1	14	3.5	2.5	14	39.5	1	0	0	2
10	225	3	73.5	63.5	1.5	18.5	2	1.5	9	48	2.5	1	0	1
11	220.5	6.5	77.5	68	0.5	13	2	2.5	4.5	42	3	0	0	1
12	248	4.5	95	71	1	10.5	4	2	4	52.5	3	0.5	0	0
13	243.5	3	95	67.5	0	14.5	3.5	1	9	47.5	1.5	0.5	0.5	0
14	248.5	3	86.5	65.5	2	14.5	5.5	3	7.5	59.5	1	0.5	0	0
15	232	3	98	64.5	0	8	1.5	1.5	5.5	47	1.5	0.5	0	1
16	281.5	6	115	79	1	12	4	2	6.5	52.5	2	0	0	1.5
17	269	4	118.5	75	2.5	17	1.5	2.5	5.5	39	2	1	0	0.5
18	206	4.5	78.5	55	2	12.5	2.5	2	6.5	35.5	3.5	0.5	0	3
19	142.5	2	56.5	38	0.5	4.5	1.5	2	4.5	33	0	0	0	0
20	118.5	2	48	34	0.5	1	1.5	0	2	29	0.5	0	0	0
21	93.5	1.5	42	19	1	2.5	0.5	1	2	23.5	0.5	0	0	0
22	75.5	1	31	18.5	0	1	0.5	0.5	1.5	21	0.5	0	0	0
23	46	1	16	7	0	1.5	0.5	1	1	16.5	1	0.5	0	0
AF 0.72	3,635.5	58.5 1.6%	1,376.5 37.9%	990.5 27.2%	21.5 0.6%	183.5 5.0%	44.5 1.2%	29.5 0.8%	108.5 3.0%	771.5 21.2%	30 0.8%	5.5 0.2%	1.5 0.2%	14 0.4%

SITE RECAP	2,425.5 Private 66.7% Unit	279 Single Unit 7.7%	931 Combination Unit 25.6%
		1,210 Commercial Unit	33.3%

2IXKW5

## Classification Summary


August 2005



## Site Summary

Volume	Pk-Hr	Pk-Hr-Vol
3,636	4pm	282
2,426	Private	200
1,210	Commercial	82
K-Factor	NB	SB
0.08	122	159


Volume	1	2	3	4	5	6	7	8	9	10	11	12	13
3,636	59	1,377	991	22	184	45	30	109	772	30	6	2	14
Axle Factor	1.6%	37.9%	27.2%	0.6%	5.0%	1.2%	0.8%	3.0%	21.2%	0.8%	0.2%	0.0%	0.4%
0.72	2,426	Private-Unit		279	Single-Unit	7.7%		931	Combination-Unit	25.6%			



## NB Traffic

Volume	Pk-Hr	Pk-Hr-Vol
1,763	5pm	129
1,201	Private	92
563	Commercial	38
K-Factor	0.07	

Volume	1	2	3	4	5	6	7	8	9	10	11	12	13
1,763	27	677	497	10	81	28	15	59	343	17	3	1	7
Axle Factor	1.5%	38.4%	28.2%	0.6%	4.6%	1.6%	0.8%	3.3%	19.5%	1.0%	0.2%	0.1%	0.4%
0.73	1,201	Private-Unit		133	Single-Unit	7.5%		430	Combination-Unit	24.4%			



## SB Traffic

Volume	Pk-Hr	Pk-Hr-Vol
1,873	4pm	159
1,225	Private	113
648	Commercial	47
K-Factor	0.08	

Volume	1	2	3	4	5	6	7	8	9	10	11	12	13
1,873	32	700	494	12	103	17	15	50	429	13	3	1	7
Axle Factor	1.7%	37.4%	26.4%	0.6%	5.5%	0.9%	0.8%	2.6%	22.9%	0.7%	0.1%	0.0%	0.4%
0.71	1,225	Private-Unit		147	Single-Unit	7.8%		501	Combination-Unit	26.8%			

## SITE INFORMATION

2IXKW5	Survey 5012	District 6	Haskell County
South Leg	Route: US-83, US-160		
	X-Route: US-160, K-144		

US-83 S OF US-160/K-144 JCT, NW OF SUBLLETTE

Current Site: Regular, Class(B), NHS

This Survey: Regular

Also: 4/30/02; 9/9/97

## 2 Lanes

Ln	Hrs	Begin	End
11	48	08/08/05 13:00	08/10/05 13:00
51	48	08/08/05 13:00	08/10/05 13:00

# 24 Hour Site Summary

## CLASSIFICATION


48D003	Regular
FC 6	Dist 6
	Hodgeman County
Rte: K-156	East Leg
XRte: RS-283, RS-255	
K-156 E OF RS-283, W OF JETMORE	

## CLASSIFICATION



**Peak Hour Traffic**  
 Volume: 74 at 9am  
 Private: 48 at 5pm  
 Trucks: 32 at 9am

August 2005 (48 Hr Survey)




Hr	Volume	1	2	3	4	5	6	7	8	9	10	11	12	13
0	6.5	0	2	2.5	0	0	0	0	0	2	0	0	0	0
1	8	0	2.5	1	0	0.5	0	0	0	3.5	0.5	0	0	0
2	5.5	0	1.5	0.5	0	0	0	0	0	2.5	1	0	0	0
3	8.5	0	1.5	0	0	0	0	0	0	6	0	1	0	0
4	10.5	0	1.5	0.5	0	0	0	0	1.5	5	1	1	0	0
5	18.5	0	4.5	4.5	0	1.5	0	0	1.5	4.5	1	1	0	0
6	37	0	11	10.5	0	3.5	0	0	3	6.5	1	1.5	0	0
7	55.5	0.5	21.5	13	0.5	6.5	0.5	0.5	1	8.5	1	1	0	1
8	62.5	0	22.5	15.5	0	4	0.5	1	2	13.5	2.5	0	0	1
9	73.5	0	21	20	0	9	1	0.5	2	15.5	3.5	1	0	0
10	69	0	27	17	0.5	5	0.5	1	0.5	14.5	3	0	0	0
11	58	0	21	16	0	1.5	0.5	0	2	14.5	2	0.5	0	0
12	65.5	1	20	14.5	0	4	0.5	0	3.5	17.5	3.5	0.5	0	0.5
13	70	0	24	19	0	3.5	0	1	2.5	16	4	0	0	0
14	55	0	23.5	13.5	0	4.5	1	0.5	1.5	8	2	0	0	0.5
15	67	1	28	18	0	6	0.5	0.5	2	10	1	0	0	0
16	56.5	0	19.5	22	0	1	0	0.5	1.5	11.5	0.5	0	0	0
17	69	0	25	23	0	5.5	0	0	2	10	3	0	0	0.5
18	54.5	0.5	23	19	0	4	0	0	0.5	6.5	0	1	0	0
19	39.5	0.5	18.5	9	0	1	0.5	0	2	6	1.5	0.5	0	0
20	31.5	0	11	10	0.5	2	0	0	0.5	5.5	1	0.5	0	0.5
21	34.5	0	12.5	9.5	0	1.5	0	0	1	10	0	0	0	0
22	19	0	8	4.5	0	0	0	0	0	5.5	1	0	0	0
23	13.5	0.5	5.5	4	0	0	0	0	0	3.5	0	0	0	0
AF	988.5	4	356	267	1.5	64.5	5.5	5.5	30.5	206.5	34	9.5	0	4
0.69		0.4%	36.0%	27.0%	0.2%	6.5%	0.6%	0.6%	3.1%	20.9%	3.4%	1.0%	0.0%	0.4%

SITE RECAP	627 Private Unit	77 Single Unit 7.8%	284.5 Combination Unit 28.8%
	63.4% Unit	361.5 Commercial Unit	36.6%

48D003

## Classification Summary


August 2005



## Site Summary

Volume	Pk-Hr	Pk-Hr-Vol
989	9am	74
627	Private	41
362	Commercial	33
K-Factor	EB	WB
0.07	43	30


Volume	1	2	3	4	5	6	7	8	9	10	11	12	13
989	4	356	267	2	65	6	6	31	207	34	10	0	4
Axle Factor	0.4%	36.0%	27.0%	0.2%	6.5%	0.6%	0.6%	3.1%	20.9%	3.4%	1.0%	0.0%	0.4%
0.69	627	Private-Unit	77	Single-Unit	7.8%			285	Combination-Unit	28.8%			



## EB Traffic

Volume	Pk-Hr	Pk-Hr-Vol
512	9am	43
306	Private	23
206	Commercial	20
K-Factor		
0.66	0.08	

Volume	1	2	3	4	5	6	7	8	9	10	11	12	13
512	2	172	133	1	32	3	2	21	121	19	5	0	3
Axle Factor	0.3%	33.6%	25.9%	0.2%	6.3%	0.5%	0.4%	4.0%	23.6%	3.7%	1.0%	0.0%	0.6%
0.66	306	Private-Unit	38	Single-Unit	7.3%			168	Combination-Unit	32.8%			



## WB Traffic

Volume	Pk-Hr	Pk-Hr-Vol
477	5pm	36
321	Private	29
156	Commercial	7
K-Factor		
0.72	0.08	

Volume	1	2	3	4	5	6	7	8	9	10	11	12	13
477	3	184	135	1	33	3	4	10	86	15	5	0	1
Axle Factor	0.5%	38.6%	28.2%	0.1%	6.8%	0.6%	0.7%	2.1%	18.0%	3.1%	0.9%	0.0%	0.2%
0.72	321	Private-Unit	40	Single-Unit	8.3%			117	Combination-Unit	24.4%			

## SITE INFORMATION

48D003	Survey 4995	District 6	Hodgeman County
East Leg	Route: K-156		
	X-Route: RS-283, RS-255		

K-156 E OF RS-283, W OF JETMORE

Current Site: Regular, Class(D)


This Survey: Regular

Also: 6/11/02

## 2 Lanes

Ln	Hrs	Begin	End
31	48	08/01/05 16:00	08/03/05 16:00
71	48	08/01/05 16:00	08/03/05 16:00


# 24 Hour Site Summary



4IRWE1

## Classification Summary


March 2005



## Site Summary

Volume	Pk-Hr	Pk-Hr-Vol
1,266	5pm	115
989	Private	102
277	Commercial	14
K-Factor	NB	SB
0.09	72	44


Volume	1	2	3	4	5	6	7	8	9	10	11	12	13
1,266	5	628	357	5	41	12	6	37	161	10	1	4	3
Axle Factor	0.4%	49.6%	28.2%	0.4%	3.2%	0.9%	0.5%	2.9%	12.7%	0.8%	0.0%	0.3%	0.2%
0.80	989	Private-Unit		64	Single-Unit	5.0%		214	Combination-Unit	16.9%			



## NB Traffic

Volume	Pk-Hr	Pk-Hr-Vol
617	5pm	72
489	Private	65
128	Commercial	7
K-Factor		
0.12		

Volume	1	2	3	4	5	6	7	8	9	10	11	12	13
617	4	304	181	3	22	7	3	25	64	3	1	2	1
Axle Factor	0.6%	49.2%	29.4%	0.5%	3.5%	1.1%	0.5%	4.0%	10.3%	0.5%	0.1%	0.2%	0.2%
0.82	489	Private-Unit		34	Single-Unit	5.5%		94	Combination-Unit	15.2%			



## SB Traffic

Volume	Pk-Hr	Pk-Hr-Vol
650	Noon	57
501	Private	43
149	Commercial	14
K-Factor		
0.09		

Volume	1	2	3	4	5	6	7	8	9	10	11	12	13
650	1	325	176	2	20	5	3	12	98	7	0	2	2
Axle Factor	0.1%	50.0%	27.0%	0.3%	3.0%	0.8%	0.5%	1.8%	15.0%	1.0%	0.0%	0.3%	0.2%
0.78	501	Private-Unit		30	Single-Unit	4.5%		120	Combination-Unit	18.4%			

## SITE INFORMATION

4IRWE1	Survey 4845	District 6	Hodgeman County
North Leg	Route: US-283		
	X-Route: RS-949		

US-283 N OF RS-949, 9 MI S OF K-156

Current Site: Regular, Class(C)

This Survey: Regular

No Other Class Surveys on Record

## 2 Lanes

Ln	Hrs	Begin	End
11	48	03/21/05 18:00	03/23/05 18:00
51	48	03/21/05 18:00	03/23/05 18:00

# 24 Hour Site Summary

## CLASSIFICATION


<b>4XS1O2</b>	<b>Regular</b>
<b>FC 6</b>	<b>Dist 6</b>
	<b>Hodgeman County</b>
<b>Rte: K-156</b>	<b>North-East Leg</b>
<b>XRte: RS-950</b>	
<b>K-156 NE OF RS-950, NE OF HANSTON</b>	

**Peak Hour Traffic**  
**Volume:** 83 at 3pm  
**Private:** 64 at 5pm  
**Trucks:** 28 at 8am

## CLASSIFICATION



**March 2005 (48 Hr Survey)**




Hr	Volume	1	2	3	4	5	6	7	8	9	10	11	12	13
0	6.5	0	2	1.5	0	0	0	0.5	0.5	2	0	0	0	0
1	4	0	1.5	1.5	0	0	0	0	0	1	0	0	0	0
2	5	0	0.5	0.5	0	0	0	0	0	4	0	0	0	0
3	6	0	2.5	0.5	0	0	0	0	0	1.5	0	1	0	0.5
4	12	0	2	3	0.5	0.5	0	0	2	3	0	1	0	0
5	14.5	0	1	2	0	1	0	0	1	7	1	1.5	0	0
6	31.5	0.5	7	9.5	0	1.5	1	0	2.5	7.5	1	0.5	0	0.5
7	58	0	23.5	15	0.5	1	3	1	0.5	10	2	1	0.5	0
8	76	0	26	22.5	0.5	3	2.5	0	3	12.5	3.5	1	1.5	0
9	68.5	0	22	19.5	0	6	2	1	1.5	13.5	1	1	0.5	0.5
10	71.5	0	28.5	22.5	0.5	3.5	0.5	0.5	1.5	11	1	1	1	0
11	61.5	0	25	20	0	2.5	0.5	0.5	2.5	9	1.5	0	0	0
12	68.5	0	30	15	0	3.5	1.5	0	3	14	1	0	0	0.5
13	58	0	25	13	0	2	0	0.5	3.5	10.5	1	1	0.5	1
14	67.5	1	33	16.5	0.5	1.5	0.5	0	1.5	11	1	0.5	0	0.5
15	83	0	35	26	0	3.5	0.5	0.5	1	12.5	2.5	1	0.5	0
16	81	0.5	35	22	0.5	3.5	0	0	3	13.5	2.5	0.5	0	0
17	76	0	44	20.5	0	3.5	0	0	0.5	4	2	0.5	0.5	0.5
18	50	0	27.5	12.5	0.5	1.5	0	0	0.5	7	0.5	0	0	0
19	30.5	0	16	8.5	0	0.5	0	0	0	5	0.5	0	0	0
20	30.5	0	17.5	1.5	0.5	1	0	0	0.5	8	0.5	1	0	0
21	20.5	0	11.5	2.5	0	1	0	0	1	4.5	0	0	0	0
22	17	0	9.5	2.5	0	0	0	0	1.5	3	0	0.5	0	0
23	7	0	2.5	2	0	0	0	0	0	2.5	0	0	0	0
AF	1,004.5	2	428	260.5	4	40.5	12	4.5	31	177.5	22.5	13	5	4
0.72		0.2%	42.6%	25.9%	0.4%	4.0%	1.2%	0.4%	3.1%	17.7%	2.2%	1.3%	0.5%	0.4%

SITE RECAP	690.5 Private Unit	61 Single Unit 6.1%	253 Combination Unit 25.2%
		314 Commercial Unit 31.3%	

4XS1O2

## Classification Summary


March 2005



## Site Summary

Volume	Pk-Hr	Pk-Hr-Vol
1,005	3pm	83
691	Private	61
314	Commercial	22
K-Factor	NEB	SWB
0.08	47	36


Volume	1	2	3	4	5	6	7	8	9	10	11	12	13
1,005	2	428	261	4	41	12	5	31	178	23	13	5	4
Axle Factor	0.2%	42.6%	25.9%	0.4%	4.0%	1.2%	0.4%	3.1%	17.7%	2.2%	1.3%	0.5%	0.4%
	691	Private-Unit		61	Single-Unit	6.1%		253	Combination-Unit	25.2%			
0.72		66.9%						314	Commercial-Unit	31.3%			



## NEB Traffic

Volume	Pk-Hr	Pk-Hr-Vol
520	3pm	47
348	Private	33
172	Commercial	14
K-Factor		
0.09		

Volume	1	2	3	4	5	6	7	8	9	10	11	12	13
520	2	212	135	2	19	7	2	17	104	10	8	2	3
Axle Factor	0.4%	40.7%	25.9%	0.4%	3.6%	1.3%	0.3%	3.3%	19.9%	1.9%	1.5%	0.4%	0.5%
	348	Private-Unit		29	Single-Unit	5.6%		143	Combination-Unit	27.5%			
0.70		66.9%						172	Commercial-Unit	33.1%			



## SWB Traffic

Volume	Pk-Hr	Pk-Hr-Vol
485	5pm	40
343	Private	35
142	Commercial	5
K-Factor		
0.08		

Volume	1	2	3	4	5	6	7	8	9	10	11	12	13
485	0	217	126	2	22	5	3	14	74	13	5	3	2
Axle Factor	0.0%	44.7%	26.0%	0.4%	4.5%	1.0%	0.6%	2.9%	15.3%	2.6%	1.0%	0.6%	0.3%
	343	Private-Unit		32	Single-Unit	6.6%		110	Combination-Unit	22.7%			
0.74		70.7%						142	Commercial-Unit	29.3%			

## SITE INFORMATION

4XS1O2	Survey 4846	District 6	Hodgeman County
North-East Leg	Route: K-156 X-Route: RS-950		
K-156 NE OF RS-950, NE OF HANSTON			

Current Site: Regular, Class(D)



This Survey: Regular

Also: 6/4/02

## 2 Lanes

Ln	Hrs	Begin	End
21	48	03/21/05 18:00	03/23/05 18:00
61	48	03/21/05 18:00	03/23/05 18:00


# 24 Hour Site Summary

CLASSIFICATION		CLASSIFICATION													
<b>1J6X1T</b>		<b>Regular</b>													
<b>FC 2</b>	<b>Dist 6</b>	<b>Kearny County</b>													
<b>Rte: US-50, US-400</b>		<b>West Leg</b>													
<b>XRte: RS-1522</b>															
<b>US-50 W OF RS-1522, 6 MI W OF (K-25 IN LAKIN)</b>															
<b>Peak Hour Traffic</b> Volume: 173 at 2pm Private: 116 at 2pm Trucks: 64 at 3pm															
<b>August 2005 (48 Hr Survey)</b> 															
Hr	Volume	1	2	3	4	5	6	7	8	9	10	11	12	13	
0	23.5	0	6.5	6	0	0.5	0	0	0	10	0.5	0	0	0	
1	16	0	3.5	4	0	0.5	0	0	0	8	0	0	0	0	
2	11.5	0	4	1.5	0	0	0.5	0	1	4.5	0	0	0	0	
3	13	0	5.5	1	0.5	0.5	0.5	0	0.5	4.5	0	0	0	0	
4	18.5	0	4.5	1	0.5	2	1.5	0	1.5	7	0.5	0	0	0	
5	31.5	2	3.5	2.5	0.5	6	0	0	3	14	0	0	0	0	
6	61	0.5	20.5	9	0.5	1.5	0.5	0.5	5.5	22	0.5	0	0	0	
7	84.5	5	21	17.5	1	7	0.5	0	2.5	29	1	0	0	0	
8	120.5	3	38	31.5	1.5	7.5	4.5	0.5	6	27.5	0.5	0	0	0	
9	138	1.5	48.5	33.5	0.5	9	2.5	0.5	6	33	2.5	0	0	0.5	
10	142.5	3	48	42.5	0.5	4	1	0.5	5.5	33	3.5	0	0	1	
11	128.5	2	44.5	33.5	1.5	8.5	1.5	1	6.5	28	0.5	0.5	0	0.5	
12	138	4.5	52	30.5	0.5	5	1	1.5	6	35.5	1	0	0	0.5	
13	157	2.5	70.5	39.5	0.5	6.5	3	0.5	4	27	1.5	0	0	1.5	
14	173	4	67.5	44.5	0.5	10.5	1	0	3.5	38.5	2	0.5	0	0.5	
15	169	1.5	66	37	1.5	6.5	1	1	5.5	44.5	2.5	0	0	2	
16	155	1.5	55.5	39.5	1	9	0.5	0	5.5	38.5	3	0	0	1	
17	152	3	74.5	30	0	7	0.5	1.5	5	29	0	0	0	1.5	
18	127	1	46	28.5	0	6.5	0	2	4	35.5	1	1	0	1.5	
19	96	2	39.5	24.5	0	4.5	0.5	0	1.5	22	1.5	0	0	0	
20	71	1	22	10.5	0	3.5	0.5	0	5.5	26.5	1	0	0	0.5	
21	52	0.5	22	13.5	0	1.5	0.5	0	1	12.5	0.5	0	0	0	
22	51	0.5	20	8	0	3	0.5	0	2	17	0	0	0	0	
23	37	0.5	15.5	5	0	0.5	0	0	2.5	12.5	0	0	0	0.5	
AF 0.68	39.5 2,167	799 1.8%	494.5 36.9%	11 22.8%	0.5% 0.5%	111 5.1%	22 1.0%	9.5 0.4%	84 3.9%	559.5 25.8%	23.5 1.1%	2 0.1%	0 0.0%	11.5 0.5%	
<b>SITE RECAP</b>		1,333 Private 61.5% Unit		153.5 Single Unit 7.1%		680.5 Combination Unit 31.4%		834 Commercial Unit 38.5%							

1J6XI7

## Classification Summary


August 2005



## Site Summary

Volume	Pk-Hr	Pk-Hr-Vol
2,167	2pm	173
1,333	Private	116
834	Commercial	57
K-Factor	EB	WB
0.08	98	76


Volume	1	2	3	4	5	6	7	8	9	10	11	12	13
2,167	40	799	495	11	111	22	10	84	560	24	2	0	12
Axle Factor	1.8%	36.9%	22.8%	0.5%	5.1%	1.0%	0.4%	3.9%	25.8%	1.1%	0.1%	0.0%	0.5%
	1,333	Private-Unit		154	Single-Unit	7.1%		681	Combination-Unit	31.4%			
0.68		59.5%						834	Commercial-Unit	38.5%			



## EB Traffic

Volume	Pk-Hr	Pk-Hr-Vol
1,158	5pm	99
690	Private	67
469	Commercial	32
K-Factor		
0.67	0.09	

Volume	1	2	3	4	5	6	7	8	9	10	11	12	13
1,158	24	413	253	7	65	13	6	40	321	13	1	0	5
Axle Factor	2.1%	35.7%	21.8%	0.6%	5.6%	1.1%	0.5%	3.4%	27.7%	1.1%	0.1%	0.0%	0.4%
	690	Private-Unit		90	Single-Unit	7.8%		379	Combination-Unit	32.7%			
0.67		59.5%						469	Commercial-Unit	40.5%			



## WB Traffic

Volume	Pk-Hr	Pk-Hr-Vol
1,009	10am	84
644	Private	56
366	Commercial	28
K-Factor		
0.69	0.08	

Volume	1	2	3	4	5	6	7	8	9	10	11	12	13
1,009	16	386	242	5	47	9	4	45	239	11	1	0	7
Axle Factor	1.5%	38.3%	24.0%	0.4%	4.6%	0.9%	0.3%	4.4%	23.7%	1.1%	0.1%	0.0%	0.6%
	644	Private-Unit		64	Single-Unit	6.3%		302	Combination-Unit	29.9%			
0.69		63.8%						366	Commercial-Unit	36.2%			

## SITE INFORMATION

1J6XI7	Survey 5008	District 6	Kearny County
West Leg	Route: US-50, US-400		
	X-Route: RS-1522		

US-50 W OF RS-1522, 6 MI W OF (K-25 IN LAKIN)

Current Site: Regular, Class(B), NHS

This Survey: Regular

No Other Class Surveys on Record

## 2 Lanes


Ln	Hrs	Begin	End
31	48	08/08/05 18:00	08/10/05 18:00
71	48	08/08/05 18:00	08/10/05 18:00

# 24 Hour Site Summary

## CLASSIFICATION

<b>1RRWY8</b>	<b>Regular</b>
<b>FC 6</b>	<b>Dist 6</b>
<b>Rte: K-25</b>	<b>Kearny County</b>
<b>XRte: US-50, US-400</b>	<b>North-West Leg</b>
<b>K-25 NW OF US-50, IN LAKIN</b>	

## CLASSIFICATION




### Peak Hour Traffic

Volume: 86 at 1pm

Private: 66 at 1pm

Trucks: 27 at 10am

July 2005 (48 Hr Survey)




Hr	Volume	1	2	3	4	5	6	7	8	9	10	11	12	13
0	9.5	0	2.5	1.5	0	0.5	0	0	0	5	0	0	0	0
1	7	0	1.5	1	0	1	0	0	0	3.5	0	0	0	0
2	4.5	0	2	0	0	0	0	0	0	2.5	0	0	0	0
3	4	0	0.5	1	0	0.5	0	0	0.5	1.5	0	0	0	0
4	3.5	0	0.5	0.5	0	2	0	0	0	0.5	0	0	0	0
5	23.5	0	11	9.5	0.5	1.5	0	0	0	1	0	0	0	0
6	53.5	0	26.5	16	0	3.5	0	0.5	0	6.5	0.5	0	0	0
7	70.5	0	19	31	0	8.5	1.5	0	1.5	8.5	0	0	0	0.5
8	80	0.5	21.5	32	0	12	2	2	0.5	8.5	0	0.5	0	0.5
9	66.5	0	13.5	29.5	0	11	0.5	0	0.5	10.5	1	0	0	0
10	80	0	16.5	36.5	0	9.5	1.5	1.5	0	14.5	0	0	0	0
11	78	0	17.5	34	0.5	11	2.5	0	1.5	10.5	0.5	0	0	0
12	72.5	0	19	28.5	0.5	11.5	2	0	0	10.5	0	0	0	0.5
13	85.5	0.5	35	30	1	3	2	2	0	11.5	0	0	0	0.5
14	83	0.5	21	37.5	0	10	1.5	1	1	8.5	0	1.5	0	0.5
15	73	0	27.5	31	0	8.5	1	0.5	0	4.5	0	0	0	0
16	83.5	1	27	35.5	0.5	8	1	2	1	7	0	0.5	0	0
17	77.5	0	36.5	25.5	0.5	7	0.5	1.5	0	5.5	0.5	0	0	0
18	46.5	0	15	22	0	1.5	0.5	0.5	0	7	0	0	0	0
19	39.5	0	12	19.5	0	2	0	0.5	0.5	5	0	0	0	0
20	36.5	0	14.5	12.5	0	3.5	0	0	0	6	0	0	0	0
21	25.5	0	7	8.5	0	4.5	0	0	0	5.5	0	0	0	0
22	20	0	5.5	6	0	1.5	1	0.5	0	5	0	0.5	0	0
23	16	0	4	2.5	0	1.5	0	0	0.5	7.5	0	0	0	0
AF 0.80	1,139.5	2.5	356.5	451.5	3.5	123.5	17.5	12.5	7.5	156.5	2.5	3	0	2.5
		0.2%	31.3%	39.6%	0.3%	10.8%	1.5%	1.1%	0.7%	13.7%	0.2%	0.3%	0.0%	0.2%

SITE RECAP	810.5 Private Unit	157 Single Unit 13.8%	172 Combination Unit 15.1%
	71.1% Unit	329 Commercial Unit 28.9%	

1RRWY8

## Classification Summary


July 2005



## Site Summary

Volume	Pk-Hr	Pk-Hr-Vol
1,140	1pm	86
811	Private	66
329	Commercial	20
K-Factor	SEB	NWB
0.08	42	44


Volume	1	2	3	4	5	6	7	8	9	10	11	12	13
1,140	3	357	452	4	124	18	13	8	157	3	3	0	3
Axle Factor	0.2%	31.3%	39.6%	0.3%	10.8%	1.5%	1.1%	0.7%	13.7%	0.2%	0.3%	0.0%	0.2%
0.80	811	Private-Unit	157	Single-Unit	13.8%				172	Combination-Unit	15.1%		



## SEB Traffic

Volume	Pk-Hr	Pk-Hr-Vol
568	5pm	46
400	Private	35
168	Commercial	11
K-Factor		
0.08		

Volume	1	2	3	4	5	6	7	8	9	10	11	12	13
568	2	172	227	2	59	8	8	4	83	2	1	0	2
Axle Factor	0.3%	30.3%	39.9%	0.4%	10.4%	1.4%	1.4%	0.6%	14.6%	0.4%	0.2%	0.0%	0.3%
0.79	400	Private-Unit	77	Single-Unit	13.6%				91	Combination-Unit	16.0%		



## NWB Traffic

Volume	Pk-Hr	Pk-Hr-Vol
572	1pm	44
411	Private	36
161	Commercial	8
K-Factor		
0.08		

Volume	1	2	3	4	5	6	7	8	9	10	11	12	13
572	1	185	225	2	65	10	5	4	74	1	2	0	1
Axle Factor	0.2%	32.3%	39.4%	0.3%	11.3%	1.7%	0.8%	0.7%	12.9%	0.1%	0.3%	0.0%	0.2%
0.81	411	Private-Unit	80	Single-Unit	14.0%				81	Combination-Unit	14.2%		

## SITE INFORMATION

1RRWY8	Survey 4980	District 6	Kearny County
North-West Leg	Route: K-25		
	X-Route: US-50, US-400		

K-25 NW OF US-50, IN LAKIN

Current Site: Regular, Class(D)

This Survey: Regular

Also: 5/20/02; 5/24/99; 9/23/96

## 2 Lanes


Ln	Hrs	Begin	End
41	48	07/18/05 15:00	07/20/05 15:00
81	48	07/18/05 15:00	07/20/05 15:00

# 24 Hour Site Summary

## CLASSIFICATION

1SIX42	Regular
FC 2	Dist 6
Rte: US-50, US-400	Kearny County
XRte: CEMETARY RD	North-East Leg
US-50 E OF CEMETARY RD, E OF LAKIN	

## CLASSIFICATION




### Peak Hour Traffic

Volume: 346 at 4pm

Private: 271 at 4pm

Trucks: 80 at 3pm

August 2005 (48 Hr Survey)




Hr	Volume	1	2	3	4	5	6	7	8	9	10	11	12	13
0	38	0	16	11	0	1.5	0	0	0	9	0.5	0	0	0
1	21.5	0	9.5	5.5	0	1.5	0	0	0	5	0	0	0	0
2	21	0	8	3	0	0	0.5	0.5	0	9	0	0	0	0
3	19.5	0	7.5	4.5	0	0	0.5	0	0	7	0	0	0	0
4	42	0	15.5	8.5	0.5	3	1.5	0.5	0.5	12	0	0	0	0
5	69.5	2.5	29.5	14	0	5	1	0	2.5	14.5	0.5	0	0	0
6	166	0	72.5	50	1	4.5	1.5	0	3.5	32	0.5	0	0	0.5
7	221.5	4.5	94.5	59.5	0	14	0.5	0.5	4	43	1	0	0	0
8	242.5	1.5	101.5	69	2	15	6	0.5	2.5	41.5	2	0	0	1
9	237	3	81	78	0	15	5.5	1.5	4	45.5	3	0	0	0.5
10	252	2	89	86.5	0.5	12.5	5.5	1.5	7	40.5	6	0.5	0	0.5
11	240	3.5	102	66.5	1.5	15.5	3.5	2	5.5	33	5.5	0.5	0	1
12	266	3.5	115.5	83.5	1	16	4.5	3.5	7.5	28	2.5	0	0	0.5
13	296.5	4.5	139	85.5	1	12.5	2	1	7	40.5	2	0	0	1.5
14	324	4	150.5	92	0.5	20	3.5	1.5	4	43	3.5	0.5	0	1
15	323.5	2.5	151	90	1	14	6	3.5	6	43.5	6	0	0	0
16	346.5	3	163	105	1.5	17.5	3.5	2	3.5	43.5	4	0	0	0
17	302.5	1	150.5	84	0.5	13	3	1	3.5	44	1	0	0	1
18	243	4	115.5	68.5	0	11.5	0.5	0.5	3.5	37	1	0.5	0	0.5
19	187.5	4	91	51.5	0.5	5	1.5	0	0.5	30.5	3	0	0	0
20	146.5	4	57	46.5	0	2.5	1	0.5	2	31.5	1.5	0	0	0
21	115	2	60.5	33.5	0	2	0	0	0	16.5	0.5	0	0	0
22	86	1	44	18.5	0	3.5	0	0	2.5	16	0	0.5	0	0
23	60.5	2	28.5	14	0	0	0.5	0	0	15	0	0	0	0.5
AF	4,268	52.5	1,892.5	1,228.5	11.5	205	52	20.5	69.5	681	44	2.5	0	8.5
0.77		1.2%	44.3%	28.8%	0.3%	4.8%	1.2%	0.5%	1.6%	16.0%	1.0%	0.1%	0.0%	0.2%
SITE RECAP	3,173.5	Private 74.4% Unit	289 Single Unit 74.4% Unit	6.8%	805.5 Combination Unit 1,094.5 Commercial Unit	18.9% 25.6%								

1SIX42

## Classification Summary


August 2005



## Site Summary

Volume	Pk-Hr	Pk-Hr-Vol
4,268	4pm	346
3,174	Private	271
1,095	Commercial	76
K-Factor	NEB	SWB
0.08	183	164


Volume	1	2	3	4	5	6	7	8	9	10	11	12	13
4,268	53	1,893	1,229	12	205	52	21	70	681	44	3	0	9
Axle Factor	1.2%	44.3%	28.8%	0.3%	4.8%	1.2%	0.5%	1.6%	16.0%	1.0%	0.1%	0.0%	0.2%
	3,174	Private-Unit		289	Single-Unit	6.8%		806	Combination-Unit	18.9%			
0.77			72.3%					1,095	Commercial-Unit	25.6%			



## NEB Traffic

Volume	Pk-Hr	Pk-Hr-Vol
2,208	4pm	183
1,597	Private	133
611	Commercial	50
K-Factor	0.08	

Volume	1	2	3	4	5	6	7	8	9	10	11	12	13
2,208	33	943	621	6	116	25	13	26	396	26	2	0	4
Axle Factor	1.5%	42.7%	28.1%	0.2%	5.2%	1.1%	0.6%	1.2%	17.9%	1.2%	0.1%	0.0%	0.2%
	1,597	Private-Unit		158	Single-Unit	7.2%		453	Combination-Unit	20.5%			
0.76			72.3%					611	Commercial-Unit	27.7%			



## SWB Traffic

Volume	Pk-Hr	Pk-Hr-Vol
2,061	4pm	164
1,577	Private	138
484	Commercial	26
K-Factor	0.08	

Volume	1	2	3	4	5	6	7	8	9	10	11	12	13
2,061	20	950	608	6	90	28	8	44	286	18	1	0	5
Axle Factor	1.0%	46.1%	29.5%	0.3%	4.3%	1.3%	0.4%	2.1%	13.9%	0.9%	0.0%	0.0%	0.2%
	1,577	Private-Unit		131	Single-Unit	6.4%		353	Combination-Unit	17.1%			
0.79			76.5%					484	Commercial-Unit	23.5%			

## SITE INFORMATION

1SIX42 Survey 5017 District 6 Kearny County

North-East Leg Route: US-50, US-400

X-Route: CEMETARY RD

US-50 E OF CEMETARY RD, E OF LAKIN

Current Site: Regular, Class(B), NHS



This Survey: Regular

No Other Class Surveys on Record

## 2 Lanes

Ln	Hrs	Begin	End
21	48	08/08/05 18:00	08/10/05 18:00
61	48	08/08/05 18:00	08/10/05 18:00


# 24 Hour Site Summary

CLASSIFICATION		CLASSIFICATION													
347CX3	Regular														
FC 6	Dist 6	Lane County													
Rte: K-96		East													
XRte: RS-250		Leg													
K-96 E OF RS-250, 8 MI W OF K-23															
<b>Peak Hour Traffic</b> Volume: 86 at 4pm Private: 64 at 4pm Trucks: 26 at 2pm															
<b>August 2005 (48 Hr Survey)</b> 															
<b>Hr</b>	<b>Volume</b>	<b>1</b>	<b>2</b>	<b>3</b>	<b>4</b>	<b>5</b>	<b>6</b>	<b>7</b>	<b>8</b>	<b>9</b>	<b>10</b>	<b>11</b>	<b>12</b>	<b>13</b>	
0	7.5	0.5	2	1	0	0.5	0.5	0	0.5	2	0	0	0	0.5	
1	9	1.5	3.5	0.5	0	0	1.5	0	0	2	0	0	0	0	
2	6.5	1	1	0	0.5	0.5	1	0	0	2	0.5	0	0	0	
3	5.5	0	2	0.5	0	0.5	0	0	0	2.5	0	0	0	0	
4	6	0	2	0.5	0	1	0	0	0	2.5	0	0	0	0	
5	21.5	0	5.5	3.5	0	5.5	2	0	0	5	0	0	0	0	
6	40	1	17	15.5	0	1	1	0	2	2.5	0	0	0	0	
7	39.5	0.5	13	14	0	2.5	4	0.5	0	4.5	0.5	0	0	0	
8	65	1	18.5	26	0.5	2.5	5.5	0.5	1.5	8.5	0.5	0	0	0	
9	64	1	22	19	0.5	7	3	0	2	8.5	1	0	0	0	
10	75.5	3.5	22.5	24	1	2	5.5	0	2	14	0.5	0	0	0.5	
11	69	1.5	24.5	18	1	4	2	0	2.5	14	0.5	0	0	1	
12	75.5	3	27.5	23.5	1	4	3.5	0	2	10.5	0	0	0	0.5	
13	60.5	1.5	18	20.5	0.5	6.5	1	0	2.5	8.5	0.5	0	0	1	
14	83	2.5	30.5	24	1	5	1.5	0.5	3.5	13	1.5	0	0	0	
15	69.5	2	30	17.5	1	3	3	1	2	9	0	0	0	1	
16	86	1.5	34	28	0	4	2	1	1	11.5	1.5	0	0	1.5	
17	73	2.5	31.5	22.5	1	3.5	1	0.5	1.5	7.5	0.5	0	0	1	
18	56.5	2	24.5	18.5	0	3	2	0	1	4.5	0	0.5	0	0.5	
19	47.5	0	19.5	16.5	0	3.5	1	0	0	6	1	0	0	0	
20	44	2	13	15	0.5	4	2.5	0	0.5	6.5	0	0	0	0	
21	32	0	18	9.5	0	0.5	1	0	0.5	2.5	0	0	0	0	
22	18.5	0.5	8	4.5	0	0	0.5	0	0	5	0	0	0	0	
23	12.5	0.5	5.5	2	0.5	0.5	0.5	0	0	2	0.5	0	0	0.5	
AF 0.77	1,067.5	29.5 2.8%	393.5 36.9%	324.5 30.4%	9 0.8%	64.5 6.0%	45.5 4.3%	4 0.4%	25 2.3%	154.5 14.5%	9 0.8%	0.5 0.8%	0 0.0%	8 0.7%	
SITE RECAP	747.5 Private 70.0% Unit			123 Single Unit 11.5%				197 Combination Unit 18.5%				320 Commercial Unit 30.0%			

347CX3

## Classification Summary


August 2005



## Site Summary

Volume	Pk-Hr	Pk-Hr-Vol
1,068	4pm	86
748	Private	64
320	Commercial	23
K-Factor	EB	WB
0.08	45	41


Volume	1	2	3	4	5	6	7	8	9	10	11	12	13
1,068	30	394	325	9	65	46	4	25	155	9	1	0	8
Axle Factor	2.8%	36.9%	30.4%	0.8%	6.0%	4.3%	0.4%	2.3%	14.5%	0.8%	0.0%	0.0%	0.7%
0.77	748	Private-Unit	123	Single-Unit	11.5%	197	Combination-Unit	18.5%	320	Commercial-Unit	66.8%	30.0%	



## EB Traffic

Volume	Pk-Hr	Pk-Hr-Vol
560	2pm	52
374	Private	35
186	Commercial	18
K-Factor	0.09	

Volume	1	2	3	4	5	6	7	8	9	10	11	12	13
560	24	179	171	9	41	30	2	15	80	6	1	0	4
Axle Factor	4.3%	32.0%	30.5%	1.6%	7.2%	5.4%	0.4%	2.7%	14.2%	1.0%	0.1%	0.0%	0.7%
0.76	374	Private-Unit	82	Single-Unit	14.6%	105	Combination-Unit	18.7%	186	Commercial-Unit	66.8%	33.2%	



## WB Traffic

Volume	Pk-Hr	Pk-Hr-Vol
508	4pm	41
374	Private	33
134	Commercial	9
K-Factor	0.08	

Volume	1	2	3	4	5	6	7	8	9	10	11	12	13
508	6	215	154	0	24	16	2	10	75	4	0	0	4
Axle Factor	1.1%	42.3%	30.2%	0.0%	4.7%	3.1%	0.4%	2.0%	14.8%	0.7%	0.0%	0.0%	0.8%
0.77	374	Private-Unit	42	Single-Unit	8.2%	93	Combination-Unit	18.2%	134	Commercial-Unit	73.6%	26.4%	

## SITE INFORMATION

347CX3	Survey 5013	District 6	Lane County
East Leg	Route: K-96		
	X-Route: RS-250		

K-96 E OF RS-250, 8 MI W OF K-23

Current Site: Regular, Class(C)

This Survey: Regular

Also: 3/14/00

## 2 Lanes


Ln	Hrs	Begin	End
31	48	08/08/05 15:00	08/10/05 15:00
71	48	08/08/05 15:00	08/10/05 15:00

# 24 Hour Site Summary

## CLASSIFICATION

3EJ8T1	Regular
FC 6	Dist 6
Rte: K-23	Lane County
XRte: RS-1543	North Leg
K-23 N OF RS-1543, 9 MI S OF (K-96 IN DIGTON)	

## CLASSIFICATION




### Peak Hour Traffic

Volume: 52 at 9am

Private: 36 at 9am

Trucks: 26 at 10am

June 2005 (48 Hr Survey)




Hr	Volume	1	2	3	4	5	6	7	8	9	10	11	12	13
0	4.5	0	0.5	3	0	0	0	0	0	1	0	0	0	0
1	0.5	0	0	0	0	0	0	0	0.5	0	0	0	0	0
2	1	0	0.5	0.5	0	0	0	0	0	0	0	0	0	0
3	1.5	0	1	0.5	0	0	0	0	0	0	0	0	0	0
4	5.5	0	1	0	0	0.5	0	0	0	3.5	0.5	0	0	0
5	14.5	0	4	3.5	0	0	0	0	1	4.5	1.5	0	0	0
6	21.5	0	4	5	0	1.5	0.5	0	0	7	3.5	0	0	0
7	29	0	11.5	7.5	0	3	0	0	0	6.5	0.5	0	0	0
8	46	0	15	13	0.5	2.5	0	0	2	12	0.5	0	0	0.5
9	52.5	0.5	19.5	16	0	3	1	0	1	10	1.5	0	0	0
10	51.5	0.5	10	15	0.5	3	1	0	0.5	19.5	1.5	0	0	0
11	50	0.5	15	11.5	0	3.5	0.5	0	1.5	16.5	1	0	0	0
12	40	0.5	8.5	13.5	0.5	2.5	0.5	0	0.5	13	0.5	0	0	0
13	35	0.5	10	10.5	0	1	0.5	0	1	9.5	2	0	0	0
14	37.5	0.5	12	12.5	0	3	0.5	0	1	7	1	0	0	0
15	46	0	16	19	0.5	3	0.5	0	1.5	4.5	1	0	0	0
16	45.5	0.5	16.5	13.5	0	1	0	0	2.5	9	0.5	0	0	1.5
17	40.5	1	13.5	17.5	0	1.5	0.5	0	2	2.5	2	0	0	0
18	28.5	0	11.5	10	0	1	0	0	1.5	3	0	0	0	1.5
19	19.5	0	9	6	0	1	0	0	1	2	0	0	0	0.5
20	14.5	0.5	4.5	6.5	0.5	0	0	0	1	1	0	0	0	0.5
21	19	0.5	8	7	0	0	0	0	1	2.5	0	0	0	0
22	7	0	3.5	2.5	0	0.5	0.5	0	0	0	0	0	0	0
23	6.5	0	3.5	2	0	0	0	0	0	1	0	0	0	0
AF	617.5	5.5	198.5	196	2.5	31.5	6	0	19.5	135.5	17.5	0.5	0	4.5
0.69		0.9%	32.1%	31.7%	0.4%	5.1%	1.0%	0.0%	3.2%	21.9%	2.8%	0.1%	0.0%	0.7%

SITE RECAP	400 Private 64.8% Unit	40 Single Unit 6.5%	177.5 Combination Unit 28.7%
		217.5 Commercial Unit	35.2%

3EJ8T1

## Classification Summary


June 2005



## Site Summary

Volume	Pk-Hr	Pk-Hr-Vol
618	9am	52
400	Private	36
218	Commercial	17
K-Factor	NB	SB
0.08	23	30


Volume	1	2	3	4	5	6	7	8	9	10	11	12	13
618	6	199	196	3	32	6	0	20	136	18	1	0	5
Axle Factor	0.9%	32.1%	31.7%	0.4%	5.1%	1.0%	0.0%	3.2%	21.9%	2.8%	0.1%	0.0%	0.7%
	400	Private-Unit		40	Single-Unit	6.5%		178	Combination-Unit	28.7%			
0.69								218	Commercial-Unit	35.2%			



## NB Traffic

Volume	Pk-Hr	Pk-Hr-Vol
297	4pm	24
188	Private	16
109	Commercial	9
K-Factor		
0.08		

Volume	1	2	3	4	5	6	7	8	9	10	11	12	13
297	1	95	93	1	12	4	0	7	73	10	0	0	3
Axle Factor	0.3%	31.8%	31.1%	0.3%	4.0%	1.2%	0.0%	2.4%	24.6%	3.2%	0.0%	0.0%	1.0%
	188	Private-Unit		17	Single-Unit	5.6%		93	Combination-Unit	31.1%			
0.67								109	Commercial-Unit	36.7%			



## SB Traffic

Volume	Pk-Hr	Pk-Hr-Vol
321	9am	30
212	Private	22
109	Commercial	8
K-Factor		
0.09		

Volume	1	2	3	4	5	6	7	8	9	10	11	12	13
321	5	104	104	2	20	3	0	13	63	8	1	0	2
Axle Factor	1.4%	32.4%	32.3%	0.5%	6.1%	0.8%	0.0%	3.9%	19.5%	2.5%	0.2%	0.0%	0.5%
	212	Private-Unit		24	Single-Unit	7.3%		85	Combination-Unit	26.5%			
0.71								109	Commercial-Unit	33.9%			

## SITE INFORMATION

3EJ8T1	Survey 4951	District 6	Lane County
North Leg	Route: K-23		
	X-Route: RS-1543		

K-23 N OF RS-1543, 9 MI S OF (K-96 IN DIGTON)

Current Site: Regular, Class(D)



This Survey: Regular

Also: 8/22/00

## 2 Lanes

Ln	Hrs	Begin	End
11	48	06/13/05 12:00	06/15/05 12:00
51	48	06/13/05 12:00	06/15/05 12:00


# 24 Hour Site Summary

CLASSIFICATION		CLASSIFICATION												
3EVGT5	Regular													
FC 6	Dist 6	Lane County												
Rte: K-23		South Leg												
XRte: K-4														
K-23 S OF K-4 (E JCT), 1 MI W OF SHIELDS														
<b>Peak Hour Traffic</b> Volume: 66 at 9am Private: 46 at 4pm Trucks: 32 at 9am														
<b>August 2005 (48 Hr Survey)</b> 														
<b>Hr</b>	<b>Volume</b>	<b>1</b>	<b>2</b>	<b>3</b>	<b>4</b>	<b>5</b>	<b>6</b>	<b>7</b>	<b>8</b>	<b>9</b>	<b>10</b>	<b>11</b>	<b>12</b>	<b>13</b>
0	3.5	0.5	1.5	0.5	0	0.5	0.5	0	0	0	0	0	0	0
1	1.5	0	0.5	1	0	0	0	0	0	0	0	0	0	0
2	7	1	2	1	0	0	1	0	0	2	0	0	0	0
3	9	1	2	0.5	0	0.5	1	0	0	4	0	0	0	0
4	9	0.5	2	1.5	0	0	0.5	0	0	3	1.5	0	0	0
5	16.5	0.5	4.5	0.5	0	0	0.5	0	0.5	8.5	1.5	0	0	0
6	28	1	9.5	8.5	0	0.5	0	0	0.5	5	3	0	0	0
7	55	1	22.5	13	1	2	1	0	0.5	6.5	7	0	0	0.5
8	59.5	0.5	17.5	22	0	5.5	1.5	0	0.5	6	5	0.5	0	0.5
9	65.5	2	12.5	19.5	0	2.5	5	0.5	2.5	14	6	0.5	0	0.5
10	53	1.5	10.5	14	0	3	3	0	3	11	7	0	0	0
11	59.5	2	14	17.5	1.5	2.5	3	0	1	10.5	7	0	0	0.5
12	53.5	2	14.5	11.5	0.5	4.5	2	0.5	1	10	6.5	0	0	0.5
13	50	0.5	14	17.5	0	3	2	0	0.5	7	4.5	0	0	1
14	58.5	0.5	19	18	0.5	2.5	1.5	0.5	3	7	5.5	0	0	0.5
15	59	2.5	17	19.5	1	6	0.5	0	0.5	6	5.5	0.5	0	0
16	53.5	0	23	23.5	0	1.5	0	0	0.5	4.5	0	0	0	0.5
17	58.5	2	24.5	18.5	0	3	1	0.5	1	6.5	0.5	0	0	1
18	35.5	1	15	9.5	0	2	2	0	0.5	5	0	0.5	0	0
19	29	1	13.5	6	0	1.5	2	0	0.5	3.5	1	0	0	0
20	19	1	6	6	0	0.5	1	0.5	0.5	2.5	0.5	0	0	0.5
21	16	0.5	8	5.5	0	0	0	0.5	0	1.5	0	0	0	0
22	12.5	0	8.5	2	0	0.5	0	0	0	1.5	0	0	0	0
23	6	0	3.5	0.5	0	0	0	0	0	1.5	0.5	0	0	0
AF 0.69	818	22.5 2.8%	265.5 32.5%	237.5 29.0%	4.5 0.6%	42 5.1%	29 3.5%	3 0.4%	16.5 2.0%	127 15.5%	62.5 7.6%	2 0.2%	0 0.0%	6 0.7%
<b>SITE RECAP</b>		525.5 Private 64.2% Unit		78.5 Single Unit 9.6%		214 Combination Unit 26.2%		292.5 Commercial Unit 35.8%						

3EVGT5

## Classification Summary


August 2005



## Site Summary

Volume	Pk-Hr	Pk-Hr-Vol
818	9am	66
526	Private	34
293	Commercial	32
K-Factor	NB	SB
0.08	34	31


Volume	1	2	3	4	5	6	7	8	9	10	11	12	13
818	23	266	238	5	42	29	3	17	127	63	2	0	6
Axle Factor	2.8%	32.5%	29.0%	0.6%	5.1%	3.5%	0.4%	2.0%	15.5%	7.6%	0.2%	0.0%	0.7%
0.69	526	Private-Unit	79	Single-Unit	9.6%			214	Combination-Unit	26.2%			



## NB Traffic

Volume	Pk-Hr	Pk-Hr-Vol
421	9am	35
255	Private	15
166	Commercial	20
K-Factor		
0.08		

Volume	1	2	3	4	5	6	7	8	9	10	11	12	13
421	12	123	121	3	23	17	2	9	77	33	1	0	4
Axle Factor	2.7%	29.1%	28.7%	0.6%	5.4%	3.9%	0.4%	2.1%	18.3%	7.8%	0.1%	0.0%	0.8%
0.67	255	Private-Unit	43	Single-Unit	10.2%			123	Combination-Unit	29.3%			



## SB Traffic

Volume	Pk-Hr	Pk-Hr-Vol
398	8am	33
271	Private	21
127	Commercial	12
K-Factor		
0.08		

Volume	1	2	3	4	5	6	7	8	9	10	11	12	13
398	11	143	117	2	20	13	2	8	50	30	2	0	3
Axle Factor	2.8%	36.0%	29.4%	0.5%	4.9%	3.1%	0.4%	1.9%	12.6%	7.4%	0.4%	0.0%	0.6%
0.72	271	Private-Unit	36	Single-Unit	8.9%			91	Combination-Unit	22.9%			

## SITE INFORMATION

3EVGT5	Survey 5014	District 6	Lane County
South Leg	Route: K-23		
	X-Route: K-4		

K-23 S OF K-4 (E JCT), 1 MI W OF SHIELDS

Current Site: Regular, Class(D)

This Survey: Regular

No Other Class Surveys on Record

## 2 Lanes


Ln	Hrs	Begin	End
11	48	08/08/05 15:00	08/10/05 15:00
51	48	08/08/05 15:00	08/10/05 15:00

# 24 Hour Site Summary

## CLASSIFICATION

3KL8I1	Regular
FC 7	Dist 6
Rte: K-23	Meade County
XRte: RS-452	North Leg
K-23 N OF RS-452, 8 MI S OF MEADE	

## CLASSIFICATION




### Peak Hour Traffic

Volume: 42 at 7am

Private: 27 at 7am

Trucks: 16 at 7am

### July 2005 (48 Hr Survey)




Hr	Volume	1	2	3	4	5	6	7	8	9	10	11	12	13
0	3.5	0	1	0	0	0	0	0	0	2.5	0	0	0	0
1	1.5	0	0.5	0	0	0	0	0	0	1	0	0	0	0
2	4	0	0	0	0	0	0	0	0	4	0	0	0	0
3	0.5	0	0	0	0	0	0	0	0	0.5	0	0	0	0
4	3.5	0	0.5	0	0	0.5	0	0	0	2	0	0	0	0.5
5	7.5	0	2	2.5	0	1	0	0	0	2	0	0	0	0
6	20	0	8.5	7.5	0	0.5	0	0	0	3.5	0	0	0	0
7	42.5	0	13	14	0	3	6	0.5	0.5	5	0	0	0	0.5
8	29	0.5	8	14	0	1	0	0.5	0	4	0	0.5	0	0.5
9	36.5	0	8.5	14	0	2	1.5	0	1.5	8.5	0	0.5	0	0
10	30.5	0.5	7.5	11	0	2	0.5	0	1.5	7.5	0	0	0	0
11	29	0	7.5	8	0	5.5	0.5	0	0.5	6.5	0.5	0	0	0
12	30	0	8	10.5	0	3	0.5	0	0.5	7	0	0.5	0	0
13	33	0	14	10.5	0	2	0	0.5	1	4.5	0.5	0	0	0
14	27.5	0	10	8.5	0	3.5	1	0	1	3	0	0	0.5	0
15	41.5	0	11	15.5	0.5	3.5	2.5	1.5	2	4.5	0	0.5	0	0
16	38	0	15.5	11	0	4	4	0	1.5	1.5	0	0	0	0.5
17	33.5	0.5	12.5	10	0	4	0.5	0.5	1	4	0	0.5	0	0
18	29	0	12.5	10.5	0	1.5	0.5	0	0.5	2	0	1	0	0.5
19	25	0	9.5	9.5	0	2	0	0	0.5	3.5	0	0	0	0
20	17.5	0	5	9	0	0	0	1	0	2.5	0	0	0	0
21	22.5	0	6	9	0	2.5	0	0	0.5	4.5	0	0	0	0
22	9.5	0	3.5	2.5	0	0.5	0	1	0	2	0	0	0	0
23	5	0	1	0.5	1	0.5	0	0	0	2	0	0	0	0
AF 0.75	520	1.5 0.3%	165.5 31.8%	178 34.2%	1.5 0.3%	42.5 8.2%	17.5 3.4%	5.5 1.1%	12.5 2.4%	88 16.9%	1 0.2%	3.5 0.7%	0.5 0.1%	2.5 0.5%

SITE RECAP	345 Private 66.3% Unit	67 Single Unit 12.9%	108 Combination Unit 20.8%
		175 Commercial Unit 33.7%	

3KL8I1

## Classification Summary


July 2005



## Site Summary

Volume	Pk-Hr	Pk-Hr-Vol
520	7am	42
345	Private	27
175	Commercial	16
K-Factor	NB	SB
0.08	20	22


Volume	1	2	3	4	5	6	7	8	9	10	11	12	13
520	2	166	178	2	43	18	6	13	88	1	4	1	3
Axle Factor	0.3%	31.8%	34.2%	0.3%	8.2%	3.4%	1.1%	2.4%	16.9%	0.2%	0.7%	0.1%	0.5%
0.75	345	Private-Unit	67	Single-Unit	12.9%				108	Combination-Unit	20.8%		
		65.1%							175	Commercial-Unit	33.7%		



## NB Traffic

Volume	Pk-Hr	Pk-Hr-Vol
265	3pm	29
173	Private	16
93	Commercial	13
K-Factor		
0.11		

Volume	1	2	3	4	5	6	7	8	9	10	11	12	13
265	1	84	88	1	22	10	2	5	50	1	1	0	2
Axle Factor	0.4%	31.5%	33.2%	0.4%	8.1%	3.6%	0.6%	1.9%	18.9%	0.4%	0.4%	0.0%	0.8%
0.74	173	Private-Unit	34	Single-Unit	12.6%				59	Combination-Unit	22.3%		
		65.1%							93	Commercial-Unit	34.9%		



## SB Traffic

Volume	Pk-Hr	Pk-Hr-Vol
255	7am	23
173	Private	11
83	Commercial	12
K-Factor		
0.09		

Volume	1	2	3	4	5	6	7	8	9	10	11	12	13
255	1	82	90	1	21	8	4	8	38	0	3	1	1
Axle Factor	0.2%	32.2%	35.3%	0.2%	8.2%	3.1%	1.6%	2.9%	14.9%	0.0%	1.0%	0.2%	0.2%
0.76	173	Private-Unit	34	Single-Unit	13.1%				49	Combination-Unit	19.2%		
		67.6%							83	Commercial-Unit	32.4%		

## SITE INFORMATION

3KL8I1	Survey 4976	District 6	Meade County
North Leg	Route: K-23		
	X-Route: RS-452		

K-23 N OF RS-452, 8 MI S OF MEADE

Current Site: Regular, Class(E)


This Survey: Regular

No Other Class Surveys on Record

## 2 Lanes

Ln	Hrs	Begin	End
11	48	07/11/05 13:00	07/13/05 13:00
51	48	07/11/05 13:00	07/13/05 13:00


# 24 Hour Site Summary



OE38W5

## Classification Summary


February 2005



## Site Summary

Volume	Pk-Hr	Pk-Hr-Vol
667	7am	38
432	Private	26
235	Commercial	12
K-Factor	NB	SB
0.06	17	21


Volume	1	2	3	4	5	6	7	8	9	10	11	12	13
667	2	151	279	2	90	22	1	24	88	5	1	0	4
Axle Factor	0.3%	22.7%	41.8%	0.2%	13.5%	3.3%	0.1%	3.6%	13.2%	0.7%	0.2%	0.0%	0.5%
0.78	432	Private-Unit	114	Single-Unit	17.1%			121	Combination-Unit	18.2%			
		70.9%						235	Commercial-Unit	35.3%			



## NB Traffic

Volume	Pk-Hr	Pk-Hr-Vol
224	8am	22
159	Private	17
65	Commercial	5
K-Factor		
0.10		

Volume	1	2	3	4	5	6	7	8	9	10	11	12	13
224	0	55	104	1	14	9	1	6	33	2	0	0	1
Axle Factor	0.0%	24.6%	46.3%	0.2%	6.3%	4.0%	0.2%	2.7%	14.8%	0.7%	0.0%	0.0%	0.2%
0.78	159	Private-Unit	24	Single-Unit	10.7%			41	Combination-Unit	18.3%			
		70.9%						65	Commercial-Unit	29.1%			



## SB Traffic

Volume	Pk-Hr	Pk-Hr-Vol
443	7am	21
273	Private	15
170	Commercial	7
K-Factor		
0.05		

Volume	1	2	3	4	5	6	7	8	9	10	11	12	13
443	2	96	175	1	76	13	0	18	55	3	1	0	3
Axle Factor	0.5%	21.7%	39.5%	0.2%	17.2%	2.9%	0.0%	4.1%	12.4%	0.7%	0.2%	0.0%	0.7%
0.78	273	Private-Unit	90	Single-Unit	20.3%			80	Combination-Unit	18.1%			
		61.6%						170	Commercial-Unit	38.4%			

## SITE INFORMATION

OE38W5	Survey 4779	District 6	Morton County
South Leg	Route: K-27		
	X-Route: K-51		

K-27 S OF K-51 (S JCT), 9 MI N OF ELKHART

Current Site: Regular, Class(C)


This Survey: Regular

Also: 2/26/96

## 2 Lanes

Ln	Hrs	Begin	End
11	48	02/07/05 14:00	02/09/05 14:00
51	48	02/07/05 14:00	02/09/05 14:00


# 24 Hour Site Summary



OE38W7

## Classification Summary


February 2005



## Site Summary

Volume	Pk-Hr	Pk-Hr-Vol
136	7am	16
106	Private	11
30	Commercial	6
K-Factor 0.12	EB 10	WB 7


Volume	1	2	3	4	5	6	7	8	9	10	11	12	13
136	0	34	72	0	19	6	0	1	3	1	1	0	0
Axle Factor 0.93	0.0%	24.7%	53.1%	0.0%	14.0%	4.4%	0.0%	0.7%	2.2%	0.4%	0.4%	0.0%	0.0%
	106	Private-Unit 78.1%		25	Single-Unit 18.5%	18.5%		5	Combination-Unit 3.7%				



## EB Traffic

Volume	Pk-Hr	Pk-Hr-Vol
78	7am	10
61	Private	7
17	Commercial	3
K-Factor 0.12		

Volume	1	2	3	4	5	6	7	8	9	10	11	12	13
78	0	19	42	0	12	4	0	0	2	1	0	0	0
Axle Factor 0.94	0.0%	24.5%	53.5%	0.0%	14.8%	4.5%	0.0%	0.0%	1.9%	0.6%	0.0%	0.0%	0.0%
	61	Private-Unit 78.1%		15	Single-Unit 19.4%	19.4%		2	Combination-Unit 2.6%				



## WB Traffic

Volume	Pk-Hr	Pk-Hr-Vol
58	10am	8
45	Private	7
13	Commercial	1
K-Factor 0.13		

Volume	1	2	3	4	5	6	7	8	9	10	11	12	13
58	0	15	31	0	8	3	0	1	2	0	1	0	0
Axle Factor 0.92	0.0%	25.0%	52.6%	0.0%	12.9%	4.3%	0.0%	1.7%	2.6%	0.0%	0.9%	0.0%	0.0%
	45	Private-Unit 77.6%		10	Single-Unit 17.2%	17.2%		3	Combination-Unit 5.2%				

## SITE INFORMATION

OE38W7	Survey 4780	District 6	Morton County
West Leg	Route: K-51		
	X-Route: K-27		

K-51 W OF K-27(S JCT), 9 MI N OF ELKHART

Current Site: Regular, Class(E)


This Survey: Regular

Also: 2/26/96

## 2 Lanes

Ln	Hrs	Begin	End
31	48	02/07/05 14:00	02/09/05 14:00
71	48	02/07/05 14:00	02/09/05 14:00


# 24 Hour Site Summary



0EFC3

## Classification Summary


February 2005



## Site Summary

Volume	Pk-Hr	Pk-Hr-Vol
240	Noon	23
153	Private	13
88	Commercial	11
K-Factor	EB	WB
0.10	11	12


Volume	1	2	3	4	5	6	7	8	9	10	11	12	13
240	1	67	85	1	24	7	0	5	48	3	0	0	1
Axle Factor	0.2%	27.9%	35.4%	0.2%	10.0%	2.9%	0.0%	1.9%	20.0%	1.3%	0.0%	0.0%	0.2%
0.73	153	Private-Unit	32	Single-Unit	13.1%			56	Combination-Unit	23.3%			



## EB Traffic

Volume	Pk-Hr	Pk-Hr-Vol
112	Noon	11
69	Private	6
43	Commercial	5
K-Factor	0.10	

Volume	1	2	3	4	5	6	7	8	9	10	11	12	13
112	0	31	38	1	10	4	0	2	26	2	0	0	1
Axle Factor	0.0%	27.7%	33.9%	0.4%	8.9%	3.1%	0.0%	1.3%	22.8%	1.3%	0.0%	0.0%	0.4%
0.71	69	Private-Unit	61.6%	14	Single-Unit	12.5%		29	Combination-Unit	25.9%			



## WB Traffic

Volume	Pk-Hr	Pk-Hr-Vol
128	2pm	16
84	Private	10
45	Commercial	6
K-Factor	0.12	

Volume	1	2	3	4	5	6	7	8	9	10	11	12	13
128	1	36	47	0	14	4	0	3	23	2	0	0	0
Axle Factor	0.4%	28.1%	36.7%	0.0%	10.9%	2.7%	0.0%	2.3%	17.6%	1.2%	0.0%	0.0%	0.0%
0.76	84	Private-Unit	65.2%	18	Single-Unit	13.7%		27	Combination-Unit	21.1%			

## SITE INFORMATION

0EFC3	Survey 4781	District 6	Morton County
East Leg	Route: K-27, K-51		
	X-Route: K-27, RS-478		

K-27 E OF RS-478, 5 MI W OF RICHFIELD

Current Site: Regular, Class(C)



This Survey: Regular

No Other Class Surveys on Record

## 2 Lanes

Ln	Hrs	Begin	End
31	48	02/07/05 15:00	02/09/05 15:00
71	48	02/07/05 15:00	02/09/05 15:00


# 24 Hour Site Summary

CLASSIFICATION		CLASSIFICATION												
ON66P2	Regular													
FC 6	Dist 6	Morton County												
Rte: US-56		North-East Leg												
XRte: RS-1488, WILBURTON RD														
US-56 NE OF RS-1488, 8 MI SW OF ROLLA														
<b>Peak Hour Traffic</b> Volume: 73 at 4pm Private: 60 at 7am Trucks: 17 at 3pm														
<b>February 2005 (48 Hr Survey)</b> 														
12am	3am	6am	9am	Noon	3pm	6pm	9pm							
Hr	Volume	1	2	3	4	5	6	7	8	9	10	11	12	13
0	7.5	0	3.5	1	0	0	0	0	0	3	0	0	0	0
1	4	0	0.5	0.5	0	0	0	0	0	2.5	0.5	0	0	0
2	6.5	0	0	0	0	0.5	0.5	0	0	5.5	0	0	0	0
3	3.5	0	1	0	0	0.5	0	0	0	2	0	0	0	0
4	8.5	0	2.5	1.5	0	0	0.5	0	0.5	3.5	0	0	0	0
5	11.5	0	6	4.5	0	0	0	0	0.5	0.5	0	0	0	0
6	19.5	0	7.5	4.5	0	3.5	0	0	0	4	0	0	0	0
7	70.5	0	37.5	22	0.5	4.5	1.5	0	1.5	3	0	0	0	0
8	52	0	16.5	23.5	0.5	4.5	0.5	0	0	6.5	0	0	0	0
9	54	0	21.5	16	0.5	2	2	0	3	9	0	0	0	0
10	54.5	0	20.5	17.5	1	4.5	1.5	0	1.5	8	0	0	0	0
11	57.5	0	18.5	24.5	0	4	2	0	1	7.5	0	0	0	0
12	58	0	26.5	19	0	3.5	1.5	0	1.5	6	0	0	0	0
13	65.5	0	23	29	1	2.5	0.5	0	3	6.5	0	0	0	0
14	71	0	25.5	30.5	0	4.5	2	0	2.5	6	0	0	0	0
15	72.5	0	25.5	30	0	10.5	3.5	0	1	1.5	0.5	0	0	0
16	73	0.5	34.5	22.5	0	5.5	2.5	0	1.5	6	0	0	0	0
17	65	0	31.5	22.5	0	2.5	3	0	1.5	4	0	0	0	0
18	57	0	26.5	22	0	3	1	0	0	4.5	0	0	0	0
19	32.5	0	16	11	0	0.5	0	0	0.5	4.5	0	0	0	0
20	26	0	9.5	7.5	0	1	1	0	1	4.5	1.5	0	0	0
21	22	0	9	6	0	0	0	0	0	6	1	0	0	0
22	13.5	0	6	3.5	0	1	1	0	0	2	0	0	0	0
23	10	0	4	3	0	0	0	0	0	3	0	0	0	0
AF	915.5	0.5	373	322	3.5	58.5	24.5	0	20.5	109.5	3.5	0	0	0
0.82		0.1%	40.7%	35.2%	0.4%	6.4%	2.7%	0.0%	2.2%	12.0%	0.4%	0.0%	0.0%	0.0%
SITE RECAP	695.5 Private			86.5 Single Unit 9.4%			133.5 Combination Unit 14.6%							
	76.0% Unit			220 Commercial Unit 24.0%										

ON66P2

## Classification Summary


February 2005



## Site Summary

Volume	Pk-Hr	Pk-Hr-Vol
916	4pm	73
696	Private	58
220	Commercial	16
K-Factor	NEB	SWB
0.08	38	36


Volume	1	2	3	4	5	6	7	8	9	10	11	12	13
916	1	373	322	4	59	25	0	21	110	4	0	0	0
Axle Factor	0.1%	40.7%	35.2%	0.4%	6.4%	2.7%	0.0%	2.2%	12.0%	0.4%	0.0%	0.0%	0.0%
0.82	696	Private-Unit	87	Single-Unit	9.4%				134	Combination-Unit	14.6%		



## NEB Traffic

Volume	Pk-Hr	Pk-Hr-Vol
465	4pm	38
355	Private	31
110	Commercial	7
K-Factor		
0.08		

Volume	1	2	3	4	5	6	7	8	9	10	11	12	13
465	0	193	162	1	31	12	0	10	55	1	0	0	0
Axle Factor	0.0%	41.6%	34.9%	0.2%	6.7%	2.6%	0.0%	2.2%	11.8%	0.1%	0.0%	0.0%	0.0%
0.82	355	Private-Unit	44	Single-Unit	9.5%				66	Combination-Unit	14.1%		



## SWB Traffic

Volume	Pk-Hr	Pk-Hr-Vol
451	2pm	42
341	Private	32
111	Commercial	10
K-Factor		
0.09		

Volume	1	2	3	4	5	6	7	8	9	10	11	12	13
451	1	180	160	3	28	13	0	11	55	3	0	0	0
Axle Factor	0.1%	39.9%	35.5%	0.6%	6.1%	2.8%	0.0%	2.3%	12.1%	0.7%	0.0%	0.0%	0.0%
0.81	341	Private-Unit	43	Single-Unit	9.4%				68	Combination-Unit	15.1%		

## SITE INFORMATION

ON66P2	Survey 4782	District 6	Morton County
North-East Leg	Route: US-56		
	X-Route: RS-1488, WILBURTON RD		

US-56 NE OF RS-1488, 8 MI SW OF ROLLA

Current Site: Regular, Class(C)



This Survey: Regular

No Other Class Surveys on Record

## 2 Lanes

Ln	Hrs	Begin	End
21	48	02/07/05 14:00	02/09/05 14:00
61	48	02/07/05 14:00	02/09/05 14:00


# 24 Hour Site Summary

CLASSIFICATION		CLASSIFICATION												
000EL5	Regular													
FC 6	Dist 6	Morton County												
Rte: K-27		South Leg												
XRte: RS-1532														
K-27 S OF RS-1532, N OF RICHFIELD														
<b>Peak Hour Traffic</b> Volume: 30 at 1pm Private: 17 at 1pm Trucks: 14 at 2pm														
<b>February 2005 (48 Hr Survey)</b> 														
12am	3am	6am	9am	Noon	3pm	6pm	9pm							
Hr	Volume	1	2	3	4	5	6	7	8	9	10	11	12	13
0	3.5	0.5	0	1	0.5	0	0.5	0	0	1	0	0	0	0
1	1.5	0	1.5	0	0	0	0	0	0	0	0	0	0	0
2	1.5	0	0	0.5	0	0	0	0	0	1	0	0	0	0
3	1	0	0.5	0	0	0.5	0	0	0	0	0	0	0	0
4	3.5	0	1	0.5	0	0	0	0	1.5	0	0.5	0	0	0
5	5	0	1.5	1	0	0	0	0	0.5	1.5	0	0	0	0.5
6	8	0	1.5	1.5	0	0.5	0	0	0.5	2.5	1.5	0	0	0
7	12.5	0	2	3.5	0	2	0	0	1	4	0	0	0	0
8	15	0	2	8	0	0.5	0	0	0	4	0	0.5	0	0
9	16	0	2	8.5	0	0.5	0.5	0.5	1.5	2.5	0	0	0	0
10	21	0.5	6	6.5	0	2	0.5	0	1.5	4	0	0	0	0
11	23.5	0.5	2.5	10	0.5	1.5	0.5	0.5	1.5	5.5	0	0	0	0.5
12	25	0	3	8	0	1.5	0.5	0	3.5	8.5	0	0	0	0
13	30	0	4	13	0.5	1	0.5	0	1.5	8	1.5	0	0	0
14	29	0.5	6.5	8	1	2.5	0.5	0	1.5	8	0	0	0.5	0
15	21.5	0	7.5	6	0	0	0	0	1	6.5	0	0.5	0	0
16	23	0.5	6	7	1	2	0	0	1.5	5	0	0	0	0
17	17.5	0.5	4	4	0	3	0.5	0	1.5	3.5	0	0	0	0.5
18	14	0	3.5	3.5	0	0.5	0.5	0	1.5	4	0	0	0	0.5
19	9.5	0	2.5	4	0	0	0.5	0	0.5	1.5	0.5	0	0	0
20	6	0	1.5	0.5	0	0	0	0	0	4	0	0	0	0
21	2.5	0	1	0	0	0	0	0	0.5	1	0	0	0	0
22	4	0	1	1	0	1	0	0	0.5	0.5	0	0	0	0
23	2.5	0	0	0	0	0.5	0	0	0	2	0	0	0	0
AF	296.5	3	61	96	3.5	19.5	5	1	21.5	78.5	4	1	0.5	2
0.65		1.0%	20.6%	32.4%	1.2%	6.6%	1.7%	0.3%	7.3%	26.5%	1.3%	0.3%	0.2%	0.7%
SITE RECAP	160 Private 54.0% Unit			29 Single Unit 9.8%			107.5 Combination Unit 36.3%			136.5 Commercial Unit 46.0%				

000EL5

## Classification Summary


February 2005



## Site Summary

Volume	Pk-Hr	Pk-Hr-Vol
297	1pm	30
160	Private	17
137	Commercial	13
K-Factor 0.10	NB 12	SB 18


Volume	1	2	3	4	5	6	7	8	9	10	11	12	13
297	3	61	96	4	20	5	1	22	79	4	1	1	2
Axle Factor 0.65	1.0% 160	20.6% Private-Unit	32.4%	1.2% 29	6.6% Single-Unit	1.7% 9.8%	0.3% 108	26.5% Combination-Unit	1.3% 36.3%	0.3% 137	0.2% Commercial-Unit	0.7% 46.0%	



## NB Traffic

Volume	Pk-Hr	Pk-Hr-Vol
135	1pm	12
71	Private	7
64	Commercial	5
K-Factor 0.09		

Volume	1	2	3	4	5	6	7	8	9	10	11	12	13
135	1	24	46	1	11	3	1	10	38	2	0	0	1
Axle Factor 0.65	0.4% 71	17.8% Private-Unit	34.2% 52.4%	0.4% 14	7.8% Single-Unit	1.9% 10.4%	0.4% 50	7.4% Combination-Unit	28.3% 37.2%	1.1% 64	0.0% Commercial-Unit	0.0% 47.6%	



## SB Traffic

Volume	Pk-Hr	Pk-Hr-Vol
162	2pm	20
90	Private	10
73	Commercial	10
K-Factor 0.12		

Volume	1	2	3	4	5	6	7	8	9	10	11	12	13
162	3	37	50	3	9	3	1	12	41	3	1	1	2
Axle Factor 0.65	1.5% 90	22.8% Private-Unit	30.9% 55.2%	1.9% 15	5.6% Single-Unit	1.5% 9.3%	0.3% 58	7.1% Combination-Unit	25.0% 35.5%	1.5% 73	0.6% Commercial-Unit	0.3% 44.8%	

## SITE INFORMATION

000EL5	Survey 4783	District 6	Morton County
South Leg	Route: K-27		
	X-Route: RS-1532		

K-27 S OF RS-1532, N OF RICHFIELD

Current Site: Regular, Class(C)

This Survey: Regular

No Other Class Surveys on Record

## 2 Lanes


Ln	Hrs	Begin	End
11	48	02/07/05 15:00	02/09/05 15:00
51	48	02/07/05 15:00	02/09/05 15:00

# 24 Hour Site Summary


## CLASSIFICATION

0X3C87	Regular
FC 7	Dist 6
Morton County	
Rte: K-51	West Leg
XRte: RS-480	
K-51 W OF RS-480, E OF RICHFIELD	

**Peak Hour Traffic**  
 Volume: 24 at 2pm  
 Private: 14 at 4pm  
 Trucks: 12 at 2pm



February 2005 (48 Hr Survey)




Hr	Volume	1	2	3	4	5	6	7	8	9	10	11	12	13
0	1	0	0	0.5	0	0	0	0	0	0.5	0	0	0	0
1	0.5	0	0	0.5	0	0	0	0	0	0	0	0	0	0
2	0.5	0	0.5	0	0	0	0	0	0	0	0	0	0	0
3	1	0	1	0	0	0	0	0	0	0	0	0	0	0
4	0.5	0	0.5	0	0	0	0	0	0	0	0	0	0	0
5	4.5	0	2	1.5	0	0	0	0	0	1	0	0	0	0
6	9	0	4	3	0	0	0	0	0	2	0	0	0	0
7	14	0	4	6	0	0.5	0	0	0	3	0	0	0	0.5
8	11.5	0	2.5	3	0	0.5	0.5	0.5	1	3.5	0	0	0	0
9	13	0.5	2.5	6	0	0.5	0	0	0	3.5	0	0	0	0
10	10	0.5	5	1.5	0	0.5	1	0	0	1.5	0	0	0	0
11	9.5	0	1.5	1.5	0	0.5	0.5	0	0.5	5	0	0	0	0
12	13	0	1	6	0	0	0	0	0.5	5.5	0	0	0	0
13	23.5	1	8	3.5	1	0.5	1.5	0	0	7.5	0.5	0	0	0
14	24.5	0	3.5	8.5	0.5	1	0	0	1	10	0	0	0	0
15	12.5	0.5	3	2.5	0	0.5	0.5	0	0	5.5	0	0	0	0
16	21.5	0	5	9	0	0.5	0	0	0.5	6.5	0	0	0	0
17	15	0	2.5	6	0	0.5	0	0	0.5	5.5	0	0	0	0
18	14.5	0	7.5	4	0	0	0	0	0	3	0	0	0	0
19	6	0	2.5	3	0	0	0	0	0	0.5	0	0	0	0
20	6	0	0.5	2	0	0	0	0	0	3.5	0	0	0	0
21	1	0	0.5	0	0	0	0	0	0	0.5	0	0	0	0
22	2.5	0	1.5	0.5	0	0	0	0	0	0.5	0	0	0	0
23	3.5	0	1	0.5	0	1	0	0	0	1	0	0	0	0
AF 0.66	218.5	2.5 1.1%	60 27.5%	69 31.6%	1.5 0.7%	6.5 3.0%	4 1.8%	0.5 0.2%	4 1.8%	69.5 31.8%	0.5 0.2%	0 0.0%	0 0.0%	0.5 0.2%

SITE RECAP	131.5 Private 60.2% Unit	12.5 Single Unit 5.7%	74.5 Combination Unit 34.1%
87 Commercial Unit 39.8%			

0X3C87

## Classification Summary


February 2005



## Site Summary

Volume	Pk-Hr	Pk-Hr-Vol
219	2pm	24
132	Private	12
87	Commercial	13
K-Factor	EB	WB
0.11	14	10

Volume	1	2	3	4	5	6	7	8	9	10	11	12	13
219	3	60	69	2	7	4	1	4	70	1	0	0	1
Axle Factor	1.1%	27.5%	31.6%	0.7%	3.0%	1.8%	0.2%	1.8%	31.8%	0.2%	0.0%	0.0%	0.2%
0.66	132	Private-Unit	13	Single-Unit	5.7%				75	Combination-Unit	34.1%		




## EB Traffic

Volume	Pk-Hr	Pk-Hr-Vol
114	2pm	15
62	Private	7
52	Commercial	8
K-Factor		
0.13		

Volume	1	2	3	4	5	6	7	8	9	10	11	12	13
114	1	30	31	1	4	2	1	1	43	1	0	0	1
Axle Factor	0.9%	26.3%	27.2%	0.9%	3.5%	1.8%	0.4%	0.9%	37.3%	0.4%	0.0%	0.0%	0.4%
0.62	62	Private-Unit	54.4%	8	Single-Unit	6.6%			45	Combination-Unit	39.0%		

52 Commercial-Unit 45.6%



## WB Traffic

Volume	Pk-Hr	Pk-Hr-Vol
105	4pm	11
70	Private	7
35	Commercial	4
K-Factor		
0.10		

Volume	1	2	3	4	5	6	7	8	9	10	11	12	13
105	2	30	38	1	3	2	0	3	27	0	0	0	0
Axle Factor	1.4%	28.7%	36.4%	0.5%	2.4%	1.9%	0.0%	2.9%	25.8%	0.0%	0.0%	0.0%	0.0%
0.70	70	Private-Unit	66.5%	5	Single-Unit	4.8%			30	Combination-Unit	28.7%		

35 Commercial-Unit 33.5%

## SITE INFORMATION

0X3C87	Survey 4784	District 6	Morton County
West Leg	Route: K-51		
	X-Route: RS-480		

K-51 W OF RS-480, E OF RICHFIELD

Current Site: Regular, Class(E)

This Survey: Regular

No Other Class Surveys on Record

## 2 Lanes


Ln	Hrs	Begin	End
31	48	02/07/05 15:00	02/09/05 15:00
71	48	02/07/05 15:00	02/09/05 15:00

# 24 Hour Site Summary

## CLASSIFICATION

4D4BK3	Regular
FC 6	Dist 6
Rte: K-96	Ness County
XRte: RS-370	East Leg
K-96 E OF RS-370, 4 MI W OF NESS CITY	

## CLASSIFICATION




## Peak Hour Traffic

Volume: 80 at 3pm

Private: 58 at 5pm

Trucks: 32 at 3pm

August 2005 (48 Hr Survey)




Hr	Volume	1	2	3	4	5	6	7	8	9	10	11	12	13
0	4.5	0	1	0.5	0	0	0.5	0	0	2	0.5	0	0	0
1	10.5	0.5	2.5	2	0	0.5	1	0	0	4	0	0	0	0
2	4.5	0	1.5	0	0	0	0.5	0	0	2.5	0	0	0	0
3	3.5	0	0.5	0	0	0.5	0	0	0	2.5	0	0	0	0
4	5.5	0	1.5	1.5	0	0	0.5	0	0	2	0	0	0	0
5	10.5	0	4.5	1	0	0.5	0.5	0	0	3.5	0	0	0	0.5
6	24	1	6.5	11.5	0	2	0	0	1	2	0	0	0	0
7	59	0.5	16	22	0.5	9.5	4.5	0	1	3.5	0.5	0	0	1
8	55	1	17.5	19.5	0.5	6.5	2.5	0.5	2	3.5	0	0	0.5	1
9	70.5	0	22.5	26	0.5	6.5	3.5	0	1.5	8.5	0	0.5	0	1
10	73	0.5	20	29.5	0	6.5	3.5	0	3.5	8.5	0.5	0	0	0.5
11	61	0	15	24.5	0	3.5	5	1	1	7	1.5	1	0	1.5
12	66	0	28	22	0	2.5	1	0	2.5	9	0	0	0	1
13	65	0	18	25	0	6	2	0	4	8.5	0.5	0	0	1
14	73.5	0.5	26.5	28.5	0	4	2.5	0	4	7.5	0	0	0	0
15	80.5	0	24.5	24.5	1	8.5	2.5	1	1.5	15	0.5	0.5	0	1
16	64	0	22.5	23	0	3.5	3.5	0.5	0.5	9.5	0	0	0	1
17	72	0	26	32	0	4	0.5	0	1.5	7	1	0	0	0
18	60	1	18	24	0	4	1	0.5	1	9.5	0	0	0	1
19	34.5	1	11.5	14	0	1	0	0	3	4	0	0	0	0
20	33	0.5	13	14	0	1	1.5	0	0.5	2	0	0	0	0.5
21	25	0.5	7.5	9	0	2	3	0	0	2.5	0	0.5	0	0
22	24	0.5	5.5	9.5	0.5	0	0.5	0	0	7.5	0	0	0	0
23	9	0.5	2.5	2.5	0.5	1	0	0	0	2	0	0	0	0
AF 0.77	988	8 0.8%	312.5 31.6%	366 37.0%	3.5 0.4%	73.5 7.4%	40 4.0%	3.5 0.4%	28.5 2.9%	133.5 13.5%	5 0.5%	2.5 0.3%	0.5 0.1%	11 1.1%

SITE RECAP	686.5 Private 69.5% Unit	120.5 Single Unit 12.2%	181 Combination Unit 18.3%
		301.5 Commercial Unit 30.5%	

4D4BK3

## Classification Summary


August 2005



## Site Summary

Volume	Pk-Hr	Pk-Hr-Vol
988	3pm	80
687	Private	49
302	Commercial	32
K-Factor	EB	WB
0.08	44	37


Volume	1	2	3	4	5	6	7	8	9	10	11	12	13
988	8	313	366	4	74	40	4	29	134	5	3	1	11
Axle Factor	0.8%	31.6%	37.0%	0.4%	7.4%	4.0%	0.4%	2.9%	13.5%	0.5%	0.3%	0.1%	1.1%
0.77	687	Private-Unit	121	Single-Unit	12.2%	181	Combination-Unit	18.3%	302	Commercial-Unit	30.5%		



## EB Traffic

Volume	Pk-Hr	Pk-Hr-Vol
492	3pm	44
354	Private	27
138	Commercial	17
K-Factor		
0.76	0.09	

Volume	1	2	3	4	5	6	7	8	9	10	11	12	13
492	3	167	185	2	20	22	1	11	76	4	0	1	4
Axle Factor	0.5%	33.9%	37.5%	0.3%	4.1%	4.4%	0.1%	2.1%	15.4%	0.8%	0.0%	0.1%	0.7%
0.76	354	Private-Unit	44	Single-Unit	8.8%	95	Combination-Unit	19.2%	138	Commercial-Unit	28.0%		



## WB Traffic

Volume	Pk-Hr	Pk-Hr-Vol
496	7am	40
333	Private	22
164	Commercial	18
K-Factor		
0.78	0.08	

Volume	1	2	3	4	5	6	7	8	9	10	11	12	13
496	6	146	182	2	54	19	3	18	58	1	3	0	8
Axle Factor	1.1%	29.3%	36.6%	0.4%	10.8%	3.7%	0.6%	3.6%	11.6%	0.2%	0.5%	0.0%	1.5%
0.78	333	Private-Unit	77	Single-Unit	15.5%	87	Combination-Unit	17.4%	164	Commercial-Unit	33.0%		

## SITE INFORMATION

4D4BK3	Survey 5015	District 6	Ness County
East Leg	Route: K-96		
	X-Route: RS-370		

K-96 E OF RS-370, 4 MI W OF NESS CITY

Current Site: Regular, Class(C)

This Survey: Regular

Also: 3/13/00

## 2 Lanes


Ln	Hrs	Begin	End
31	48	08/08/05 16:00	08/10/05 16:00
71	48	08/08/05 16:00	08/10/05 16:00

# 24 Hour Site Summary

## CLASSIFICATION

4JYH77	Regular
FC 7	Dist 6
Rte: K-4	West Leg
XRte: US-283	
K-4 W OF US-283, E OF RANSOM	

## CLASSIFICATION




## Peak Hour Traffic

Volume: 48 at 2pm

Private: 40 at 5pm

Trucks: 12 at 2pm

August 2005 (48 Hr Survey)




Hr	Volume	1	2	3	4	5	6	7	8	9	10	11	12	13
0	3.5	0	2	1	0	0	0.5	0	0	0	0	0	0	0
1	2	0	1	1	0	0	0	0	0	0	0	0	0	0
2	0	0	0	0	0	0	0	0	0	0	0	0	0	0
3	2	0	0	0	0	0	0	0	0	2	0	0	0	0
4	3	0	0	1	0	0.5	0	0	0	1.5	0	0	0	0
5	6.5	0	5	1	0	0	0	0	0.5	0	0	0	0	0
6	16	0	6	7	0	1	0	0	0.5	1.5	0	0	0	0
7	29.5	0.5	13.5	7	0	3.5	1.5	1	0	2.5	0	0	0	0
8	40.5	0.5	17.5	15.5	0	1.5	1	0.5	0.5	3	0	0	0	0.5
9	43.5	0	19	19	0	1.5	1.5	0.5	0	2	0	0	0	0
10	33.5	0	15.5	16	0	0.5	0	0.5	0.5	0.5	0	0	0	0
11	34	0.5	16.5	10.5	0	0.5	2.5	0.5	1	1.5	0.5	0	0	0
12	35.5	0.5	15.5	11.5	0.5	1	1	0	0.5	5	0	0	0	0
13	43.5	0	19	16	0	2.5	0.5	0	1	4	0.5	0	0	0
14	47.5	0	18.5	16.5	0.5	2.5	1	1	1	6.5	0	0	0	0
15	41.5	0	19	11	0	1.5	2	0	0	7.5	0.5	0	0	0
16	33.5	0.5	14	11.5	0	0	0.5	1	1	4.5	0.5	0	0	0
17	45	0.5	20	19	0	1.5	1.5	0.5	0	2	0	0	0	0
18	27	0	11.5	12.5	0	0.5	0.5	0.5	0	0.5	0	0.5	0	0.5
19	22.5	0	14	8	0	0	0	0	0	0.5	0	0	0	0
20	16	0	7.5	7.5	0	0	1	0	0	0	0	0	0	0
21	18.5	0	8.5	8.5	0	0.5	0.5	0	0	0	0	0	0	0.5
22	12.5	0	5.5	5	0	0.5	0.5	0	0	0.5	0	0.5	0	0
23	6	0	2.5	3.5	0	0	0	0	0	0	0	0	0	0
AF	563	3	251.5	209.5	1	19.5	16	6	6.5	45.5	2	1	0	1.5
0.85		0.5%	44.7%	37.2%	0.2%	3.5%	2.8%	1.1%	1.2%	8.1%	0.4%	0.2%	0.0%	0.3%

SITE RECAP	464 Private 82.4% Unit	42.5 Single Unit 7.5%	56.5 Combination Unit 10.0%
		99 Commercial Unit	17.6%

4JYH77

## Classification Summary


August 2005



## Site Summary

Volume	Pk-Hr	Pk-Hr-Vol
563	2pm	48
464	Private	35
99	Commercial	13
K-Factor	EB	WB
0.09	25	22


Volume	1	2	3	4	5	6	7	8	9	10	11	12	13
563	3	252	210	1	20	16	6	7	46	2	1	0	2
Axle Factor	0.5%	44.7%	37.2%	0.2%	3.5%	2.8%	1.1%	1.2%	8.1%	0.4%	0.2%	0.0%	0.3%
0.85	464	Private-Unit	43 Single-Unit	7.5%					57 Combination-Unit	10.0%			
		83.5%							99 Commercial-Unit	17.6%			



## EB Traffic

Volume	Pk-Hr	Pk-Hr-Vol
281	9am	26
235	Private	23
47	Commercial	3
K-Factor		
0.09		

Volume	1	2	3	4	5	6	7	8	9	10	11	12	13
281	2	130	104	1	7	8	4	3	23	1	1	0	1
Axle Factor	0.5%	46.1%	36.8%	0.2%	2.5%	2.7%	1.2%	0.9%	8.2%	0.4%	0.2%	0.0%	0.4%
0.85	235	Private-Unit	19 Single-Unit	6.6%					28 Combination-Unit	10.0%			
		83.5%							47 Commercial-Unit	16.5%			



## WB Traffic

Volume	Pk-Hr	Pk-Hr-Vol
282	1pm	27
230	Private	22
53	Commercial	5
K-Factor		
0.10		

Volume	1	2	3	4	5	6	7	8	9	10	11	12	13
282	2	122	106	1	13	9	3	4	23	1	1	0	1
Axle Factor	0.5%	43.3%	37.6%	0.2%	4.4%	3.0%	0.9%	1.4%	8.0%	0.4%	0.2%	0.0%	0.2%
0.85	230	Private-Unit	24 Single-Unit	8.5%					29 Combination-Unit	10.1%			
		81.4%							53 Commercial-Unit	18.6%			

## SITE INFORMATION

4JYH77	Survey 5016	District 6	Ness County
West Leg	Route: K-4		
	X-Route: US-283		

K-4 W OF US-283, E OF RANSOM

Current Site: Regular, Class(E)

This Survey: Regular

Also: 5/23/00

## 2 Lanes

Ln	Hrs	Begin	End
31	48	08/08/05 17:00	08/10/05 17:00
71	48	08/08/05 17:00	08/10/05 17:00

# 24 Hour Site Summary

## CLASSIFICATION

2JD6H1	Regular
FC 2	Dist 6
Rte: US-83	Scott County
XRte: RS-1679	North Leg
US-83 N OF RS-1679, AT FI CO LINE	

## CLASSIFICATION




### Peak Hour Traffic

Volume: 252 at 5pm

Private: 188 at 5pm

Trucks: 78 at 10am

### August 2005 (48 Hr Survey)




Hr	Volume	1	2	3	4	5	6	7	8	9	10	11	12	13
0	24	0	2.5	3	0.5	1	0	0	2	14	0.5	0.5	0	0
1	23	1	4	0.5	1	2.5	0.5	0	1	12.5	0	0	0	0
2	19.5	0.5	3	1.5	0.5	1.5	0.5	0	2.5	9	0	0.5	0	0
3	37.5	3.5	7.5	0.5	0.5	2.5	2.5	0.5	2	17	1	0	0	0
4	33	2	7	4.5	0.5	3	1	0.5	1.5	11.5	1.5	0	0	0
5	51.5	1.5	15	7	0.5	4	1	0	1.5	21	0	0	0	0
6	132.5	2.5	48.5	28.5	2	11	1	0.5	6	30	1.5	0.5	0	0.5
7	178.5	6	79	41	2	10	8.5	0.5	4.5	24	2	1	0	0
8	167.5	2.5	53.5	43	1.5	14	3	0	3.5	42.5	1.5	0	0	2.5
9	166.5	3	51	45	1.5	13.5	3.5	1.5	4.5	42	0.5	0	0	0.5
10	180	3	57	41.5	0	18	3	1.5	6.5	44.5	4	0.5	0	0.5
11	173	1.5	53.5	42.5	0	9	6.5	2	6	47.5	4.5	0	0	0
12	189	5.5	58	50	1	12	2	3.5	4.5	45.5	4.5	1	0	1.5
13	193.5	1	74.5	53.5	0	8.5	5	1	3.5	40.5	4.5	1	0	0.5
14	180	5.5	70.5	48	1	7.5	1.5	2	7	33.5	2.5	0.5	0	0.5
15	191	3.5	74.5	46.5	0.5	10	2.5	2.5	3.5	44.5	1	0.5	0	1.5
16	208	2.5	82.5	55.5	0.5	8	4	1.5	5.5	45.5	1.5	0	0	1
17	252.5	6.5	117	64.5	2	11.5	1	2	4	40	1.5	0.5	0	2
18	188	7.5	74	46.5	0	13	1	1.5	3.5	40	1	0	0	0
19	129	3	53.5	31	0.5	7.5	1	0.5	1.5	27.5	1.5	0.5	0.5	0.5
20	110	4.5	33.5	27.5	1	1.5	0.5	0.5	2.5	34.5	3	0	0	1
21	94	3.5	36.5	19	0	4	0.5	0.5	3	24.5	1	0	0	1.5
22	70.5	0.5	23.5	11	0	0.5	0.5	0.5	2	29.5	1.5	0	0.5	0.5
23	49.5	0.5	16	5.5	0.5	3	1	0.5	1	18	2.5	0	1	0
AF 0.69	3,041.5	71	1,095.5	717	17.5	177	51.5	23.5	83	739	43	7	2	14.5
SITE RECAP		1,883.5 Private 61.9% Unit				269.5 Single Unit 8.9%				888.5 Combination Unit 29.2%				
						1,158 Commercial Unit 38.1%								

2JD6H1

## Classification Summary


August 2005



## Site Summary

Volume	Pk-Hr	Pk-Hr-Vol
3,042	5pm	252
1,884	Private	188
1,158	Commercial	65
K-Factor	NB	SB
0.08	130	122


Volume	1	2	3	4	5	6	7	8	9	10	11	12	13
3,042	71	1,096	717	18	177	52	24	83	739	43	7	2	15
Axle Factor	2.3%	36.0%	23.6%	0.6%	5.8%	1.7%	0.8%	2.7%	24.3%	1.4%	0.2%	0.1%	0.5%
	1,884	Private-Unit		270	Single-Unit	8.9%		889	Combination-Unit	29.2%			
0.69		64.3%						1,158	Commercial-Unit	38.1%			



## NB Traffic

Volume	Pk-Hr	Pk-Hr-Vol
1,447	5pm	130
931	Private	105
517	Commercial	25
K-Factor		
0.09		

Volume	1	2	3	4	5	6	7	8	9	10	11	12	13
1,447	16	560	355	7	77	22	10	36	343	16	3	1	4
Axle Factor	1.1%	38.7%	24.5%	0.4%	5.3%	1.5%	0.7%	2.5%	23.7%	1.1%	0.2%	0.0%	0.3%
	931	Private-Unit		115	Single-Unit	7.9%		402	Combination-Unit	27.7%			
0.70		64.3%						517	Commercial-Unit	35.7%			



## SB Traffic

Volume	Pk-Hr	Pk-Hr-Vol
1,595	5pm	123
953	Private	83
642	Commercial	40
K-Factor		
0.08		

Volume	1	2	3	4	5	6	7	8	9	10	11	12	13
1,595	55	536	363	11	100	30	14	47	397	27	5	2	11
Axle Factor	3.4%	33.6%	22.7%	0.7%	6.3%	1.9%	0.9%	2.9%	24.9%	1.7%	0.3%	0.1%	0.7%
	953	Private-Unit		155	Single-Unit	9.7%		487	Combination-Unit	30.5%			
0.68		59.8%						642	Commercial-Unit	40.2%			

## SITE INFORMATION

2JD6H1	Survey 5021	District 6	Scott County			
North Leg	Route: US-83					
	X-Route: RS-1679					
US-83 N OF RS-1679, AT FICO LINE						
Current Site: Regular, Class(B), NHS						
This Survey: Regular						
No Other Class Surveys on Record						

## 2 Lanes

Ln	Hrs	Begin	End
11	48	08/15/05 14:00	08/17/05 14:00
51	48	08/15/05 14:00	08/17/05 14:00


# 24 Hour Site Summary

## CLASSIFICATION


2803O2	Regular
FC 2	Dist 6
Rte: US-54	Seward County
XRte: STATE LINE	North-East Leg
US-54 AT STATE LINE, SW OF LIBERAL	

**Peak Hour Traffic**  
 Volume: 460 at 4pm  
 Private: 344 at 4pm  
 Trucks: 120 at 6pm

## CLASSIFICATION



July 2005 (48 Hr Survey)




Hr	Volume	1	2	3	4	5	6	7	8	9	10	11	12	13
0	112.5	0.5	46	28	0	2.5	0	0	2	31	0	1.5	1	0
1	75.5	0	32.5	20	0	1	0	0	1.5	18	0	2	0.5	0
2	44	0.5	16	7.5	0.5	1	1	0	1.5	13.5	0	2.5	0	0
3	44	0	12	8	0.5	0.5	1	0	1	18	0	1.5	1.5	0
4	88.5	0.5	37.5	20.5	0.5	4	0	0.5	0.5	19.5	0	3	2	0
5	176.5	1	87.5	46.5	4	9.5	1	0	1.5	22	0.5	3	0	0
6	251.5	3	103.5	79	1.5	19	1.5	0.5	3.5	34.5	2.5	2	0.5	0.5
7	342.5	3.5	144.5	112	2	25	3.5	0.5	4	41.5	0.5	3.5	2	0
8	290	0	116	83.5	3	18	0.5	2	4.5	55.5	2	2.5	1.5	1
9	300	1.5	110	94	2	16	7	2.5	5.5	55	0.5	3.5	1.5	1
10	299	1.5	110.5	87.5	2	19	3.5	3.5	4	61.5	0	3.5	2	0.5
11	308.5	2.5	121	88.5	3	19.5	3.5	2	2	61	0	3.5	0	2
12	337	2.5	129	94	2.5	19.5	4.5	3	4.5	71.5	1	3.5	1.5	0
13	359	1	134.5	116	2	17	6	1	8	69.5	1	2.5	0	0.5
14	386.5	0.5	166.5	109.5	1	19.5	4.5	1.5	5	71.5	0.5	4	1	1.5
15	440	4.5	200	124	4	23	3	1.5	11.5	62	2.5	1.5	1	1.5
16	459.5	5	199.5	139	2.5	22	2	3	8.5	71	1	3.5	0.5	2
17	452	0.5	209	127.5	1	22	1	1.5	9	75.5	1.5	2	1.5	0
18	392	4	154	114	0.5	23	2.5	3	5.5	74.5	1.5	6.5	1	2
19	234	2	101.5	62.5	0.5	9	2	0	3.5	47.5	2.5	2	0.5	0.5
20	239	2	98	66	1	10.5	2	1.5	1.5	51.5	0	2	2.5	0.5
21	196.5	2	81.5	48.5	1.5	9.5	1	1.5	2	44	0.5	3.5	1	0
22	168.5	1.5	64.5	43	1	8	0.5	1	3.5	42.5	0	3	0	0
23	107.5	0.5	40.5	18.5	1.5	5.5	2	2	2	34.5	0	0	0.5	0
AF	40.5	2,515.5	1,737.5	38	323.5	53.5	32	96	1,146.5	18	66	23.5	13.5	
0.74	0.7%	41.2%	28.5%	0.6%	5.3%	0.9%	0.5%	1.6%	18.8%	0.3%	1.1%	0.4%	0.2%	
<b>SITE RECAP</b>		4,293.5 Private 70.3% Unit				447 Single Unit 7.3%				1,363.5 Combination Unit 22.3%				
										1,810.5 Commercial Unit 29.7%				

2803O2

## Classification Summary


July 2005



## Site Summary

Volume	Pk-Hr	Pk-Hr-Vol
6,104	4pm	460
4,294	Private	344
1,811	Commercial	116
K-Factor	NEB	SWB
0.08	222	237


Volume	1	2	3	4	5	6	7	8	9	10	11	12	13
6,104	41	2,516	1,738	38	324	54	32	96	1,147	18	66	24	14
Axle Factor	0.7%	41.2%	28.5%	0.6%	5.3%	0.9%	0.5%	1.6%	18.8%	0.3%	1.1%	0.4%	0.2%
	4,294	Private-Unit		447	Single-Unit	7.3%		1,364	Combination-Unit	22.3%			
0.74			72.6%					1,811	Commercial-Unit	29.7%			



## NEB Traffic

Volume	Pk-Hr	Pk-Hr-Vol
3,006	3pm	239
2,183	Private	181
823	Commercial	58
K-Factor		
0.08		

Volume	1	2	3	4	5	6	7	8	9	10	11	12	13
3,006	21	1,275	888	20	159	27	18	32	510	11	32	11	6
Axle Factor	0.7%	42.4%	29.5%	0.6%	5.3%	0.9%	0.6%	1.0%	17.0%	0.3%	1.0%	0.4%	0.2%
0.76	2,183	Private-Unit		223	Single-Unit	7.4%		600	Combination-Unit	20.0%			
		72.6%						823	Commercial-Unit	27.4%			



## SWB Traffic

Volume	Pk-Hr	Pk-Hr-Vol
3,099	5pm	251
2,111	Private	186
988	Commercial	65
K-Factor		
0.08		

Volume	1	2	3	4	5	6	7	8	9	10	11	12	13
3,099	20	1,241	850	19	165	27	15	65	637	8	35	13	8
Axle Factor	0.6%	40.1%	27.4%	0.6%	5.3%	0.9%	0.5%	2.1%	20.6%	0.2%	1.1%	0.4%	0.2%
0.73	2,111	Private-Unit		225	Single-Unit	7.2%		764	Combination-Unit	24.6%			
		68.1%						988	Commercial-Unit	31.9%			

## SITE INFORMATION

2803O2	Survey 4972	District 6	Seward County
North-East Leg	Route: US-54		
	X-Route: STATE LINE		

US-54 AT STATE LINE, SW OF LIBERAL

Current Site: Regular, Class(B), NHS

This Survey: Regular

Also: 8/26/96

## 2 Lanes


Ln	Hrs	Begin	End
21	48	07/11/05 19:00	07/13/05 19:00
61	48	07/11/05 19:00	07/13/05 19:00

# 24 Hour Site Summary

## CLASSIFICATION

2E08X5	Regular
FC 2	Dist 6
Rte: US-83	Seward County
XRte: K-51	South Leg
US-83 S OF K-51, N OF LIBERAL	

## CLASSIFICATION




### Peak Hour Traffic

Volume: 445 at 5pm

Private: 334 at 5pm

Trucks: 116 at 10am

July 2005 (48 Hr Survey)




Hr	Volume	1	2	3	4	5	6	7	8	9	10	11	12	13
0	60.5	0.5	22	10	0	0.5	1	0	3.5	22	0.5	0	0	0.5
1	44.5	1	15	3.5	0.5	0.5	1	0.5	2	18.5	0	1.5	0	0.5
2	34.5	1	10.5	3	1	1.5	0.5	0	1.5	13.5	1.5	0	0	0.5
3	35	0	4.5	6	0	2	0	0	2	18.5	1.5	0.5	0	0
4	59	1.5	13	8.5	1.5	3.5	1	0	2.5	25.5	1.5	0	0.5	0
5	112	3	42.5	18	2	12	0.5	1	3	27	2	0	0	1
6	198	0.5	56.5	62	3.5	26.5	2.5	1	3.5	39	2.5	0	0.5	0
7	297.5	2	122.5	85.5	0.5	23	3.5	4	4	49	3	0	0	0.5
8	331.5	3.5	135	93	3.5	21.5	5	2	2.5	62	2.5	0.5	0	0.5
9	355	3.5	133	103.5	2	26	5	3	8	64.5	4	1.5	0	1
10	343	4.5	121.5	101	3	24	6	3	8	69	1.5	0	0	1.5
11	315	6	108	90.5	1	18.5	5.5	0.5	5.5	73	5.5	0	0	1
12	289	4.5	106.5	87	2	16	5.5	2	9.5	51	3	1	0.5	0.5
13	369.5	5	146	112.5	3.5	25	5	2	7.5	59	2.5	0.5	0	1
14	335.5	3	135	95.5	1	23.5	4.5	4.5	9	56	2.5	0	0	1
15	354.5	1	142.5	111	2	21	3.5	3	6.5	60.5	3	0	0	0.5
16	408.5	2.5	175.5	121	1	27	2.5	2	3.5	70	3	0.5	0	0
17	445	2.5	203.5	128	1.5	30	5	2	6.5	64	1.5	0	0	0.5
18	320	1	147	79	0	25	3	2.5	5	55	1.5	1	0	0
19	224.5	2	104	61.5	2	9	3	0	5.5	36	0	1	0	0.5
20	192.5	2	79.5	49.5	2.5	9	1.5	0.5	4.5	41.5	1	0	0.5	0.5
21	131	1.5	54.5	34	0	6.5	0.5	0.5	4.5	27.5	0.5	0	0	1
22	121.5	2	47	27	0.5	2	2	1	4	35.5	0	0.5	0	0
23	78	0.5	30	16	0	2	1	0.5	1.5	25.5	1	0	0	0
AF 0.74	5,455	54.5	2,155	1,506.5	34.5	355.5	68.5	35.5	113.5	1,063	45.5	8.5	2	12.5
SITE RECAP		3,716	Private 68.1% Unit	494	Single Unit 6.5%	9.1%			1,245	Combination Unit 19.5%	22.8%			
									1,739	Commercial Unit 8.0%	31.9%			

2E08X5

## Classification Summary


July 2005



## Site Summary

Volume	Pk-Hr	Pk-Hr-Vol
5,455	5pm	445
3,716	Private	334
1,739	Commercial	111
K-Factor	NB	SB
0.08	210	234


Volume	1	2	3	4	5	6	7	8	9	10	11	12	13
5,455	55	2,155	1,507	35	356	69	36	114	1,063	46	9	2	13
Axle Factor	1.0%	39.5%	27.6%	0.6%	6.5%	1.3%	0.7%	2.1%	19.5%	0.8%	0.2%	0.0%	0.2%
0.74	3,716	Private-Unit	494	Single-Unit	9.1%			1,245	Combination-Unit	22.8%			



## NB Traffic

Volume	Pk-Hr	Pk-Hr-Vol
2,796	4pm	217
1,935	Private	168
861	Commercial	49
K-Factor		
0.08		

Volume	1	2	3	4	5	6	7	8	9	10	11	12	13
2,796	28	1,135	773	21	167	37	21	66	514	24	5	2	6
Axle Factor	1.0%	40.6%	27.6%	0.8%	6.0%	1.3%	0.8%	2.3%	18.4%	0.8%	0.2%	0.1%	0.2%
0.75	1,935	Private-Unit	246	Single-Unit	8.8%			616	Combination-Unit	22.0%			



## SB Traffic

Volume	Pk-Hr	Pk-Hr-Vol
2,659	5pm	235
1,781	Private	163
878	Commercial	72
K-Factor		
0.09		

Volume	1	2	3	4	5	6	7	8	9	10	11	12	13
2,659	27	1,021	734	14	189	32	15	48	549	22	4	1	7
Axle Factor	1.0%	38.4%	27.6%	0.5%	7.1%	1.2%	0.5%	1.8%	20.6%	0.8%	0.1%	0.0%	0.2%
0.73	1,781	Private-Unit	249	Single-Unit	9.3%			630	Combination-Unit	23.7%			

## SITE INFORMATION

2E08X5	Survey 4973	District 6	Seward County
South Leg	Route: US-83		
	X-Route: K-51		

US-83 S OF K-51, N OF LIBERAL

Current Site: Regular, Class(B), NHS


This Survey: Regular

Also: 5/6/02; 5/24/99; 8/26/96

## 2 Lanes

Ln	Hrs	Begin	End
11	48	07/11/05 15:00	07/13/05 15:00
51	48	07/11/05 15:00	07/13/05 15:00


# 24 Hour Site Summary



2EX3Y1

## Classification Summary


August 2005



## Site Summary

Volume	Pk-Hr	Pk-Hr-Vol
4,304	5pm	324
2,858	Private	250
1,446	Commercial	75
K-Factor	NB	SB
0.08	150	175


Volume	1	2	3	4	5	6	7	8	9	10	11	12	13
4,304	60	1,552	1,247	19	282	66	38	86	894	36	11	1	17
Axle Factor	1.4%	36.1%	29.0%	0.4%	6.5%	1.5%	0.9%	2.0%	20.8%	0.8%	0.3%	0.0%	0.4%
0.73	2,858	Private-Unit		403	Single-Unit	9.4%			1,043	Combination-Unit	24.2%		



## NB Traffic

Volume	Pk-Hr	Pk-Hr-Vol
2,173	5pm	150
1,476	Private	110
697	Commercial	40
K-Factor		
0.07		

Volume	1	2	3	4	5	6	7	8	9	10	11	12	13
2,173	30	823	623	9	135	34	16	55	418	18	5	0	10
Axle Factor	1.4%	37.9%	28.7%	0.4%	6.2%	1.6%	0.7%	2.5%	19.2%	0.8%	0.2%	0.0%	0.4%
0.74	1,476	Private-Unit		193	Single-Unit	8.9%			504	Combination-Unit	23.2%		



## SB Traffic

Volume	Pk-Hr	Pk-Hr-Vol
2,131	5pm	175
1,382	Private	140
749	Commercial	36
K-Factor		
0.08		

Volume	1	2	3	4	5	6	7	8	9	10	11	12	13
2,131	30	729	624	10	147	32	22	31	476	19	7	1	7
Axle Factor	1.4%	34.2%	29.3%	0.5%	6.9%	1.5%	1.0%	1.5%	22.3%	0.9%	0.3%	0.0%	0.3%
0.71	1,382	Private-Unit		210	Single-Unit	9.9%			539	Combination-Unit	25.3%		

## SITE INFORMATION

2EX3Y1	Survey 5010	District 6	Seward County
North Leg	Route: US-83		
	X-Route: RS-2258, OLD US-83		

US-83 N OF RS-2258, S OF LIBERAL

Current Site: Regular, Class(B), NHS

This Survey: Regular

Also: 2/24/98

## 2 Lanes


Ln	Hrs	Begin	End
11	48	08/08/05 15:00	08/10/05 15:00
51	48	08/08/05 15:00	08/10/05 15:00

# 24 Hour Site Summary

## CLASSIFICATION

2I9BZ3	Regular
FC 6	Dist 6
Rte: US-160	Seward County
XRte: US-83	East Leg
US-160 E OF US-83, 15 MI NE OF LIBERAL	

## CLASSIFICATION




### Peak Hour Traffic

Volume: 48 at 9am

Private: 29 at 4pm

Trucks: 21 at 9am

July 2005 (48 Hr Survey)




Hr	Volume	1	2	3	4	5	6	7	8	9	10	11	12	13
0	6.5	0	2.5	1.5	0	0.5	0	0	0	2	0	0	0	0
1	1.5	0	0.5	1	0	0	0	0	0	0	0	0	0	0
2	1.5	0.5	0.5	0	0	0	0.5	0	0	0	0	0	0	0
3	0	0	0	0	0	0	0	0	0	0	0	0	0	0
4	3	0	0.5	0.5	0	0.5	0	0	0	1	0.5	0	0	0
5	11	0	1.5	5	0	2.5	0.5	0	0	1.5	0	0	0	0
6	23.5	0	5	9.5	0.5	2.5	0.5	0	1	4.5	0	0	0	0
7	37.5	1.5	6	16.5	0.5	2	2.5	1.5	0	5.5	1.5	0	0	0
8	41.5	0	8	16	0	1.5	4.5	1	3	6	1.5	0	0	0
9	48	0	12.5	14.5	0	4.5	2.5	0	1	11.5	1.5	0	0	0
10	40.5	0.5	5	17	0.5	5	0	0	2	9.5	0.5	0.5	0	0
11	38.5	1	6	15	0.5	3	1	0.5	1	9.5	1	0	0	0
12	44.5	2	12	13.5	1	4.5	1	2	1	6	1	0.5	0	0
13	38.5	0.5	11.5	16	0.5	2.5	0	0.5	1	6	0	0	0	0
14	39	1	9	15.5	0	2	1	2	1	4.5	2.5	0	0	0.5
15	38	1.5	11	11	1	1.5	1.5	0	0.5	9.5	0	0	0	0.5
16	47.5	1.5	9	18.5	0.5	4	0.5	1.5	1.5	9.5	0	0	0	1
17	38	1	9.5	18	0	3	0.5	0	1	5	0	0	0	0
18	24	0	7.5	12	0	0.5	0	0.5	0	3.5	0	0	0	0
19	21	0	5.5	10.5	0	0.5	0.5	0	0	3.5	0	0.5	0	0
20	19	0	4.5	9	0	0.5	0	0	0	5	0	0	0	0
21	13.5	0.5	4	6	0	1.5	0	0	0	1.5	0	0	0	0
22	9.5	0	2.5	4.5	0	0.5	0	0.5	0	1.5	0	0	0	0
23	4	0	2.5	1.5	0	0	0	0	0	0	0	0	0	0
AF	589.5	11.5	136.5	232.5	5	43	17	10	14	106.5	10	1.5	0	2
0.73		2.0%	23.2%	39.4%	0.8%	7.3%	2.9%	1.7%	2.4%	18.1%	1.7%	0.3%	0.0%	0.3%

SITE RECAP	380.5 Private 64.5% Unit	75 Single Unit 12.7%	134 Combination Unit 22.7%
		209 Commercial Unit 35.5%	

2I9BZ3

## Classification Summary


July 2005



## Site Summary

Volume	Pk-Hr	Pk-Hr-Vol
590	9am	48
381	Private	27
209	Commercial	21
K-Factor	EB	WB
0.08	28	20


Volume	1	2	3	4	5	6	7	8	9	10	11	12	13
590	12	137	233	5	43	17	10	14	107	10	2	0	2
Axle Factor	2.0%	23.2%	39.4%	0.8%	7.3%	2.9%	1.7%	2.4%	18.1%	1.7%	0.3%	0.0%	0.3%
0.73	381	Private-Unit	75	Single-Unit	12.7%				134	Combination-Unit	22.7%		



## EB Traffic

Volume	Pk-Hr	Pk-Hr-Vol
319	9am	28
195	Private	15
124	Commercial	14
K-Factor		
0.70	0.09	

Volume	1	2	3	4	5	6	7	8	9	10	11	12	13
319	6	74	115	3	21	11	6	8	66	9	1	0	1
Axle Factor	1.7%	23.2%	36.1%	0.9%	6.4%	3.3%	1.9%	2.5%	20.7%	2.7%	0.3%	0.0%	0.2%
0.70	195	Private-Unit	40	Single-Unit	12.6%				84	Combination-Unit	26.4%		



## WB Traffic

Volume	Pk-Hr	Pk-Hr-Vol
271	4pm	23
186	Private	13
85	Commercial	11
K-Factor		
0.77	0.08	

Volume	1	2	3	4	5	6	7	8	9	10	11	12	13
271	6	63	118	2	23	7	4	6	41	2	1	0	2
Axle Factor	2.2%	23.1%	43.4%	0.7%	8.3%	2.4%	1.5%	2.2%	14.9%	0.6%	0.2%	0.0%	0.6%
0.77	186	Private-Unit	35	Single-Unit	12.9%				50	Combination-Unit	18.5%		

## SITE INFORMATION

2I9BZ3	Survey 4974	District 6	Seward County
East Leg	Route: US-160		
	X-Route: US-83		

US-160 E OF US-83, 15 MI NE OF LIBERAL

Current Site: Regular, Class(D)

This Survey: Regular

Also: 8/27/96

## 2 Lanes


Ln	Hrs	Begin	End
31	48	07/11/05 14:00	07/13/05 14:00
71	48	07/11/05 14:00	07/13/05 14:00

# 24 Hour Site Summary

## CLASSIFICATION

2IIF47	Regular
FC 7	Dist 6
Rte: K-190	West Leg
XRte: US-83	
K-190 W OF US-83, 1 MI S OF HS CO LI	

## CLASSIFICATION




## Peak Hour Traffic

Volume: 18 at 8am

Private: 13 at 8am

Trucks: 6 at 9am

July 2005 (48 Hr Survey)




Hr	Volume	1	2	3	4	5	6	7	8	9	10	11	12	13
0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
1	0	0	0	0	0	0	0	0	0	0	0	0	0	0
2	0.5	0	0	0	0	0	0	0	0	0.5	0	0	0	0
3	0	0	0	0	0	0	0	0	0	0	0	0	0	0
4	0.5	0	0	0.5	0	0	0	0	0	0	0	0	0	0
5	2.5	0	1	1	0	0	0	0	0	0.5	0	0	0	0
6	4.5	0	0	2.5	0	0	0	0.5	0	1.5	0	0	0	0
7	12.5	0	1.5	8.5	0	1	0.5	0	0	1	0	0	0	0
8	17.5	0.5	6	6.5	0	1	1	0	1	0.5	0.5	0.5	0	0
9	16.5	0	3	7	0.5	3	1	0.5	0	1	0	0	0	0.5
10	14.5	0	3	7.5	0.5	1.5	1	0	0	1	0	0	0	0
11	9.5	0.5	2.5	3	0	1.5	0.5	0.5	0	1	0	0	0	0
12	10	0	1.5	3	0	1.5	1	0	0.5	2	0	0.5	0	0
13	11	0	3.5	5.5	0	1	0.5	0	0	0.5	0	0	0	0
14	14.5	0	6	4	0	1.5	0	0	0	2.5	0	0	0.5	0
15	13	0	3	5	0	2	1.5	0.5	0	1	0	0	0	0
16	14	0	3	6	0	2	0.5	0	0	2.5	0	0	0	0
17	12	0.5	4	5	0	1	0.5	0	0	1	0	0	0	0
18	12.5	0	2.5	6.5	0	2	1	0	0	0.5	0	0	0	0
19	4.5	0	1.5	1.5	0	0.5	0	0	0	1	0	0	0	0
20	6	0	2	1.5	0.5	0	0.5	0	0	1.5	0	0	0	0
21	0.5	0	0	0	0	0	0	0	0	0.5	0	0	0	0
22	0.5	0	0	0.5	0	0	0	0	0	0	0	0	0	0
23	0	0	0	0	0	0	0	0	0	0	0	0	0	0
AF 0.80	177	1.5 0.8%	44 24.9%	75 42.4%	1.5 0.8%	19.5 11.0%	9.5 5.4%	2 1.1%	1.5 0.8%	20 11.3%	0.5 0.3%	1 0.6%	0.5 0.3%	0.5 0.3%

SITE RECAP	120.5 Private 68.1% Unit	32.5 Single Unit 18.4%	24 Combination Unit 13.6%
		56.5 Commercial Unit 31.9%	

2IIF47

## Classification Summary


July 2005



## Site Summary

Volume	Pk-Hr	Pk-Hr-Vol
261	8am	18
183	Private	13
78	Commercial	5
K-Factor	EB	WB
0.07	10	7


Volume	1	2	3	4	5	6	7	8	9	10	11	12	13
261	2	70	111	3	29	14	4	2	25	1	1	1	1
Axle Factor	0.8%	26.7%	42.6%	1.0%	10.9%	5.2%	1.5%	0.6%	9.6%	0.2%	0.4%	0.4%	0.2%
0.82	183	Private-Unit	49	Single-Unit	18.6%	30	Combination-Unit	11.3%	78	Commercial-Unit	29.9%		



## EB Traffic

Volume	Pk-Hr	Pk-Hr-Vol
94	8am	11
59	Private	7
35	Commercial	4
K-Factor		
0.75	0.11	

Volume	1	2	3	4	5	6	7	8	9	10	11	12	13
94	1	19	39	1	11	6	0	2	15	1	1	0	1
Axle Factor	1.1%	19.8%	41.7%	0.5%	11.2%	5.9%	0.0%	1.6%	16.0%	0.5%	1.1%	0.0%	0.5%
0.75	59	Private-Unit	62.6%	17	Single-Unit	17.6%	19	Combination-Unit	19.8%	35	Commercial-Unit	37.4%	



## WB Traffic

Volume	Pk-Hr	Pk-Hr-Vol
167	7am	8
124	Private	7
43	Commercial	1
K-Factor		
0.87	0.05	

Volume	1	2	3	4	5	6	7	8	9	10	11	12	13
167	1	51	72	2	18	8	4	0	10	0	0	1	0
Axle Factor	0.6%	30.5%	43.1%	1.2%	10.8%	4.8%	2.4%	0.0%	6.0%	0.0%	0.0%	0.6%	0.0%
0.87	124	Private-Unit	32	Single-Unit	19.2%	11	Combination-Unit	6.6%	43	Commercial-Unit	25.7%		

## SITE INFORMATION

2IIF47	Survey 4975	District 6	Seward County
West Leg	Route: K-190		
	X-Route: US-83		

K-190 W OF US-83, 1 MI S OF HS CO LI

Current Site: Regular, Class(E)

This Survey: Regular

No Other Class Surveys on Record

## 2 Lanes


Ln	Hrs	Begin	End
31	48	07/11/05 14:00	07/13/05 14:00
71	48	07/11/05 14:00	07/13/05 14:00

# 24 Hour Site Summary

## CLASSIFICATION

1JUDP5	Regular
FC 6	Dist 6
Rte: K-25	Stevens County
XRte: RS-480	South Leg
K-25 S OF RS-480, 9 MI N OF HUGOTON	

## CLASSIFICATION




## Peak Hour Traffic

Volume: 115 at 7am

Private: 71 at 5pm

Trucks: 46 at 7am

July 2005 (24 Hr Survey)




Hr	Volume	1	2	3	4	5	6	7	8	9	10	11	12	13
0	16	0	3	2	0	0	0	0	0	11	0	0	0	0
1	14	0	1	0	0	1	1	0	1	10	0	0	0	0
2	6	0	1	1	0	0	0	0	0	4	0	0	0	0
3	12	0	1	0	0	1	0	0	2	8	0	0	0	0
4	12	0	1	1	0	0	0	0	1	9	0	0	0	0
5	44	1	17	13	0	2	1	0	2	8	0	0	0	0
6	75	0	19	27	0	6	2	0	2	19	0	0	0	0
7	115	0	33	36	0	13	5	0	2	24	0	0	0	2
8	94	0	27	28	0	9	4	0	3	23	0	0	0	0
9	86	1	26	26	0	9	3	0	2	18	1	0	0	0
10	95	0	29	33	0	8	2	1	2	20	0	0	0	0
11	85	0	25	29	2	5	1	0	2	21	0	0	0	0
12	86	1	21	32	0	3	3	0	3	21	0	1	0	1
13	95	0	26	33	1	5	3	0	5	21	0	0	0	1
14	93	2	31	33	2	5	1	0	1	14	0	0	0	4
15	92	0	21	34	1	7	4	2	1	21	0	0	0	1
16	106	0	35	35	0	7	1	0	5	22	1	0	0	0
17	107	0	41	30	1	9	0	0	5	18	0	0	1	2
18	79	1	31	30	1	5	1	0	1	9	0	0	0	0
19	56	0	23	12	0	4	0	1	1	15	0	0	0	0
20	51	0	14	14	0	3	0	1	0	19	0	0	0	0
21	32	2	13	4	0	3	0	0	1	9	0	0	0	0
22	21	0	8	4	0	1	0	0	0	8	0	0	0	0
23	26	1	5	5	0	1	0	0	0	14	0	0	0	0
AF	1,498	9	452	462	8	107	32	5	42	366	2	1	1	11
0.70	0.6%	0.6%	30.2%	30.8%	0.5%	7.1%	2.1%	0.3%	2.8%	24.4%	0.1%	0.1%	0.1%	0.7%

SITE RECAP	923 Private 61.6% Unit	152 Single Unit 10.1%	423 Combination Unit 28.2%
575 Commercial Unit 38.4%			

1JUDP5

## Classification Summary


July 2005



## Site Summary

Volume	Pk-Hr	Pk-Hr-Vol
1,498	7am	115
923	Private	69
575	Commercial	46
K-Factor	NB	SB
0.08	70	45


Volume	1	2	3	4	5	6	7	8	9	10	11	12	13
1,498	9	452	462	8	107	32	5	42	366	2	1	1	11
Axle Factor	0.6%	30.2%	30.8%	0.5%	7.1%	2.1%	0.3%	2.8%	24.4%	0.1%	0.1%	0.1%	0.7%
0.70	923	Private-Unit	152	Single-Unit	10.1%	423	Combination-Unit	28.2%	575	Commercial-Unit	38.4%		



## NB Traffic

Volume	Pk-Hr	Pk-Hr-Vol
769	7am	70
465	Private	42
304	Commercial	28
K-Factor		
0.09		

Volume	1	2	3	4	5	6	7	8	9	10	11	12	13
769	5	237	223	5	56	17	2	25	193	1	0	0	5
Axle Factor	0.7%	30.8%	29.0%	0.7%	7.3%	2.2%	0.3%	3.3%	25.1%	0.1%	0.0%	0.0%	0.7%
0.69	465	Private-Unit	80	Single-Unit	10.4%	224	Combination-Unit	29.1%	304	Commercial-Unit	39.5%		



## SB Traffic

Volume	Pk-Hr	Pk-Hr-Vol
729	4pm	56
458	Private	41
271	Commercial	15
K-Factor		
0.08		

Volume	1	2	3	4	5	6	7	8	9	10	11	12	13
729	4	215	239	3	51	15	3	17	173	1	1	1	6
Axle Factor	0.5%	29.5%	32.8%	0.4%	7.0%	2.1%	0.4%	2.3%	23.7%	0.1%	0.1%	0.1%	0.8%
0.70	458	Private-Unit	72	Single-Unit	9.9%	199	Combination-Unit	27.3%	271	Commercial-Unit	37.2%		

## SITE INFORMATION

1JUDP5	Survey 4971	District 6	Stevens County
South Leg	Route: K-25		
	X-Route: RS-480		

K-25 S OF RS-480, 9 MI N OF HUGOTON

Current Site: Regular, Class(D)

This Survey: Regular

Also: 8/8/05

## 2 Lanes


Ln	Hrs	Begin	End
11	24	07/11/05 16:00	07/12/05 16:00
51	24	07/11/05 16:00	07/12/05 16:00

# 24 Hour Site Summary

## CLASSIFICATION

1JUDP5	Regular
FC 6	Dist 6
Rte: K-25	Stevens County
XRte: RS-480	South Leg
K-25 S OF RS-480, 9 MI N OF HUGOTON	

## CLASSIFICATION




## Peak Hour Traffic

Volume: 122 at 4pm

Private: 78 at 4pm

Trucks: 48 at 10am

August 2005 (48 Hr Survey)




Hr	Volume	1	2	3	4	5	6	7	8	9	10	11	12	13
0	9.5	0.5	3	1.5	0	0	0.5	0	2	2	0	0	0	0
1	9	0.5	2	0	0	0.5	0	0	0.5	5	0	0	0	0.5
2	7	0.5	1.5	0	0	0.5	0.5	0	0.5	3.5	0	0	0	0
3	9.5	0.5	1	1.5	0	0.5	0.5	0	2	3.5	0	0	0	0
4	15.5	0	3.5	2	0.5	0.5	0	0	2	7	0	0	0	0
5	35	0.5	14.5	9	0.5	1.5	0	0.5	0	8.5	0	0	0	0
6	60.5	0.5	24.5	17.5	0.5	4.5	1	0	1	10.5	0.5	0	0	0
7	97	1	20.5	41.5	0	7.5	2.5	0	4	19	0.5	0	0	0.5
8	94	3	23	33	0	5	2	1.5	3	22.5	1	0	0	0
9	87.5	1	17	30.5	0.5	6	1.5	0.5	3.5	26.5	0.5	0	0	0
10	93	0.5	18	26.5	0	6.5	2	0	2.5	36	0.5	0	0	0.5
11	81.5	0.5	16.5	30.5	1	3.5	1	0	2.5	24.5	0.5	0	0	1
12	90	1	24	23.5	0	3.5	2	0.5	4	30	1	0	0	0.5
13	98.5	0.5	29.5	33	0.5	9	1.5	1.5	0.5	21.5	0.5	0	0	0.5
14	105.5	0	28.5	32.5	0.5	7	2	1	3	30	0.5	0	0	0.5
15	97	0	27.5	29	0	6.5	0.5	0	3.5	28.5	1	0	0	0.5
16	121.5	0	39.5	39	0.5	7	2	1	3	28.5	1	0	0	0
17	104.5	0	41.5	37	0	6	0	1.5	2.5	15.5	0.5	0	0	0
18	76	0	23	27.5	0	3.5	1	1.5	1	18.5	0	0	0	0
19	55	0	18	21	0	3.5	0	0.5	0.5	11.5	0	0	0	0
20	37	0	8	11.5	0	1	0	0	0.5	16	0	0	0	0
21	39	0	11	7.5	0	1.5	0	0.5	0.5	18	0	0	0	0
22	27.5	0.5	7	4.5	0	1.5	1	1	1.5	10.5	0	0	0	0
23	20	1	3.5	3.5	0	1	0	0	1	10	0	0	0	0
AF 0.68	1,470.5	12 0.8%	406 27.6%	463 31.5%	4.5 0.3%	87.5 6.0%	21.5 1.5%	11.5 0.8%	45 3.1%	407 27.7%	8 0.5%	0 0.0%	0 0.0%	4.5 0.3%

SITE RECAP	881 Private Unit	125 Single Unit 8.5%	464.5 Combination Unit 31.6%
	59.9% Unit	589.5 Commercial Unit	40.1%

1JUDP5

## Classification Summary


August 2005



## Site Summary

Volume	Pk-Hr	Pk-Hr-Vol
1,471	4pm	122
881	Private	79
590	Commercial	43
K-Factor	NB	SB
0.08	56	65


Volume	1	2	3	4	5	6	7	8	9	10	11	12	13
1,471	12	406	463	5	88	22	12	45	407	8	0	0	5
Axle Factor	0.8%	27.6%	31.5%	0.3%	6.0%	1.5%	0.8%	3.1%	27.7%	0.5%	0.0%	0.0%	0.3%
	881	Private-Unit		125	Single-Unit	8.5%		465	Combination-Unit	31.6%			
0.68								590	Commercial-Unit	40.1%			



## NB Traffic

Volume	Pk-Hr	Pk-Hr-Vol
749	4pm	57
439	Private	36
310	Commercial	21
K-Factor		
0.08		

Volume	1	2	3	4	5	6	7	8	9	10	11	12	13
749	4	204	231	2	45	10	5	17	225	5	0	0	2
Axle Factor	0.5%	27.3%	30.9%	0.2%	6.0%	1.3%	0.7%	2.3%	30.1%	0.7%	0.0%	0.0%	0.2%
	439	Private-Unit		62	Single-Unit	8.2%		249	Combination-Unit	33.2%			
0.66								310	Commercial-Unit	41.4%			



## SB Traffic

Volume	Pk-Hr	Pk-Hr-Vol
722	4pm	65
443	Private	43
280	Commercial	23
K-Factor		
0.09		

Volume	1	2	3	4	5	6	7	8	9	10	11	12	13
722	9	202	232	3	43	12	7	28	182	3	0	0	3
Axle Factor	1.2%	28.0%	32.1%	0.4%	5.9%	1.6%	0.9%	3.9%	25.2%	0.4%	0.0%	0.0%	0.4%
	443	Private-Unit		64	Single-Unit	8.8%		216	Combination-Unit	29.9%			
0.69								280	Commercial-Unit	38.7%			

## SITE INFORMATION

1JUDP5	Survey 5009	District 6	Stevens County
South Leg	Route: K-25		
	X-Route: RS-480		

K-25 S OF RS-480, 9 MI N OF HUGOTON

Current Site: Regular, Class(D)

This Survey: Regular

Also: 7/11/05

2nd survey this Yr

## 2 Lanes

Ln	Hrs	Begin	End
11	48	08/08/05 16:00	08/10/05 16:00
51	48	08/08/05 16:00	08/10/05 16:00

# FHWA CLASSIFICATIONS

PRIVATE VEHICLES		COMMERCIAL VEHICLES			
1	MOTORCYCLE	2	PASSENGER CARS	3	PICKUPS
4		5	6	7	8
PRIVATE	MOTORCYCLE	TWO AXLE	THREE AXLE	FOUR + AXLES	FOUR or LESS AXLES
SINGLE UNIT	9	10	11	12	13
	FIVE AXLES	SIX + AXLES	FIVE AXLES	SIX AXLES	SEVEN + AXLES
SINGLE TRAILER					
MULTI TRAILER	14	15	16	17	18
	SEVEN + AXLES	EIGHT + AXLES	NINE + AXLES	TEN + AXLES	ELVEN + AXLES

- 01 - Motorcycles
- 02 - Passenger Cars
- 03 - Other Two-Axle, Four-Tire Single-Unit Vehicles
- 04 - Busses
- 05 - Two-axle, Six-Tire Single-Unit Trucks
- 06 - Three-Axle Single-Unit Trucks
- 07 - Four or More Axle Single-Unit Trucks
- 08 - Four or Less Axle Single-Trailer Trucks
- 09 - Five-axle Single-Trailer Trucks
- 10 - Six or More Axle Single-Trailer Trucks
- 11 - Five or Less Axle Multi-Trailer Trucks
- 12 - Six Axle Multi-Trailer Trucks
- 13 - Seven or More Axle Multi-Trailer Trucks